



OBC ***NORTHWEST, INC.***

Nursery & Greenhouse Supplies

Serving customers since 1954

1-800-477-4744

(503) 266-2021 | Fax: (503) 266-6837



Supply Catalog, Printed 2022

Monday-Friday: 7:30am - 5:00pm

1076 SW Berg Pkwy, Canby OR 97013

www.obcnw.com

OBC *NORTHWEST, INC.*
Nursery & Greenhouse Supplies
SINCE 1954



Delivery Charges

The fuel surcharge will vary depending on location. With an order of \$350 or more, we will deliver your order as follows: a fuel charge of \$15 on our local delivery route, \$75 will be applied for long distance deliveries, and \$95 for deliveries to Canada. For orders under \$350, a fuel surcharge of \$80 will be added for local deliveries, and \$105 for long distance deliveries within our delivery area. Orders need to be placed no later than 3:00 pm two days before the delivery for stocked items. Canada orders need to be placed by noon the Wednesday before delivery.

Deliveries outside our regularly scheduled delivery area can be arranged by motor freight or common carrier.

Regular Delivery Schedule

MONDAYS

SOUTHWEST: Amity, Carlton, Dallas, Dayton, Dundee, Independence, Keizer, Lafayette, Lake Oswego, McMinnville, Monmouth, Newberg, Rickreall, St. Paul, West Salem, Sheridan, Sherwood, Tualatin, West Linn, Willamina, Wilsonville, Yamhill.

NORTH: Washington I-5 Corridor (north of Ridgefield) to Vancouver B.C. (Two Day Run)

TUESDAYS

EAST: Boring, Colton, Eagle Creek, Estacada, Gladstone, Gresham, Milwaukie, Molalla, Oregon City, East Portland, Sandy.

WEDNESDAYS & FRIDAYS

SOUTH: Albany, Alvadore, Aumsville, Aurora, Brooks, Brownsville, Corvallis, Creswell, Eugene, Gervais, Halsey, Harrisburg, Jefferson, Junction City, Lebanon, Lowell, Monroe, Mount Angel, Philomath, Pleasant Hill, East Salem, Scio, Shedd, Silverton, Stayton, Sublimity, Sweet Home, Tangent, Turner, Woodburn.

THURSDAYS

EAST: Battleground WA, Boring, Brush Prairie WA, Gresham, Oregon City, East Portland, Ridgefield WA, Sandy, Vancouver WA, Woodland WA.

WEST: Aloha, Banks, Beaverton, Cornelius, Forest Grove, Gaston, Hillsboro, Kansas City, North Plains, NW Portland, Tigard, St. Helens, West Linn, Wilsonville.

FAR SOUTH RUN

Truck leaves for a two day run every two weeks, orders permitting. Route: Cottage Grove I-5 to the Oregon-California border.

PENINSULA RUN

Every other Thursday. Sauvie Island area and Washington Peninsula.
If you are not covered by our delivery schedule or would like additional information, please call 1-800-477-4744 and we can discuss other possibilities.

Terms & Conditions

Customers

Customers who have established credit with OBC Northwest will receive net 30 days terms. Invoices are due 30 days from the invoice date and will be charged a late payment charge of 1.5% interest per month. All returned checks will be charged a \$25.00 handling fee.

New Accounts

To establish credit, simply fill out the credit application enclosed and mail or fax to us. Please give satisfactory Trade References. Please allow two weeks to verify references. If purchases must be made and credit is not established, a payment will be required or cash upon delivery or pickup.

Payment

Terms net 30 days unless otherwise stated on the invoice. Past due accounts will include interest at the rate of one and a half percent per month until paid and expenses of collection, including reasonable attorneys fees, whether or not litigation is commenced. If litigation is brought, customer agrees to jurisdiction of the Oregon courts. To our Net 30 day accounts; OBC does not accept the use of Credit Cards for any part of your outstanding balance.

Returns

Authorization is required before returns will be accepted. All products returned must be accompanied with the invoice and returned in its original condition, unless product has not performed within written warranties. Goods must be returned within 30 days of shipment in order to receive credit. Goods that have been special ordered or that are not a stock item may not be returned unless prior arrangements have been made. Burlap cannot be returned. All returns will be assessed a handling charge of 20% unless otherwise authorized.

Special Orders

A deposit of 50% is required on special orders. Customers are responsible for the cost incurred on special orders that are cancelled.

Freight Claims

Freight claims must be filed immediately. Claims for lost or damaged materials and freight charges must be made with the transportation company. Claims for lost or damaged materials and transportation charges may not be deducted from our invoice, nor may payment of invoice be withheld awaiting adjustments of such claims, since it is the function of the freight company to guarantee safe delivery. Claims for missing or damaged products delivered by an OBC truck must be made immediately by calling the office at 1-800-477-4744.

Limited Warranty

This warranty contains the entire agreement between the parties with respect to the products and goods subject hereto, which products have been assembled from goods supplied to seller by other manufacturers and dealers. Seller makes no representations or warranties expressed or implied relative to the products and goods, except that the products and goods sold here under are of the standard quality and specifications for such products and goods sold by seller. Buyer assumes all risk and liability resulting from the use of product and goods. If any sample was shown buyer, such sample was used mainly to illustrate the general type and quality of the product and goods. Seller makes no warranty that they are fit for any particular purpose or that they will endure for any particular length of time.

Causes Beyond Seller's Control

Seller shall not be liable for failure to deliver or delays in delivery occasioned by causes beyond Seller's control, including without limitation strikes, lock-out, fire, inability to obtain materials or shipping space, break-downs, delays of carriers or suppliers, weather and road conditions, and governmental acts and regulations.

Shipping

All supplies shipped F.O.B. our warehouse unless quantity shipments can be arranged direct from the manufacturer. We have no licensing requirements for purchases. Please see page 3 for our regular shipping schedule.

Please Note:

OBC Northwest Inc. gladly accepts Visa, American Express or Master Card for purchases at time of placing order. To our Net 30 day accounts; OBC does not accept the use of Credit Cards for any part of your outstanding balance.



**Tracy Boyce, CEO
& Melanie Miller-Gonzalez, President**

*A lot has changed
in 68 years*

**One thing remains the same
Our commitment to our customers**

It is OBC's philosophy
We live by it every day
For every customer
On every job

Customer service comes first
Serving our customers with Honesty
Integrity and Respect since 1954

**Thank You
For allowing OBC Northwest, Inc.
to serve you**



Brianna Berreth
Accounting & HR Manager



Alan Hatheway
Warehouse Manager



Jessica Petitmermet
*Customer Service &
Purchasing Manager*



Cameron Miller
Logistics Manager



Laurie Rogers-Roach
Sales Manager



Giovanni Rios
Production Manager

TERRITORY SALES TEAM



*Shane
California*



*Gary
Oregon*



*Jones
Washington &
British Columbia*



*Jen
Oregon*

INSIDE SALES & ACCOUNTING



*Jeanette
Inside Sales—Lead*



*Trevor
Inside Sales*



*Katelyn
Inside Sales*



*Bella
Inside Sales*



*Kate
Inside Sales / AR*



*Domnici
Accounts
Receivable*

PRODUCTION



Antonio—Lead



Benito—Lead



Janet—Lead



Miguel—Lead



Alex—Lead



Ruben



Juan



Lionor



Colby



Romana



Jose



Sofia



Eric

DRIVERS / WAREHOUSE / SHIPPING



*Jose
Warehouse Assistant Manager*



Russ



Abel



Emily



Marcos



Zdenek



Nathen




Roberto



Jason




Flat Baskets



| Prod. Code | Size | Bndl/Pal Qty | Ball Diam. | Burlap Sq. | Weight Per Bdl.(lbs) |
|------------|------|--------------|------------|------------|----------------------|
| WBFB26 | 26" | 25/1300 | 8-10" | 28x28" | 9.0 |
| WBFB30 | 30" | 25/1300 | 10-12" | 30x30" | 11.25 |
| WBFB36 | 36" | 25/1300 | 14-18" | 36x36" | 18.75 |
| WBFB42 | 42" | 25/1300 | 20-24" | 48x48" | 20.0 |
| WBFB48 | 48" | 25/1300 | 24-28" | 60x60" | 21.5 |
| WBFB54 | 54" | 25/1300 | 30-36" | 72x72" | 23.25 |
| WBFB80 | 80" | 10 | 45-53" | 108x108" | 30.0 |
| WBFB100 | 100" | 5 | 55-60" | 120x120" | 43.0 |

Optimal Wire Baskets




| Prod. Code | Size (Top x Bottom x Height) | Bndl/Pal Qty | No. of Rings | No. of Verticals | Weight(lbs) |
|------------|------------------------------|--------------|--------------|------------------|-------------|
| WBOCB24 | 24" x 16" x 10" | 25/1350 700 | 3 | 4 | 1.44 |
| WBOCB28 | 28" x 19" x 10" | 15/630 | 3 | 5 | 1.66 |
| WBOCB32 | 32" x 20" x 12" | 15/330 | 3 | 5 | 2.65 |
| WBOCB36 | 36" x 17.5" x 17.5" | 10/200 | 4 | 5 | 3.19 |
| WBOCB40 | 40" x 21.5" x 17.5" | 10/160 | 4 | 5 | 4.00 |
| WBOCB45 | 45" x 21.5" x 22" | 5/150 | 5 | 6 | 5.42 |
| WBOCB48 | 48" x 24" x 22" | 5/150 | 5 | 6 | 6.17 |
| WBOCB54 | 54" x 26" x 25" | 5/120 | 6 | 6 | 7.54 |
| WBOCB60 | 60" x 28" x 27.5" | 5/100 | 6 | 8 | 11.08 |

Cone-Style 30° Baskets



| Prod. Code | Size (Top x Bottom x Height) | Bndl/Pal Qty | No. of Rings | No. of Verticals | Liner Size | Weight(lbs) |
|------------|------------------------------|--------------|--------------|------------------|------------|-------------|
| WBCCB24 | 24" x 10" x 13.5" | 25/1000 | 3 | 4 | 36" x 40" | 1.49 |
| WBCCB28 | 28" x 11" x 18" | 15/540 | 4 | 5 | 45" x 45" | 2.46 |
| WBCCB32 | 32" x 13" x 20" | 15/180 | 4 | 5 | 54" x 50" | 2.76 |
| WBCCB36 | 36" x 14" x 24" | 10/160 | 5 | 5 | 54" x 60" | 3.43 |
| WBCCB40 | 40" x 16" x 24" | 10/150 | 5 | 8 | 60" x 60" | 3.50 |


Large Big John Wire Baskets



| Prod. Code | Size (Top x Bottom x Height) | Bndl/Pal Qty | Lifting Lugs | Weight |
|---|------------------------------|--------------|--------------|--------|
| Bottom Forming (Open Bottom) Baskets | | | | |
| WBBJ70C | 72" x 30-3/8" x 44-3/16" | 1/75 | 3 | 38 lb. |
| WBBJ87C | 87" x 39-1/2" x 42" | 1/50 | 4 | 50 lb. |

* other sizes available

Call or go online for large quantity orders, additional info and current prices.



Vermeer Short 25° Baskets

| Prod. Code | Size (Top x Bottom x Height) | Bndl/Pal Qty | No. of Rings | No. of Verticals | Liner Size | Weight(lbs) |
|------------|------------------------------|--------------|--------------|------------------|------------|-------------|
| WBVSCB24 | 24" x 15" x 11" | 25/700 | 3 | 5 | 36" x 40" | 1.49 |
| WBVSCB28 | 28" x 16" x 13.5" | 15/540 | 3 | 5 | 40" x 45" | 1.66 |
| WBVSCB32 | 32" x 20" x 15" | 25/330 | 3 | 5 | 48" x 48" | 2.65 |
| WBVSCB36 | 36" x 20" x 18" | 10/150 | 4 | 5 | 54" x 54" | 3.49 |
| WBVSCB40 | 40" x 24" x 18" | 10/150 | 4 | 5 | 60" x 60" | 4.21 |
| WBVSCB44 | 44" x 25" x 22" | 10/130 | 4 | 6 | 72" x 72" | 4.54 |

Vermeer Deep 25° Baskets

| Prod. Code | Size (Top x Bottom x Height) | Bndl/Pal Qty | No. of Rings | No. of Verticals | Liner Size | Weight(lbs) |
|------------|------------------------------|--------------|--------------|------------------|------------|-------------|
|------------|------------------------------|--------------|--------------|------------------|------------|-------------|

Closed Bottom


| | | | | | | |
|----------|-------------------|------------|---|---|-----------|------|
| WBVDCB20 | 20" x 12" x 11" | 25/1150 | 3 | 4 | 30" x 36" | 1.40 |
| WBVDCB24 | 24" x 12" x 13.5" | 25/900 | 3 | 4 | 36" x 40" | 1.49 |
| WBVDCB28 | 28" x 12" x 18" | 15/495 540 | 4 | 5 | 45" x 45" | 2.45 |
| WBVDCB32 | 32" x 16" x 20" | 15/240 | 5 | 5 | 48" x 50" | 2.87 |
| WBVDCB36 | 36" x 16" x 24" | 10/120 110 | 5 | 5 | 54" x 60" | 3.55 |
| WBVDCB40 | 40" x 20" x 24" | 10/120 | 5 | 5 | 60" x 60" | 4.61 |
| WBVDCB44 | 44" x 20" x 27.5" | 10/110 | 5 | 5 | 72" x 72" | 5.34 |
| WBVDCB50 | 50" x 23" x 30" | 5/100 | 5 | 6 | 72" x 80" | 6.25 |
| WBVDCB54 | 54" x 27" x 32" | 5/80 | 5 | 7 | 72" x 80" | 7.49 |

Bottom Forming (Open Bottom)

| | | | | | | |
|----------|-------------------|------|---|---|-----------|------|
| WBVDBF60 | 60" x 29.5" x 35" | 5/80 | 6 | 8 | 85" x 96" | 9.24 |
|----------|-------------------|------|---|---|-----------|------|


Large Vermeer Wire basket (Bottom Forming)

| | | | | | | |
|----------|-------------------|------|---|---|-----------|----|
| WBVDBF70 | 70" x 31" x 36.5" | 1/65 | 7 | 8 | 120"x120" | 10 |
| WBVDBF80 | 80" x 35" x 41" | 1/55 | 7 | 8 | 135"x135" | 12 |
| WBVDBF90 | 90" x 40" x 56" | 1/40 | 7 | 8 | 135"x135" | 12 |



Truncated 22° Baskets

| Prod. Code | Size (Top x Bottom x Height) | Bndl/Pal Qty | No. of Rings | No. of Verticals | Liner Size | Weight(lbs) |
|------------|------------------------------|--------------|--------------|------------------|------------|-------------|
| WBTCB18 | 18" x 10.5" x 10" | 25/1150 | 3 | 4 | 30" x 36" | .75 |
| WBTCB20 | 20" x 12" x 11" | 25/700 | 3 | 4 | 30" x 36" | 1.15 |
| WBTCB24 | 24" x 14" x 13.5" | 15/660 | 3 | 5 | 40" x 40" | 1.58 |
| WBTCB26 | 26" x 14" x 15" | 15/405 | 4 | 5 | 45" x 45" | 2.25 |
| WBTCB28 | 28" x 15" x 18" | 15/210 | 4 | 5 | 45" x 45" | 2.38 |
| WBTCB32 | 32" x 18" x 20.25" | 15/1150 | 5 | 5 | 48" x 50" | 3.04 |
| WBTCB36 | 36" x 21" x 24" | 10/110 | 5 | 5 | 54" x 60" | 3.21 |
| WBTCB40 | 40" x 24" x 24" | 10/100 | 5 | 5 | 60" x 60" | 5.4 |





PLAIN & TREATED BURLAP:

Most of the burlap today is imported from India and Bangladesh. As convertors of burlap, we can process the burlap into plain squares or treat them with an EPA approved formula to prolong the life of the burlap. Both plain and treated burlap is stocked in pre-cut squares 24" through 96". We also stock treated liners in both 7 oz. and heavy material to be used as a liner in wire baskets.

Burlap is a natural fiber and will completely decompose in the soil overtime. Temperature, water and soil condition will determine how long the burlap will last. Because of these factors, OBC Northwest can not guarantee how long the burlap will last.

Burlap Rolls

Our rolled burlap is available both treated and untreated. Treated burlap is sold in 500 yard rolls. Untreated burlap is sold in rolls of 100 yards. Plain burlap can also be put up in 500 yard rolls.

Our burlap is treated with the only EPA approved copper formula, which is monitored on a daily basis to ensure the correct percentages.

Available in 7 oz. or heavy weight

Stock Rolls: 36"; 40"; 48"; 60" and 72" wide

Burlap Basket Liners

OBC Northwest manufactures basket liners to fit into wire baskets at our factory in Canby, Oregon. We have the capability to manufacture treated and plain liners. If you require a special design, we can engineer and fabricate almost anything.

Available in 7 oz. or heavy weight

Burlap Nursery Squares

Don't be fooled by inferior, low-cost squares that will not last the season. OBC Northwest offers the best quality, long-lasting, EPA approved burlap squares on the market today. Squares are available both treated and untreated.

Note: Due to varying conditions, longevity of treated burlap cannot be guaranteed.

7 oz. stock; Heavy stock available upon request.

| Prod. Code (Treated) | Prod. Code (Untreated) | Square Size | Quantity/Bundle | Weight/Bundle | Avg. Ball Diameter |
|----------------------|------------------------|-------------|-----------------|---------------|--------------------|
| NST24 | NSP24 | 24x24" | 100 | 18 | 6" - 8" |
| NST28 | NSP28 | 28x28" | 100 | 27 | 8"-10" |
| NST30 | NSP30 | 30x30" | 100 | 27 | 10"-12" |
| NST32 | NSP32 | 32x32" | 100 | 40 | 12"-14" |
| NST36 | NSP36 | 36x36" | 100 | 44 | 14"-16" |
| NST40 | NSP40 | 40x40" | 100 | 48 | 18"-20" |
| NST45 | NSP45 | 45x45" | 50 | 32 | 20"-22" |
| NST48 | NSP48 | 48x48" | 50 | 47 | 22"-24" |
| NST54 | NSP54 | 54x54" | 50 | 50 | 24"-26" |
| NST60 | NSP60 | 60x60" | 50 | 61 | 26"-28" |
| NST72 | NSP72 | 72x72" | 25 | 45 | 30"-34" |
| NST80 | NSP80 | 80x80" | 10 | 23 | 36"-40" |
| NST96 | NSP96 | 96x96" | 10 | 38 | 42"-48" |



Sisal & Poly Twine

| Prod. Code | Twine Type | Yield/Bale | Weight | Put-Up | Approx. Knot Strength |
|-------------|-------------------------------|-------------|--------|-------------|-----------------------|
| TS1PT1010EA | 1-ply Sisal, Treated | 15,000 ft. | 10 lb. | 10# ball | 110 lb. |
| TS2PT1010EA | 2-ply Sisal, Treated | 7,500 ft. | 10 lb. | 10# ball | 170 lb. |
| TS3PT1010EA | 3-ply Sisal, Treated | | 10 lb. | 10# ball | 600# tensile |
| TS1PP1010EA | 1-ply Sisal, Plain, Uncoiled | 15,000 ft. | 10 lb. | 10# ball | 105 lb. |
| TS2PP1010EA | 2-ply Sisal, Plain, Uncoiled | 7,500 ft. | 10 lb. | 10# ball | 160 lb. |
| TS9000 | 9,000 Sisal Baler, Oiled | 8,600 ft. | 40 lb. | 2-20# balls | 135 lb. |
| TS7200 | 7,200 Sisal Baler, Oiled | 6,800 ft. | 40 lb. | 2-20# balls | 160 lb. |
| TS550B | 550 Sisal Binder Twine, Oiled | 27,500 ft. | 50 lb. | 10-5# balls | 55 lb. |
| TS1PTXHD | 1-ply Treated/X-Heavy Duty | 9,250 ft. | 50 lb. | 10-5# balls | 390# tensile |
| TP9000 | 9,000 Poly Baler, Orange | 9,000 ft. | 20 lb. | 2-9# balls | 130 lb. |
| TP7200 | 7,200 Poly Baler, Orange | 7,200 ft. | 20 lb. | 2-9# balls | 180 lb. |
| TP7200Y | 7,200 Poly Baler, Yellow | 7,200 ft. | 20 lb. | 2-9# balls | 160 lb. |
| TP5000 | 5,000 Poly Baler, Orange | 5,000 ft. | 16 lb. | 16# ball | 210 lb. |
| TSF850 | 850 Poly Split Film, White | 850 ft./lb. | 10 lb. | 10# ball | 85 lb. |
| TSF650 | 650 Poly Split Film, White | 650 ft./lb. | 10 lb. | 10# ball | 125 lb. |
| TSF550 | 550 Poly Split Film, White | 550 ft./lb. | 10 lb. | 10# ball | 140 lb. |
| TPTL | 950 Tree Lock Rope, Black | 190 ft./lb. | 5 lb. | 5# balls | 640# tensile |
| TSX | 1/2" Strapex | 15,600 ft. | 60 lb. | 4-15# coils | 675# tensile |
| TSX34 | 3/4" Strapex | 8,400 ft. | 50 lb. | 4-12# coils | 1035# tensile |
| TPXTT | Xmas Tree Tying twine | 57,600 ft. | 40 lb. | 8-5# balls | 90# tensile |
| TPXTTR | Xmas Tree Tying twine, Red | 57,600 ft. | 40 lb. | 8-5# balls | 90# tensile |



Call or go online for large quantity orders, additional info and current prices.

B & B Cart

Lift the ball right from the hole.
Made of heavy 1 inch tube frame,
with 15x6.00-6 tires. 1,100 lb. capacity.


| Prod. Code | Weight |
|------------|---------|
| HKCKB30 | 80 lb. |
| HKCKB36 | 100 lb. |



Container Cart

Can carry a 25 gallon pot.
1,100 lb. capacity.

| Prod. Code | Weight |
|------------|---------|
| HKCKBG25 | 105 lb. |



Barnel BB / Pack-It Tree Tote

- Heavy duty galvanized aircraft cable construction
- Padded reinforced handle grips
- High load capacity (550 lbs)

| Prod. Code | Description | No. Bars | Weight |
|------------|-------------|----------|--------|
| MSP7W | Wide | 7 | 3 lb. |



Nylon Sling

For lifting heavy baskets, trees, shrubs, etc. Custom sizes are available.

| Prod. Code | Size | Vertical Hold | Basket Hold | Choke Hold | Weight |
|------------|------------|---------------|-------------|------------|---------|
| MSS34 | 3" x 4' | 5,400 lb. | 10,800 lb. | 4,000 lb. | 2 lb. |
| MSS44 | 4" x 4'-6" | 7,200 lb. | 14,400 lb. | 5,400 lb. | 2.5 lb. |
| MSS45 | 4" x 5' | 7,200 lb. | 14,400 lb. | 5,400 lb. | 3 lb. |
| MSS46 | 4" x 6' | 7,200 lb. | 14,400 lb. | 5,400 lb. | 3.5 lb. |

Wire Basket Crimper

For crimping your wire baskets snug to the root ball.
Made of 1-inch round tubing.



| Prod. Code | Size | Wt. Lb. |
|------------|-----------------|---------|
| WBC36 | 12"x3' | 2.75 |
| WBC12 | 12"x12" | 2 |
| WBC12P | 12"x12" pigtail | 2 |



Stretch Wrap

Sold by the roll. Four rolls per case.

| Prod. Code | Size | Weight |
|------------|--------------|--------|
| MSSW1580 | 15" x 80 GA. | 9 lb. |

Carrier Mill Bastard File



| Prod. Code | Description | Size | Weight |
|------------|-------------------------|--------------|----------|
| HMF10B | Bastard Smooth Cut File | 1" x 10" | .5 lb. |
| HMF14B | Bastard Smooth Cut File | 1-1/4" x 14" | 1.25 lb. |

Hog Ring Stapler

Self-feeding, wraps staples around twisted neck of burlap. Faster and easier than sewing on burlap balls.

| Prod. Code. | Description | Wt. Lbs. |
|-------------|--------------------------------------|----------|
| HMSTAG7 | G-7 Hog Ring Stapler | 1 |
| HMSTA | Hog Ring Staples 2500 Staples/box | 2.75 |



Paper Tree Wrap

Protects against sun-scald, loss of moisture and insect attacks. 10 rolls/case. Sold by the roll.



| Prod. Code | Roll Size | Wt. Lbs. |
|------------|-------------------------------|----------|
| MSTPTW4150 | 4" x 150' | 2 |
| MSTPC12600 | 12" x 600' Cronel Plus (poly) | 6" perf |

Pneumatic Stapler

| Prod. Code. | Description | Quantity |
|--------------|-------------------|-----------|
| HMSTASC743 | Pneumatic Stapler | 1 |
| HMSTA16GA110 | Pneumatic Staples | 11,000/cs |

Pinning Nails

Oval head pinning nails used for pinning burlap in place on B&B root balls. Packaged in 50 lb. boxes.



| Prod. Code | Size | Length |
|------------|------|--------|
| HMPN | 6-D | 2.25" |

Approximately 14,250 nails per 50 pound box.

Plastic Tree Trunk Protectors

Can be applied in the fall and over-wintered without breaking down like corrugated paper products. The white outside will help reflect sunlight and protect the trunk from sun-scald. The protector will also act as a cushion when the tree is shipped and help prevent trunk damage. Sold by bundles or pallets.



| Prod. Code | Size | Bundle | Pallet |
|------------|-----------|--------|--------|
| MSTPPTG | 12" x 32" | 100 | 1200 |

Ring Knives

Twine ring knife; the ring is aluminum, rivets are nickel-plated brass and the blade is a heat-treated 1095 high carbon steel. Wear on a finger of either hand. Sizes 8 thru 15 12/box. Sold individually.



| Prod. Code | Size | Wt. Lbs./Dz. |
|------------|------|--------------|
| HRK06 | 6 | .25 |
| HRK07 | 7 | .25 |
| HRK08 | 8 | .25 |
| HRK09 | 9 | .25 |
| HRK10 | 10 | .25 |
| HRK11 | 11 | .25 |
| HRK12 | 12 | .25 |
| HRK13 | 13 | .25 |
| HRK14 | 14 | .25 |
| HRK15 | 15 | .25 |

Calipers



HMCA

OBC Aluminum Pocket Tree Caliper

Measures from 3mm up to 3/4 inch.



Plastic Pocket Tree Caliper

Measures upto 7 inches.

Coated Ring Knives



| Prod. Code | Size | Color | Ring Wrap |
|------------|-----------------|--------------|-----------|
| HRKPMED | Fits size 12-15 | Green | Plastic |
| HRKV12 | 12 | Red | Vinyl |
| HRKV13 | 13 | Hunter Green | Vinyl |
| HRKV14 | 14 | Orange | Vinyl |

Stretch Ties

35% faster than hand tying. No machines to lose, break, jam or buy. Tighter than machines and less reworking. Developed by nursery professionals. Available in 6" and 10" lengths. Sold by the box, 4000 per box.

| Prod. Code | Description | Weight |
|------------|-----------------|--------|
| FTST | 6" Stretch Tie | 8 lb. |
| FTST10 | 10" Stretch Tie | 14 lb. |



Rubber Bands

For use on rhododendrons etc. Wrap branches tight to tree or bush to prevent whipping and broken branches during shipping. Sold by the pound. 5 lb. bags, 25 lb./cs.

For large quantities, order in October for February/March delivery. Call for prices.

| Prod. Code. | Size | Quantity Per Lb. |
|-------------|----------|------------------|
| TRB107 | 3/4 x 7" | 45 |

Plant Ties

Eight inch hard and soft ties. Easy to apply in cold or warm weather. Packaged in bundles of 1000. Prices per 1000. Weight: 1 lb./per 1000; 30,000 per case. Hard = "Rugged" application. Soft = use for "tender plants"

| Prod. Code | Size Tie/Desc. |
|------------|----------------|
| FTIPTH | 8" hard tie |
| FTIPTS | 8" soft tie |



Chain Lock

Heavy gauge plastic, adjustable lock. For supporting trees and plants when staking is required. Supplied on 100' reels.

| Prod. Code | Size Tie/Description | Wt. Lbs. |
|------------|----------------------|----------|
| FTIA3100 | 1/2" x 100' | 3 |
| FTIA5100 | 1" x 100' | 5 |

Tree Sling



Tree Collar



| Prod. Code | Description |
|------------|-----------------------------------|
| SCTS | Tree Sling 18" long with grommets |
| SCTC | Tree Collar 9" long with grommets |

HOOKESTAKE



STAKE – The HookStake secures potted plants to any round stake up to 1/2" diameter. Easily install with a single thumb screw, adjust and remove your potted plants quicker and easier than any alternatives while safely securing your irrigation system.

TRELLIS – The HookStake trellis easily attaches to any existing trellis system with a single wing nut to quickly install, adjust and remove without any tools. Built of high impact UV resistant material the HookStake lasts longer than your trellis will!



| Prod. Code | Description |
|------------|-----------------------|
| FTHS | HOOKESTAKE |
| FTHST | HOOKESTAKE W/ TRELLIS |
| FTHSRC | REBAR CAP |

Ty'm Up Tape

Vinyl tape used for training and staking plants. Strong, stretchy, long lasting. The Miracle Garden Tie and Standard Tye can be used in the Max Tapeners. Priced per roll.



Miracle Garden Tie 1/2" Tape (Fits HTB & HTR tapener)

| Prod. Code. | Size | Rolls/Pack | Rolls/Case | Wt./Pk. |
|-------------|-------------------------|------------|------------|----------|
| FTM3440 | 1/2"x 120'x 4 mil green | 24 | 288 | 3.75 lb. |
| FTM3441 | 1/2"x 80'x 6 mil green | 24 | 288 | 3.75 lb. |
| FTM3442 | 1/2"x 60'x 8 mil green | 24 | 288 | 3.75 lb. |

Standard Tye 1/2" Tape (Fits HTB-2 & HTR-2 tapener)

| Prod. Code. | Size | Roll/Pack | Rolls/Case | Wt./Pk. |
|-------------|---|-----------|------------|---------|
| FTM3400 | #3400 1/2"x 300'x 4 mil green tape | 24 | 144 | 6 lb. |
| FTM1254 | 1/2"x 300'x 4 mil green tape | 24 | 96 | 6 lb. |
| FTM1256E | 12-5-6E 1/2"x 200'x 6 mil green tape (machine) | 24 | 96 | 6 lb. |
| FTM1258E | 12-5-8E 1/2"x 150'x 8 mil green tape (machine) | 24 | 96 | 6 lb. |
| FTM1258EW | 12-5-8EW 1/2"x 150'x 8 mil white tape (machine) | 24 | 96 | 6 lb. |

Jumbo Tye 1" Tape (For Hand Tying)

| Prod. Code. | Size | Rolls/Pack | Rolls/Case | Wt./Pk. |
|-------------|-------------------------------|------------|------------|---------|
| FTM1216 | 12-1-6 1"x 200' 6 mil green | 12 | 48 | 7.5 lb. |
| FTM1218 | 12-1-8 1"x 150' 8 mil green | 12 | 48 | 7.5 lb. |
| FTM3421 | #3421 1"x 150' 8 mil green | 12 | 72 | 7.5 lb. |
| FTM12112 | 12-1-12 1"x 100' 12 mil green | 12 | 48 | 7.5 lb. |
| FTM3422 | #3422 1"x 100' 12 mil green | 12 | 72 | 7.5 lb. |

Max Tapes (Fits HTB & HTR)

Max 1/2" tapes - Sold by the box. 10 rolls per box. 300 rolls/case

| Prod. Code. | Size | Rolls/Pack | Rolls/Case | Wt./Pk. |
|-------------|-------------------------|------------|------------|---------|
| FTMAX10 | 1/2"x 134'x 4 mil white | 10 | 300 | 1.2 lb. |
| FTMAX15 | 1/2"x 87'x 6 mil blue | 10 | 300 | 1.2 lb. |
| FTMAX25 | 1/2"x 54'x 10 mil red | 10 | 300 | 1.2 lb. |



Chip Budding Tape

| Prod. Code | Size | Rolls/Pack | Rolls/Case | Wt. Lbs. |
|------------|-------------------|------------|------------|----------|
| FTTCBT12 | 1/2"x 800'x 2 mil | 24 | 144 | 6 |
| FTTCBT01 | 1"x 800'x 2 mil | 12 | 72 | 9 |



Parafilm Grafting Tape

| Prod. Code | Size | Rolls/Pack | Rolls/Case |
|------------|----------------|------------|------------|
| FTPFP1 | 1"x 90'x 2 mil | 6 | 72 |



Call or go online for large quantity orders, additional info and current prices.

Flagging Tape



| SOLID | STRIPE | POLKA DOT | CHECKERBOARD |
|------------|-------------------|------------------|----------------|
| Black | Blue/White | Blue/White | Blue/White |
| Blue | Orange/White | Orange/White | Orange/White |
| Orange | Red/White | Red/White | Pink Glo/White |
| Red | Yellow/White | Yellow/White | Red/White |
| Yellow | Green/White | Green/White | Yellow/White |
| Green | Black/White | Black/White | White/Black |
| White | Blue/Black | Blue/Black | Blue/Black |
| Purple | Orange/Black | Yellow/Black | Green/Black |
| Pink | Yellow/Black | Red/Black | Red/Black |
| Blue Glo | Red/Black | Red/Yellow | Yellow/Black |
| Lime Glo | Red/Yellow | Pink Glo/Black | Pink Glo/Black |
| Orange Glo | Pink Glo/Black | Orange Glo/Black | |
| Red Glo | Orange Glo/Black | Green Glo/Black | |
| Pink Glo | Green/Black | | |
| Yellow Glo | Orange Glo/Silver | | |
| Green Glo | Red/Silver | | |

Please Note: To order use Prod. Code: FTA(Pattern)(Color)
 Pattern = Solid-S, Stripe-ST, Polka Dot-PD, Checkerboard-CB
 Color-Use First Letter of each color. Blue/White = BW
 Black=BL Glo=G

Example: FTA**STBW** = FTA(Stripe)(Blue/White)

Available in 1-3/16" width, this multi-purpose tape has long-lasting qualities when exposed to extreme conditions. Many colors and patterns available: solid, striped, glo, polka dot and checkerboard. Priced per roll, 12 rolls per box. Weight: 4 lbs./box.

1-3/16" Width Tape

| Color/Description | Length |
|-------------------|--------|
| Solid | 300' |
| Glo | 150' |
| Stripe | 300' |
| Polka Dot | 300' |
| Checks | 300' |



1/2" Width Tape

1/2" Tape Available in **SOLIDS** Only: 24 Rolls/Tube White (**W**), Yellow (**Y**), Red(**R**), Blue (**B**), Orange Glo (**OR**), Pink Glo (**PG**)

Please Note: To order use Prod. Code: FT12(Color)

Example: FT12**W**

| Color/Description | Length |
|-------------------|--------|
| Solid | 300' |



Flag Stakes



Wire Flag Stakes

Flag Size: 4" x 5", Total Length: 30"

Product Code: FTFS_

Sold in bundles of 100. Available in White, Yellow, Red, Blue, Green, Orange, Orange Glo and Pink Glo.

Fiberglass Flag Stakes

Flag Size: 4" x 5", 18" Length

Product Code: FTFSF_

Sold in bundles of 50. Blue, Green, Orange, and Pink Glo.

Bird Scare Tape

Product Code: FTTBST

1" x 500' Silver. Metalized Polyester.
 Warning: This tape conducts electricity.
 Do not place near or around electrical wiring or utility lines.



Max Tapers, Blades, Staples

HTR Tapener

Product Code: FTMAXHTR

Use with the smaller MAX tape or Miracle Garden Tie Tape. Opens to 2" wide.



HTR-2 Tapener

Product Code: FTMAXHTR2

Holds larger rolls of MAX or Standard Tye Tape.



Max Staples

Product Code: FTMAXS

Sold by the box. 4800 staples per box. 10 boxes per carton. 100 boxes per case. Wt: 2 ozs./box



Tapener Blades

| Prod. Code. | Description | Blades/Pack |
|-------------|----------------------------|-------------|
| FTMAXB | Max Brand Blades (for HTB) | 3 |
| FTMAXBS | Serrated Blade (for HTR) | 2 |



Grafting & Budding Knives

| Product Code | Description | Weight |
|--------------|---|--------|
| HT683 | Tina budding knife, 1-3/4" stationary blade, 6-1/4" overall length. | 2 oz. |
| HT685 | Tina grafting knife, 2-1/4" stationary blade, 6-1/2" overall length. | 2 oz. |
| HT605 | Tina grafting knife, 2-1/2" folding blade, 4" handle. | 2 oz. |
| HT606 | Tina grafting knife, 2-1/4" folding blade, 4" handle. | 2 oz. |
| HT641 | Tina curved blade w/barklifter. 2" folding blade, 1/2", serrated thumb supporter, 4" handle. | 2 oz. |
| HPGK | Jameson Grafting & Budding Knife. 1-1/2" surgical steel blade, 4-1/2" heavy rubber-coated handle. | 2 oz. |
| HV39020 | Victorinox #39-020 Rosebud Knife | 2 oz. |

Doc Farwell's Tree Seal

* Cannot be shipped in very cold weather

* Do not allow product to freeze

Grafting Seal*

Thicker material is colored to reflect and absorb sunlight for maximum natural healing. Yellow compound is primarily used for grafting. It is also used for tree damage.

Damage Seal & Heal*

Green wound dressing. Colored to blend well with tree foliage. Preferred by orchardists and nurserymen.



| Prod. Code. | Size | Description | Wt. Lb. |
|-------------|--------|----------------|---------|
| MSGSHQ | Quart | Seal & Heal* | 3.0 |
| MSGSHG | Gallon | Seal & Heal* | 10.5 |
| MSGSG | Gallon | Grafting Seal* | 10.5 |



Tree Kote

Protects shrubs, bushes, vines and trees from decay, insects and fungi. Patch damaged areas of trees & shrubs or apply to freshly pruned areas. Use to propagate orchids.

| Prod. Code | Size | oz. | Wt. Lb. |
|------------|------------|--------|---------|
| MSGTK08 | 1/2 pint | 8 oz | .5 |
| MSGTK16 | 1 pt | 16 oz | 1.0 |
| MSGTK32 | 1 qt. tub | 32 oz | 3.0 |
| MSGTKG | 1 gal. tub | 128 oz | 8.9 |

Budding Strips



Due to the Natural Material of Budding Strips, the Manufacturer does not express or imply longevity of the Budding Strip.

Store in a cool dry place.

Sold by the bag. 2 lbs per bag. 12 lbs per case.

| Prod. Code | Length | Width | Thickness | Strips Per Lb. |
|-------------|--------|-------|-----------|----------------|
| MSBS4316010 | 4" | 3/16" | .010 | 2,880 |
| MSBS5316010 | 5" | 3/16" | .010 | 2,250 |
| MSBS514016 | 5" | 1/4" | .016 | 1,200 |
| MSBS5316020 | 5" | 3/16" | .020 | 1,400 |
| MSBS614010 | 6" | 1/4" | .010 | 1,776 |
| MSBS614016 | 6" | 1/4" | .016 | 1,110 |
| MSBS614020 | 6" | 1/4" | .020 | 888 |
| MSBS638016 | 6" | 3/8" | .016 | 655 |
| MSBS638020 | 6" | 3/8" | .020 | 490 |
| MSBS814016 | 8" | 1/4" | .016 | 832 |
| MSBS814020 | 8" | 1/4" | .020 | 605 |
| MSBS838016 | 8" | 3/8" | .016 | 405 |
| MSBS838020 | 8" | 3/8" | .020 | 405 |

Honing Oil

Washita Mountain honing oil. Time tested and proven over many years of use.

| Prod. Code | Wt. Oz. |
|------------|---------|
| HSO3OZ | 3 |



Sharpening Stones

Corona Sharpening Tool

- 5" super carbide file
- Ideal for sharpening all blades
- Easily fits in pocket
- No slip grip for easy use


| Prod. Code | Wt. Oz. |
|------------|---------|
| HCAC8300 | 1.8 |



Hard & Soft Arkansas Stone

- The soft stone is the most rapid sharpening stone. It will produce the fastest edge on your knife.
- The hard stone is a fine grade. Best used for polishing an already sharp blade.
- Comes with a leather pouch.

| Prod. Code | Size/Description | Wt. Oz. |
|------------|-----------------------------|---------|
| HSSS | 3 x 1 x 1/4" soft stone | 3 |
| HSLs | 4 x 1-5/8 x 1/2" soft stone | 6 |
| HSSH | 3 x 1 x 1/4" hard stone | 3 |
| HSLH | 4 x 1-5/8 x 1/2" hard stone | 6 |



Bench Stone

| Prod. Code | Size/Description | Wt. Oz. |
|------------|--------------------------|---------|
| HSB6 | 6" x 2" x 1" Bench stone | 17.5 |
| HSB8 | 8" x 2" x 1" Bench stone | 23.6 |



Bamboo Cane Stakes

Top quality bamboo cane stakes from China are strong and uniform.

- 12" splits – 12' lengths.
- 1/4" through 1-1/2" diameters.
- Bundle quantities and weights may vary.



Natural



Green Dyed

Natural

| Size Ft. | Diam. Inches | Diam. MM | Wt. Lbs./Bundle | Qty./Bundle |
|----------|--------------|----------|-----------------|-------------|
| 2 | 5/16 | 6-8 | 30 | 1,000 |
| 2.5 | 3/8 | 8-10 | 30 | 500 |
| 3 | 3/8 | 8-10 | 35 | 500 |
| 3 | 1/2 | 12-14 | 35 | 250 |
| 4 | 3/8 | 8-10 | 45 | 500 |
| 4 | 7/16 | 10-12 | 35 | 250 |
| 4 | 1/2 | 12-14 | 45 | 250 |
| 5 | 3/8 | 8-10 | 60 | 500 |
| 5 | 7/16 | 10-12 | 35 | 250 |
| 5 | 1/2 | 12-14 | 50 | 250 |
| 5 | 5/8 | 15-17 | 35 | 100 |

| Size Ft. | Diam. Inches | Diam. MM | Wt. Lbs./Bundle | Qty./Bundle |
|----------|--------------|----------|-----------------|-------------|
| 6 | 1/2 | 12-14 | 50 | 200 |
| 6 | 5/8 | 15-17 | 40 | 100 |
| 6 | 3/4 | 18-20 | 55 | 100 |
| 7 | 1/2 | 12-14 | 30 | 100 |
| 7 | 5/8 | 15-17 | 45 | 100 |
| 7 | 3/4 | 18-20 | 65 | 100 |
| 8 | 3/4 | 18-20 | 50 | 50 |
| 8 | 7/8 | 22-24 | 45 | 50 |
| 8 | 1 | 24-26 | 55 | 50 |
| 9 | 1 | 24-26 | 55 | 50 |
| 10 | 1 | 24-26 | 35 | 25 |
| 10 | 1-1/8 | 26-28 | 35 | 25 |
| 12 | 1-3/8 | 30-35 | 50 | 25 |

Green Dyed

Dyed to blend in with plants; color is not a preservative.

| Size Ft. | Diam. Inches | Diam. MM | Wt. Lbs./Bundle | Qty./Bundle |
|----------|--------------|----------|-----------------|-------------|
| 1.5 | 3/16 | 4-6 | 30 | 2,000 |
| 2 | 3/16 | 4-6 | 20 | 1,000 |
| 3 | 5/16 | 6-8 | 40 | 1,000 |

| Size Ft. | Diam. Inches | Diam. MM | Wt. Lbs./Bundle | Qty./Bundle |
|----------|--------------|----------|-----------------|-------------|
| 4 | 3/8 | 8-10 | 45 | 500 |
| 5 | 7/16 | 10-12 | 35 | 250 |
| 6 | 7/16 | 10-12 | 40 | 250 |

Bamboo "U" Trellis

| Prod. Codes | Description | Wt./Lbs. |
|-----------------|--------------------------|----------|
| MSBUT01881N1C | 18" "U" Natural (100 bn) | 14 |
| MSBUT0248110N1C | 24" "U" Natural (100 bn) | 19 |
| MSBUT0301012N1C | 30" "U" Natural (100 bn) | 19 |
| MSBUT0361012N1C | 36" "U" Natural (100 bn) | 20 |
| MSBUT0421416N1C | 42" "U" Natural (100 bn) | 40 |
| MSBUT0481416N1C | 48" "U" Natural (100 bn) | 44 |



Bamboo Fan Trellis

| Prod. Codes | Description | Wt./Lbs. |
|-------------|-------------------------|----------|
| MSBFT18N50 | 18" Fan Natural (50 bn) | 7 |
| MSBFT24N50 | 24" Fan Natural (50 bn) | 10 |
| MSBFT30N50 | 30" Fan Natural (50 bn) | 15 |
| MSBFT36N50 | 36" Fan Natural (50 bn) | 15 |
| MSBFT48N50 | 48" Fan Natural (50 bn) | 20 |



Call for a quote on fiberglass stakes





ARS Tools

Since 1876, ARS Corporation has been defining the state of the art for pruning tools. The tools are sharp, engineered to hold their edge longer, lightweight, well-balanced, and durable. ARS tools are designed for continued professional use with minimal maintenance required, allowing you to spend your time focused on the task at hand rather than on your tools.

Made in Japan

| Prod. Code | Description |
|-----------------------------|---|
| Pruners and Scissors | |
| HAHP300SS | Shortnose Pruner |
| HASS320BM | Angled Slim Scissor |
| HASS320BT | Straight Slim Scissor |
| HAHPSE65 | Onion Scissor, Xtra long blade |
| HAHP130DX | General Purpose Hand Pruner |
| HAHPKKS4 | Hand Pruner |
| HAHP120EU | Euro Hand Pruner |
| HAHP310 | Curved Blade Pruner |
| HAHP300L | 7" Needlenose Pruner |
| Long Reach Pruners | |
| HAHPVS9Z | Hand Pruner 9" long |
| HALA180L12 | Heavy-Duty, Razor Edge 4' long reach pruner |
| HALA180L21 | Heavy-Duty, Razor Edge 7' long reach pruner |
| HALA160ZR305 | 6'-10' Telescopic Pruner |
| HALA180ZR305 | 6'-10' Telescopic Pruner, Razor Edge |
| Shears and Saws | |
| HAHSKR1000 | 25.5" Hedge Shear |
| HASACAM24PRO | Fixed Saw Arborist 10" w/ sheath |
| HASAIK10R | Folding Bonsai Saw |



okatsune

Made in Japan

Okatsune 101 & 103 Pruning Shears

These shears provide cutting performance unmatched by other brands. A unique locking/unlocking feature allows you to open and close the shears with one hand. Blade angle is key to clean cuts.

| Prod. Code | Wt. Oz. |
|------------|---------|
| HO101 | 6.2 |
| HO103 | 8 |

Okatsune 207 Pine Needle Shears

1-7/8" pointed blade. Ideal wherever precise control and very clean cuts are required. For bonsai, floral, propagation and thinning applications. 7-1/2" length.

| Prod. Code | Wt. Oz. |
|------------|---------|
| HO207 | 3.8 |

Okatsune 205 & 217 Shear

7" blade with option of 20" handle on the 205 or a 12" handle on the 217. Make trimming and shaping fast and easy

| Prod. Code | Wt. Lbs. |
|------------|----------|
| HO205 | 1.25 |
| HO217 | 1.25 |



Okatsune 204 & 216 Shear

6" blade with option of 18" handle on the 204 or 12" handle on the 216. Short blade hedge shears, great for tight quarters and limited movement.

| Prod. Code | Wt. Lbs. |
|------------|----------|
| HO204 | 1.8 |
| HO216 | 1.8 |



Okatsune 306 & 307 Short Thinning Shear

These shears feature a 1-3/8" pointed blade. The short blade provides for an overall stiffer shear. The added stiffness provides good tip strength and a slightly larger cutting capacity than the 304 model. 7-1/3" length.

| Prod. Code | | Wt. Lbs. |
|------------|-------------|----------|
| HO306 | Round Tip | 0.21 |
| HO307 | Pointed Tip | 0.21 |



Okatsune 304 Pointed Thinning Shears

These shears feature a 1-7/8" pointed blade. The long lasting sharpness makes this an excellent softwood propagation tool.

| Prod. Code | Wt. Oz. |
|------------|---------|
| HO304 | 3.4 |



Corona Shears & Pruners

Born in the California orange groves in the 1920s, Corona tools have been helping generations of agriculturists, gardeners, landscapers, arborists and construction professionals to achieve more, season after season. Our tools are built to last and designed specifically for the day-to-day needs of growers from all walks of life.

| Prod. Code | Description | Wt. Lbs. |
|------------|-------------------------------|----------|
| HCFS4350 | Corona 7-1/4" Thinning Shear | .5 |
| HCBP3130 | Corona 6-3/4" Bypass Pruner | .75 |
| HCBP3160 | Corona 8" Bypass Pruner | .5 |
| HCBP3180 | Corona 8-3/4" Bypass Pruner | .5 |
| HCGS6750 | 12" Grass Shear | 1.0 |
| HCHS6930 | Forged Hedge Shear 20" Handle | 4.0 |
| HCHS6960 | Hedge Shear | 1.0 |
| HCHS6920 | Shear | 1.0 |
| HCBP6250 | Pruner | 1.0 |



Corona Loppers & Saws


| Prod. Code | Length and Description | Wt. Lbs. |
|------------|--|----------|
| HCWL6350 | 26" Professional Bypass Lopper | 2.83 |
| HCAL8462 | Heavy Duty Aluminum Lopper | 2.0 |
| HCPS4050 | 10 1/2" Folding Pruning Saw, 10" saw blade | .66 |
| HCRS7120 | Razor Pruning Saw, 13" | 1.2 |
| HCPS4040 | Corona 4040 Folding Saw | 1.2 |
| HCRS7041 | Razor Tooth Folding Saw, 7" | 1.2 |
| HCPS4050 | Folding Saw, 10" | 1.2 |





Try a Felco pruner and know the joy. The tight, solid feel. The smooth, silky action. It's time to become a Felco Fanatic! Felco pruners will amaze you. Sharp, durable, sturdy, adjustable tools that are easy to repair and maintain. Felco garden tools are everything you need.

We are proud to sell the entire Felco line with all the spare parts and accessories.



Felco 2 Replacement Parts

| Prod. Code: | Description |
|-------------|----------------------------------|
| HF2-3 | cutting blade |
| HF2-4 | anvil blade with rivets |
| HF2-91 | spring – 2 per pack |
| HF2-93 | shock absorber – set of 4 |
| HF2-8 | center bolt |
| HF2-9 | nut for center bolt |
| HF2-10 | bushing |
| HF2-12 | thumb catch |
| HF2-13 | washer for thumb catch |
| HF2-14 | screw for thumb catch |
| HF2-15 | catch plate |
| HF2-16 | locking segment |
| HF2-17 | screw for locking segment |
| HF2-19 | edging ring for shock absorber |
| HF2-35 | red plastic coating/blade handle |
| HF2-36 | red plastic coating/anvil handle |
| HF2-5 | rivets |

Felco 2

Our most popular pruner. Anvil blade with snap-groove, rubber cushion stop. Adjustable. All parts are replaceable.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF02 | 8.5 |

Felco 4

Similar to the No. 2; same quality cutting blade. Blade adjustment is by the center bolt and nut only.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF04 | 10 |

Felco 5

Similar to the No. 4, but with steel handles. Quality replaceable blade for excellent cutting.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF05 | 11.2 |

Felco 6

Short, narrow blades for cutting close to the stem. Perfect for small and medium hands and for ladies.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF06 | 7.6 |

Felco 7

Rotating handle allows fingers to move naturally, with less effort and maximum comfort when pruning over prolonged periods of time.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF07 | 10.7 |

Felco 8

Same features as No. 7, but without rotating handle. Blade is angled to be almost an extension of the forearm, therefore improving lever action and increasing cutting power.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF08 | 8.7 |

Felco 9

A left handed shear, with features similar to the No. 8.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF09 | 8.7 |

Felco 10

A left handed shear, with rotating handle and features similar to the No. 7.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF10 | 10.2 |

Felco 11

Similar to the No. 2, the ergonomic hand-fitting design is superbly balanced.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF11 | 8.5 |

Felco Loppers

Reliable. Efficient. Ergonomic.



Forged Aluminum Handle

| Item No. | Item Description | Cutting capacity |
|----------|------------------|------------------|
| HF20 | 17" LOPPER | 1.5" |
| HF22 | 33" LOPPER | 2" |

Carbon Fibre Handles

| Item No. | Item Description | Cutting capacity |
|----------|--------------------------|------------------|
| HF200C60 | 24" LOPPER | 1.5" |
| HF210C60 | 24" LOPPER W/CURVED HEAD | 1.5" |

Aluminum Handles

| Item No. | Item Description | Cutting capacity |
|-----------------|------------------|------------------|
| HF200A60 | 24" LOPPER | 1.5" |
| HF23 (#200A-50) | 20" LOPPER | 1.5" |

Felco 600 Folding Saw

Ergonomically designed handle for greater comfort. Cuts branches up to 4" in diameter.

| Prod. Code | Wt. Oz. |
|------------|---------|
| HF600 | 5.5 |

Felco 611 Pruning Saw/Sheath

Ergonomically designed handle for greater comfort. Cuts branches up to 9" in diameter. A sheath is included.

| Prod. Code | Wt. Oz. |
|------------|---------|
| HF611 | 7.8 |



Felco 13

Multi-purpose pruning shear with extra long handles. The extended length of the left handle allows for two handed use when cutting thick branches.



| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF13 | 15 |

Clip-On Holster

All leather with metal clip.

| Prod. Code |
|------------|
| HFSCO |



Belt Holster

Leather, with holes for belt to slip through.

| Prod. Code | Wt. Oz. |
|------------|---------|
| HFSB | 2 |



Belt/Clip-On Holster

Leather, with belt holes and a metal clip.

| Prod. Code | Wt. Oz. |
|------------|---------|
| HFSBC | 2 |



Felco Lubricant Spray

Biodegradable, protects all types of metals from corrosion.

| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HFF980 | 1.89 |



F-990 Pruner Grease

A high quality grease that reduces wear and tear of moving parts. It is hydrophobic (repels water) and stable at temperatures between -11°F and +248°F. Provides optimum anticorrosion. Non-toxic.

| Prod. Code: | Wt. Oz. |
|-------------|---------|
| HF990 | 1.89 |



Call or go online for large quantity orders, additional info and current prices.



Shovels

| Prod. Code | Shovel Description | Lift | Blade Size | Handle Length | Wt. Lbs. |
|----------------|--|--------|------------------|---------------|----------|
| HTTA12582 | Irrigating Shovel, Round Point (12582) | 4" | 7" x 9-1/2" | 47" | 4 |
| HTTA12591 | Irrigating Shovel, Used for B & B | 4" | 8-1/4" x 11 1/4" | 47" | 4.3 |
| HTTA12597 | Irrigating Shovel, Used for B & B | 4-1/2" | 9" x 11-1/2" | 47" | 4.3 |
| HTTA12728 | B & B shovel, Flat Dish, Clip Point | 2-1/2" | 8-7/8" x 10" | 47" | 4.2 |
| HTTA12332 | Drain spade, Turned Step | — | 5-1/2" x 16" | 47" | 4.5 |
| HTTA12311 | Ditch/post spade, Turned Step, D Handle | — | 5-1/2" x 16" | 27" | 4.5 |
| HTTA15373 | Caprock Irrigation Shovel w/ Fiberglass Handle | — | 9" x 10" | 48" | 9 |
| HTTA13095 | Flat shovel, Square Point (44124) | — | 9-3/4" x 11-1/2" | 48" | 4.5 |
| HTTHANDLE2TK44 | Tennessee Hickory Handle for B&B shovel | — | — | 48" | 1.5 |



Steel Spades

Foot pads sold separately

| Prod. Code | Wt. Lbs. | Description | Blade Length/Style |
|------------|----------|-----------------|---------------------|
| HWWDH12SB | 6.71 | 26" D-Handle | 12" Straight Bottom |
| HWWDH12DP | 6.71 | 26" D-Handle | 12" Diamond Point |
| HWWDH15DP | 7.65 | 26" D-Handle | 15" Diamond Point |
| HWWLH15SB | 9.65 | 54" Long handle | 15" Straight Bottom |
| HWWFOOTPAD | .35 | Rubber Foot pad | — |

Forged Head Garden Hoe

| Prod. Code | Wt. Lbs. | Size |
|------------|----------|----------|
| HWW60GH | 5.0 | 60" Wood |





Hoes

| Prod. Code | Hoe Description | Blade Size | Pattern Handle | Wt. Lbs. |
|------------|--|-------------|----------------|----------|
| HTTA18411 | Onion Hoe, Forged Shallow (66135) | 7" x 1-3/4" | 4-1/3" shank | 1.9 |
| HTTA18495 | Nurseryman's Forged Taper Top (67127) | 7" x 3-1/2" | 4-1/3" socket | 2.4 |
| HTTA18663 | Scuffle Dual Action Forged Taper Top (28663) | 6" x 4" | 4-1/2" sleeve | 2.4 |

Farm Tools

| Prod. Code | Description | Blade Size | Wt. Lbs. |
|------------|---|------------------|----------|
| HTTA18046 | Potato Hook, Southern Pattern Forged Steel Head/4 tines (75138) | 7" x 8-1/2" | 4 |
| HTTA16341 | Aluminum Scoop, long handle (79886) | 11" x 13-1/2" | 2.9 |
| HTTA16814 | Aluminum Scoop, "D" handle | 15-3/4" x 20" | 3.6 |
| HTTA18233 | Regular 5-tine manure fork Bent pattern (28265) | 11-1/2" x 9 1/4" | 3 |
| HTTA18382 | 6- tine manure fork | 12" x 10" | 3 |



Rakes

| Prod. Code | Description | No. Tines | Width | Handle Lng. | Wt. Lbs. |
|-------------|---|-----------|---------|-------------|----------|
| HTTA1789000 | Vinyl-coated aluminum handled rake with hanger end cap | 25 | 18" | 48" | 2.3 |
| HTTA1789300 | Vinyl-coated aluminum handled rake with hanger end cap | 11 | 8" | 48" | 2.3 |
| HTTA19200 | Uniform polypropelene tines retain their shape (64309) | 26 | 24" | 48" | 2.3 |
| HTTA18863 | Bow Rake, one-piece forged | 15 | 16-3/4" | 60" | 3.5 |
| HTTA61036A | Aluminum landscape rake, non-gouging rounded teeth, plug at tip of handle (63000) | 36 | 36" | 66" | 4.3 |
| HTTA19046 | Clog free lawn rake, special tines which prevent clogging | 11 | 24" | 48" | 2.25 |
| HTTA64430 | Steel leaf rake | 22 | 22" | 48" | 2.6 |
| HTTA55510 | Snow Roof Rake (max lenth 16'6") | | | | |




Call or go online for large quantity orders, additional info and current prices.



HW101S



HW251S



HW300S



HW350

Hand Tools Wilcox Tools

| Prod. Code | Description | Wt. Oz. | Width | Length |
|------------|---------------------------------|---------|-------|--------|
| HW101S | 12" All-Pro Heavy-Duty Trowel | 12 | 2" | 12" |
| HW251S | 11" All-Pro Stainless Trowel | 12 | 3" | 11" |
| HW300S | 22" All-Pro Long Handled Trowel | 19 | 3" | 22" |
| HW350 | 13" All-Pro Weeder | 13 | 1" | 13" |



HTTA19838



HTTA19836



HTTA25008

Ames/True Temper Tools

| Prod. Code | Description | Ctn Qty | Wt. Lbs. |
|------------|-----------------------------------|---------|----------|
| HTTA19838 | Hand Weeder (19940) | 12 | 3.6 |
| HTTA19836 | Hand Transplanter (19946) | 12 | 6 |
| HTTA25008 | Planter's Pal 7-in-1 Tool (24421) | 12 | 9.5 |

Corona Tool

| Prod. Code | Description |
|------------|----------------|
| HCCT3010I | Comfort Trowel |



Zenport Sickle and Saw

| Prod. Code | Description |
|------------|-----------------------------|
| HZK206P | 4.3" Serrated Sickle |
| HZK208P | 6.5" Serrated Sickle |
| HZZL795K | 14.5" Telescope Pruning Saw |



HZK206P



HZK208P



HZZL795K



PID Permanent ID Labels

Numbered and can be imprinted with two lines of information as well. Ideal for those who require tamper proof identification of specific trees. Pre-numbered. White in stock. Other colors available upon request.

| Prod. Code | Description | Qty./Bdl. | Wt. Bdl. |
|------------|-------------------------|-----------|----------|
| FLLPIDP | Custom Printed w/#print | 100 | 1 |
| FLLPID | Standard number print | 100 | 1 |

Galvanized Metal Sign Holders

With flanged edges so cards will not blow out. Other sizes available. 25 per box, sold per each.

| Prod. Code | Size (WxLxH) | Wt. Lbs. |
|------------|------------------|----------|
| FLLYCH5418 | 5" x 4" x 18" | .60 |
| FLLYCH7518 | 7" x 5" x 18" | .64 |
| FLLYCH5430 | 5" x 4" x 30" | .76 |
| FLLYCH7530 | 7" x 5" x 30" | .84 |
| FLLYCH7550 | 5" x 7" x 30" | .84 |
| FLLYCH14BA | Base adaptor 14g | 1 |
| FLLYCH16BA | Base adaptor 16g | 1 |



Yard Cards

These information cards can be used as "Silent Salesmen" to help sell your plants. These cards can be written on with a grease pen or permanent waterproof marking pen. The printed cards give all the basic information needed to identify your flowers, nursery stock or vegetables. 100 per bundle.

| Prod. Code | Size /Description (HxW) | Wt. Lbs./100 |
|------------|-------------------------|--------------|
| FLLYC45 | 4" x 5" Blank | 1.5 |
| FLLYC45B | 4" x 5" Botanical | 1.5 |
| FLLYC45F | 4" x 5" Flower | 1.5 |
| FLLYC45V | 4" x 5" Vegetable | 1.5 |
| FLLYC57 | 5" x 7" Blank | 3.0 |
| FLLYC57B | 5" x 7" Botanical | 3.0 |
| FLLYC57F | 5" x 7" Flower | 3.0 |
| FLLYC57S | 5" x 7" Sale | 3.0 |
| FLLYC57V | 5" x 7" Vegetable | 3.0 |



Push-On Tags

20 mil. styrene plastic. Blank push-on labels are used for labeling, color coding, and pricing your plants, trees and shrubs. Weight per 1,000 is 2.5 pounds. 100 per bundle, 1,000 per box.

| Prod. Code. | Size | Color |
|-------------|-------------|-----------|
| FLLPOBL | 1" x 3-3/4" | Blue |
| FLLPOGR | 1" x 3-3/4" | Green |
| FLLPOOR | 1" x 3-3/4" | Orange |
| FLLPOPI | 1" x 3-3/4" | Pink |
| FLLPORE | 1" x 3-3/4" | Red |
| FLLPOWH | 1" x 3-3/4" | White |
| FLLPOYE | 1" x 3-3/4" | Yellow |
| FLLPODBL | 1" x 3-3/4" | Dark Blue |

Blank Bedding Pot Labels

20 mil. styrene plastic. All labels listed are blank. Used for pricing, color coding, and labeling your plants, trees and shrubs. 100 per bundle, 1000 per box.

| Prod. Code. | Size /Description | Color | Wt. Lbs. |
|-------------|-------------------|-----------|----------|
| FLLS4WH | 4" x 5/8" | White | 1.75 |
| FLLS5WH | 5" x 5/8" | White | 2.25 |
| FLLS5BL | 5" x 5/8" | Blue | 2.25 |
| FLLS5DBL | 5" x 5/8" | Dark Blue | 2.25 |
| FLLS5GR | 5" x 5/8" | Green | 2.25 |
| FLLS5LA | 5" x 5/8" | Lavendar | 2.25 |
| FLLS5OR | 5" x 5/8" | Orange | 2.25 |
| FLLS5PI | 5" x 5/8" | Pink | 2.25 |
| FLLS5RE | 5" x 5/8" | Red | 2.25 |
| FLLS5YE | 5" x 5/8" | Yellow | 2.25 |



Field Stake

| Prod. Code. | Size /Description | Color | Pack/Case Qty |
|-------------|-------------------|-------|---------------|
| FLLFS12WH | 1.25" x 12" | White | 100/1000 |





TXPSX Thermal Printer

The TXPEX6 is the latest addition to SATO's Horticulture printer line. Designed for the most demanding printing applications, the TXPEX6 easily handles material thicknesses up to 25 mil at speeds up to 12 inches per second. The TXPEX6 is available with a 6-inch (305 dpi) print head and can print tag widths up to 10 inches ladder style (sideways). This print orientation promotes faster throughput and maximizes ribbon usage. The TXPEX6 comes standard with USB 2.0, LAN 10/100 Base, IPv6 and USB Host/RTC interfaces. RFID is an available option.

Taggit Pro labeling software sold separately.

6" TXPSX6

All printer sales are FINAL

Taggit® Pro Labeling Design Software

Whether you need to print bar codes, text, graphic images, color pictures or from a database, Taggit Pro has the features to help you design and print tags and labels with ease. This program will grow with your needs: from entry level dot matrix printing to high speed thermal printing.

- Batch printing
- Full-featured database construction capabilities
- Utilize TrueType fonts, bar codes, preset formats for all OBC Northwest label and graphics capabilities
- Free phone support
- Includes plant database designed by Checkpoint with over 4500 records. This includes Annuals, Perennials, Trees and Broadleaf Shrubs, and is totally editable to add additional varieties or information.

TSC Desktop Printer TTP-247 Series



- Prints up to 4.5" media width
- Up to 7" per second print speed
- Ribbon for printer is 984' long
- Labels for printer
 - Pot tag 1"x4.5" (ZX5141T)
 - Wrap around 3/4"x5" (TX10775)
 - 1"x10" (TT10014)
- Various Pressure Sensitive Labels

| Prod. Code | Description |
|------------------|--|
| FLETP247PLUS | Printer with Bartender Software included |
| FLETP245SPINDLE | External Spindle |
| FLETPRIBBONWR | Wax/Resin Ribbon for TSC Printer |
| FLETP245-247CORE | Ribbon Core for Printer |

TXP-Series Printing Accessories

| Prod. Code | Description |
|--------------|-----------------------------------|
| CALL FOR # | Replacement Coated Print Head, 5" |
| CALL FOR # | Replacement Coated Print Head, 6" |
| FLEFTXPSR904 | 4" All Purpose (SR904/SR604) |
| FLEFTXPSR905 | 5" All Purpose (SR905/SR605) |
| FLEFTXPSR906 | 6" All Purpose (SR906/SR606) |

Thermal Label Printing & Bar Code Printing

We can print your bar code labels or general plant tags at our factory according to your specifications. There is no long wait for engraving plates as in hot stamp printing. Labels are sold in full roll quantities only. Charges: there is an additional fee of \$1.50 for printing less than 1000 per variety. Call for a quote and lead time.



Thermal Pot Tags can be preprinted using the thermal transfer method. Thermal printing adheres to the surface for years, and will not fade away. The dry printing process means tags are ready to use as they come off the printer.

Call or go online for large quantity orders, additional info and current prices.


Nursery Marking Pens

| Prod. Code | Description | No. Per Box | Weight |
|------------|---|-------------|--------|
| FLLPJH | Garden Marker, Black, Fine point | 20 | 1.5 |
| FLLPL | Listo Grease Pencil, Black | 12 | .25 |
| FLLPLL | Listo Grease Pencil Refill Leads, Black | 72 | .25 |
| FLLPS | Sharpie Pen, Black, Fine point | 12 | .25 |
| FLLPSXF | Sharpie Marker, Black, Ultra-Fine point | 12 | .25 |
| FLLPGPXW | GPX Markers, White | 12 | .75 |
| FLLPGPXB | GPX Markers, Black | 12 | .75 |
| FLLPGPXY | GPX Markers, Yellow | 12 | .75 |
| FLLPATP | ALL Flex Tag Pen | 1 | .75 |



Molded Pot Labels


Injection molded stakes are made of heavy duty styrene from .055 to .070 thickness.



| Prod. Code | Face | Shank | Qty./Bdl. | Wt. Lbs./Bdl. |
|------------|--------------|-------|-----------|---------------|
| FLL5016 | 1" x 9.75" | N/A | 100 | 3 |
| FLL5019 | 1" x 2" | 4" | 100 | 1 |
| FLL5020 | 1.25" x 2.5" | 7" | 100 | 2 |
| FLL5021 | 2.75" x 4" | 10" | 50 | 3 |
| FLL5022 | 2.75" x 4" | 3.75" | 50 | 2 |

"T" Stakes

T-Stakes are produced from .030 white polystyrene for easy insertion into most soil.



| Prod. Code | Size /Description | Total Height | Qty./Bdl. | Wt. Lbs. |
|--------------|-------------------|--------------|-----------|----------|
| FLLHS3370BWH | 2-1/2" x 3-3/4" | 7" | 100 | 1 |
| FLLHS3395BWH | 2-1/2" x 3-3/4" | 9" | 100 | 1.5 |

Pressure Sensitive (sticker) Labels

Long-lasting labels for outdoor application. Permanent adhesive backing. Ready for use on containers, flats, and most other smooth surfaces.

For additional information on UPC Bar Codes or to obtain your vendor code (first 5 digits of UPC number) or a membership application call: (937) 435-3870 write: Uniform Code Council, Inc., 7887 Washington Village Drive, Suite 300, Dayton, Ohio 45459 or email: info@uc-council.org.

Additional sizes may be available. Call for pricing.



| Item No. | Size | Wide | Labels/Roll |
|--------------|-------------------|------|-------------|
| FLTFT20102WH | 2" x 1" | 2 | 10,000 |
| FLTFT20052WH | 1-7/8" x 9/16" | 2 | 15,000 |
| FLTFT25372WH | 2-1/4" x 3-7/16" | 2 | 3,000 |
| FLTFT20202WH | 2" x 2" | 2 | 5,000 |
| FLTFT37251WH | 3-5/8" x 2-3/8" | 1 | 2,000 |
| FLTFT11183WH | 1-3/16" x 1-3/16" | 3 | 8,000 |
| FLTFT15101WH | 1-1/2" x 1" | 2 | 5,000 |

| Item No. | Size | Wide | Labels/Roll |
|--------------|-----------------|------|-------------|
| FLTFT17222WH | 1-3/4" x 2-1/4" | 2 | 4,000 |
| FLTFT17272WH | 1-3/4" x 2-3/4" | 2 | 4,000 |
| FLTFT20101WH | 2" x 1" | 1 | 5,000 |
| FLTFT25122WH | 2-1/2" x 1-1/4" | 2 | 8,000 |
| FLTFT30051WH | 3" x 1/2" | 1 | 9,000 |
| FLTFT30201WH | 3" x 2" | 1 | 15,000 |
| FLTFT37221WH | 3-3/4" x 2-1/4" | 1 | 2,000 |
| FLTFT40051WH | 4" x 1/2" | 1 | 9,000 |



All-Weather Paper

3" x 5" top spiral, all-weather notebook. Made with all-weather paper, resistant to moisture. Fits in pocket. 100 pages (50 sheets) per notebook.



| Prod. Code | Description |
|------------|-------------------------------------|
| MSAWN935 | Green Notebook |
| MSAWN935T | Tan Notebook |
| MSAWCP8511 | Copy Paper (200 sheets) |
| MSAWCP9511 | Green Copy Paper (200 sheets) |
| MSAWN973T | 8.5"x11" Side Spiral Notebook - Tan |

| Prod. Code | Description |
|------------|------------------|
| MSAWP97 | Metal Barrel Pen |




Thermal Slip-on Labels



.010 material.

Colors Available: Green (**GR**), Lavender (**LA**), Lime (**LI**), Purple (**PU**), Blue (**BL**), Orange (**OR**), Pink (**PI**), Red (**RE**), Tan (**TN**), Turquoise (**TU**), White (**WH**), Yellow (**YE**).

| Prod. Code. | Size | Color | Labels/Roll |
|----------------|----------|------------|-------------|
| FLTTX1055T__ | 1/2"x 5" | All Colors | 4,000 |
| FLTTX1055TWH | 1/2"x 5" | Wht/Yel | 4,000 |
| FLTTX1075T__2M | 1/2"x 7" | All Colors | 2,000 |
| FLTTX1075TWH2M | 1/2"x 7" | Wht/Yel | 2,000 |
| FLTTX1076T__2M | 5/8"x 7" | All Colors | 2,000 |
| FLTTX1076TWH2M | 5/8"x 7" | Wht/Yel | 2,000 |
| FLTTX1077T__ | 3/4"x 7" | All Colors | 2,000 |
| FLTTX1077TWH | 3/4"x 7" | Wht/Yel | 2,000 |
| FLTTX1071T__ | 1"x 7" | All Colors | 2,000 |
| FLTTX1071TWH | 1"x 7" | Wht/Yel | 2,000 |
| FLTTX1097T__ | 3/4"x 9" | All Colors | 2,000 |
| FLTTX1097TWH | 3/4"x 9" | Wht/Yel | 2,000 |
| FLTTX1091TWH | 1"x 9" | White Only | 2,000 |
| FLTTX1091T__ | 1"x 9" | All Colors | 2,000 |



The Thermal Slip-On tags are a great way of identifying your product. Once locked, it will stay on the plant material until removed. Thermal print adheres to the surface for years, and will not fade away. The dry printing process means tags are ready to use as they come off the printer. These Thermal Slip-On tags can be preprinted with the thermal transfer printing method.



Thermal Pot Labels

PX=.024 poly / SX=.020 Styrene / ZX=.013 Styrene.

Colors Available: Lavender (**LA**), Orange (**OR**), Pink (**PI**), Red (**RE**), Turquoise (**TU**), White (**WH**), Yellow (**YE**), Lime (**LI**), Tan (**TN**).

| Prod. Code. | Size | Color | Labels/Roll |
|---------------|-------------|------------|-------------|
| FLTPX5156T__ | 9/16" x 5" | All Colors | 2000 |
| FLTPX5157T__ | 3/4" x 5" | All Colors | 2000 |
| FLTPX5151T__ | 1" x 5" | All Colors | 1000 |
| FLTPX5161T__ | 1" x 6" | All Colors | 1000 |
| FLTPX51567T__ | 3/4" x 6" | All Colors | 2000 |
| FLTZX5141TWH | 1" x 4-1/2" | White Only | 2000 |
| FLTSX5157T__ | 3/4" x 5" | White Only | 2000 |
| FLTSX5156TWH | 9/16" x 5" | White Only | 2000 |
| FLTSX5151T__ | 1" x 5" | White Only | 1000 |



Brushking Shearing Knives

Lightweight, well-balanced knives manufactured in Germany. Highest possible quality stainless steel construction. Expertly ground and honed for optimal cutting life.

| Prod. Code | Description | Weight |
|------------|---------------------------|--------|
| HXSK1610 | 10" handle, 16" blade | 1 lb. |
| HXSK1618 | 18" handle, 16" blade | 1 |
| HXSKH-10 | 10" Shearing Knife Handle | |
| HXSKH-18 | 18" Shearing Knife Handle | |



Corona Sharpening Tool

5" super carbide file is ideal for sharpening all blades. No-slip grip for easy use. Fits easily into pockets.

| Prod. Code | Wt. Oz. |
|------------|---------|
| HCAC8300 | 1.8 |



Tally Meter

This metal plated, attached finger-ring tally meter meets U.S. Government Standards. Counts 0 to 9999 with easy-to-read white numbers on black background. One rotation of knurled knob resets to "0".

| Prod. Code | Desc. | Wt. Ozs. |
|------------|-------------|----------|
| HXTM | Tally Meter | 4 |




Load/Bird Netting

Prod. Code: SCVOG1669144900

Lasts approximately 1 year. Master roll 4,500'.

| Prod. Code | Color | Roll Size Ft. | Mesh Size | Wt. Lbs. |
|------------------|-------|---------------|-------------|----------|
| SCVOB75251201000 | Black | 10' x 1000' | 3/4" x 5/8" | 32 |
| SCVOB7525120100 | Black | 10' x 100' | 3/4" x 5/8" | 3.2 |



IRS Shearing Chap

Heavy-duty waterproof Cordura face and back, sandwiching five layers of Ballistic nylon. Single leg chap is fully adjustable. Three velcro straps allow for full leg tension adjustment.


These leg guards don't guarantee full protection of your legs when using a shearing knife.

| Prod. Code | Wt. Lbs. |
|------------|----------|
| HXSC | 2.25 |

Trellis Netting

6" x 6" mesh trellis netting

| Prod. Code | Piece Size | Description |
|------------|--------------|-------------|
| SCTN6328 | 6.5' x 328' | Piece |
| SCTN63280 | 6.5' x 3280' | Roll |





Thermometers



9841



8215



5458

| Prod. Code | Description | Dial | Temperature Range | Wt. Oz. |
|--------------|---|---------|-------------------|---------|
| GSTHERM6072 | 5" Stem Stainless Steel with pocket case | 1" | 0° to 220° F | 2 oz. |
| GSTHERM5976 | 4" Steel Soil Test Thermometer | 2-1/2" | 20° to 160° F | 2 oz. |
| GSTHERM9841 | Digital Pocket Thermometer, easy-to-read digital display, 4" stem | 1" | -58° to 500° F | 2 oz. |
| GSTHERM1441 | Digital Waterproof Max/Min Thermometer. 7 day memory, 2 sensors, indoor/outdoor | — | -20 to 120° F | 9.8 |
| GSTHERM8215 | 8" Stem, Watertight lens and recalibration nut | —1-3/4" | 0 to 220° F | 1.8 |
| GSTHERM5458P | Max/Min T/R Magnet Reset | | | 6. oz. |



pH Testers

| Prod. Code | Description |
|---------------|---|
| MSHI70061G | Cleaning Solution 20 mL Sachet |
| MSHI70004P | pH 4.01 Solution 20ml Sachet |
| MSHI70007P | pH 7.01 Solution 20ml Sachet |
| MSHI50036P | Quick Calibration Solution for GROLINE 20 mL Sachet |
| MSHI70300-023 | Electrode Storage Solution 230 ml Bottle |
| MSHI7004M | pH 4.01 Solution 250 mL Bottle |
| MSHI7007M | pH 7.01 Solution 250ml Bottle |
| MSHI7031M | 1413 µS/CM EC Value 250 mL Bottle |
| MSHI7061M | Electrode Cleaning Solution 250 ml Bottle |
| MSHI70300L | Electrode Storage Solution 500 ml Bottle |
| MSHI710030 | Shockproof Green Rubber Boot For GROLINE |
| MSHI98115 | Entry Level GROLINE pH Tester Pen |
| MSHI98118 | GROLINE pH Meter W/Case |
| MSHI98131 | GROLINE Combo pH/EC/TDS/Temp. Tester |
| MSHI9814 | GROLINE Waterproof Combo pH/EC/TDS/Meter |



GSPMMPRTC

UL Listed Propagation Mats

Underwriters Laboratories Inc. (UL) is an independent product safety certification organization.

Daisy chain up to 5 units together (1 main mat plus 4 add on mats)

Rugged and durable with waterproof connectors you can daisy chain up to four mats together. This mat has a 6' power cord and provides constant optimum temperatures for specific crops.

| Prod. Code | Description |
|------------|-------------------------------|
| GSPMMDU | 60"x 21" Heat Mat (18W) |
| GSPMMDA | 60"x 21" Modular Add-On |
| GSPMMPRTC | Heat Mat Controller (3 prong) |



98131



9814

Electronic Leaf

| Prod. Code | Description |
|------------|-----------------|
| MSEL | Electronic Leaf |



MSEL

Works on the principle of evaporation. The weight of the mist settles on the stainless steel screen which turns off the solenoid. When water evaporates the leaf rises and starts the cycle. (Solenoid valve not included)

Call or go online for large quantity orders, additional info and current prices.



NETAFIM™

GROW MORE WITH LESS



Irrigation



Fertigation



Misting



Propagation



To see full product line visit
www.netafim.com
call OBC for a quote

DRAMM



**Save time and money
with a full watering system**

**OBC Distributes
an entire line of
Dramm products.**

**To see a full line
of products, visit
www.dramm.com**

DRAMM AUTO FOGGER

MSDR*LV*

The Dramm Autofog automatically sprays areas up to 70,000 square feet with no applicator present. The ultra-fine cloud of droplets penetrates deep into the plant canopy covering all surfaces, ensuring excellent control of greenhouse pests and diseases.



DRAMM BP-4LI BACKPACK SPRAYER 4 GAL

MSDRBP4-LI

The Dramm BP-4 Back Pack Sprayer is a rechargeable, battery powered, high-pressure sprayer that fits comfortably on your back.



DRAMM HYDRA SPRAYER

MSDRH

They Dramm Hydra Sprayers are powerful yet easy to use. Size options available.



DRAMM MSO SPRAYER

MSDRMS

Powerful and portable sprayer. Available in electric or gas. Adjustable pressure and flow rate.



DRAMM PULSE FOGGERS

MSDR

The PulsFOG rapidly applies chemicals as a fog. The ultra-fine cloud of droplets penetrates deep into the plant canopy covering all surfaces, ensuring excellent control of greenhouse pests and diseases.



DRAMM TURBO COLD FOGGER

MSDR

The PulsFOG Turbo Hybrid is an electrically powered, pneumatic cold-fogger. Its high-performance turbine creates a powerful, warm flow of air that atomizes and propels fog.



Dramm Overhead Watering



Misty-Mist Nozzles

Used for 360° overhead mist propagation, raising humidity levels, or for mist cooling. Use Blue/White (**MSDRMMBW**) or Red/White (**MSDRMMRW**) nozzles for propagation and humidity control. Use the high pressure Grey/White (**MSDRMMGW**) for cooling. Weight: 10oz. per 100.



Dramm Nifty Nozzles

360° "overhead or on bench" watering. For on the bench watering (cut flowers), use *BR (Brown), *GR (Green) or *GY (Grey) Nifty Nozzles. For overhead irrigation, use *BL (Blue), *RD (Red) or *OR (Orange) Nifty Nozzles

MSDR360NN*



Dramm Assembly Insert

MSDRAI

Spot Spitters

| Prod. Code | Description |
|-----------------|---------------------------------------|
| MSROBSS_ | 100/Bag variety of flow sprays |

Black – high flow, Brown – low flow, Blue – medium flow, Dark Green – medium flow, Grey – mini flow, Orange – mini flow



Dramm Handi-Reach Handles

Made of hard-drawn aluminum with brass couplings, plastic grip.

| Prod. Code | Length | Wt. Lb. |
|------------------|------------|------------|
| MSDR148GB | 48" | .83 |
| MSDR148 | 48" | .83 |
| MSDR136 | 36" | .66 |
| MSDR130 | 30" | .66 |
| MSDR124 | 24" | .42 |
| MSDR116 | 16" | .33 |
| MSDR430 | 30" | .92 |

#430 comes complete with 30" wand, 400PL water breaker and #45C plastic shut-off.


Dramm Dribble-Rings

For nursery cans and large pots, tropical plantings, B&B stock, greenhouse tomatoes, orchids. A maximum of 400 containers can be watered with the Dribble Rings from a 3/4" supply pipe. Packed 100 per size, sold by the each. Rings listed by Product Codes. 2nd number denotes length of tube.



| For 6" & 7" pot | For 8" & 10" pot | For 13" pot |
|-------------------|-------------------|--------------------|
| MSDRDR4-12 | MSDRDR6-12 | MSDRDR85-12 |
| MSDRDR4-24 | MSDRDR6-24 | MSDRDR85-24 |
| MSDRDR4-36 | MSDRDR6-36 | MSDRDR85-36 |
| MSDRDR4-48 | MSDRDR6-48 | MSDRDR85-48 |

| For 16" pot | For 18" & Larger pots |
|--------------------|-----------------------|
| MSDRDR10-12 | MSDRDR13-12 |
| MSDRDR10-24 | MSDRDR13-24 |
| MSDRDR10-36 | MSDRDR13-36 |
| MSDRDR10-48 | MSDRDR13-48 |



Brass Eyelets & Universal Hand Pick Tool

| Prod. Code | Description | Weight |
|-------------------|--|-----------------------|
| MSDRDTMS-E | Eyelet for .060 & .045 I.D. | 70 oz. per 100 |
| MSDRPT | Universal Hand Pick Tool | 2.1 oz. |

Note: The outer Diameter (O.D.) of the green and brown tubes are exactly the same (only the inside Diameter (I.D.) is different - both sizes use the DTMS-E Eyelet.



Fogg-It "Water Fog" Nozzles

Heavy-duty, solid brass jets deliver a super-soft mist that is ideal for greenhouse use, spraying delicate flowers, newly planted lawns or seed beds. Weight 6 oz.



| Prod. Code | Description | GPM |
|------------|-----------------|-----|
| MSFSSF | super superfine | 1/4 |
| MSFSF | superfine | 1/2 |
| MSFF | fine | 1 |
| MSFL | low volume | 2 |
| MSFH | heavy volume | 4 |

Fogg-It Pot Waterer

Attaches to standard garden hose. Chrome plated copper angled spout. Thumb valve designed for ergonomic comfort.

| Prod Code | Size/Description | Wt. Lbs. |
|-----------|------------------|----------|
| MSFTV | thumb valve | .5 |



DRAMM



400 Water Breaker MSDR400

Original professional nozzle. Crafted of cast aluminum and brass. Gentle, full flow at 11.1 gpm.



170 Water Breaker MSDR170

Crafted of cast aluminum and brass. Narrow pattern for containers/baskets or low-pressure systems. Flow at 7 gpm.



750 Lemonhead™ Water Breaker™ MSDR750PLC

Soft full flow watering – great when other nozzles have too much flow. ABS plastic & stainless steel with 750 holes create a soft shower at 8 gpm.



Green Narrow Pattern Water Breaker MSDR1000PLN

Softest full flow available. Water plugs or seedlings. ABS plastic & stainless steel with over 1000 micro-holes. Narrow pattern. Flow at 8 gpm.



510 Seedling Nozzle MSDR510

Water fragile plants, seedlings, or cuttings. Produces an extra fine, hollow cone mist pattern at 1/2 gpm.



400PL Water Breaker MSDR400PL

Professional's lightweight alternative to the 400AL. ABS plastic & stainless steel. Gentle, full flow at 11.1 gpm.



170PL Water Breaker MSDR170PL

Professional's lightweight alternative to 170AL. ABS plastic & stainless steel. Narrow pattern for containers/baskets, or low pressure. Flow at 7 gpm.



1000BP "Redhead" Water Breaker MSDR1000BP

Softest full flow available. Water plugs or seedlings. ABS plastic & stainless steel with over 1000 micro-holes. Medium pattern with flow at 8 gpm.



Orange Wide Pattern Water Breaker MSDR1000PLW

Softest full flow available. ABS plastic & stainless steel with over 1000 micro-holes. Wider pattern with flow at 8 gpm.



540BC Brass Rose MSDR540B

Water bedding plants, pots or market packs. Extra wide spray increases hand water speed with 18-20 gpm.



350PL Screen-Aire Full Flow Nozzle MSDR350PL

Water large or nursery container with increased speed. Gentle, concentrated, aerated flow at 18 gpm.



300 Brass Shut-Off
MSDR300
 3/4" Female hose threads. 3/4" Male hose threads.

14700 One Touch Shut-Off Valve
MSDR14700

Offers precision fingertip control for all your watering needs. Medium flow.



300ALC Aluminum Shut-Off
MSDR300ALC
 3/4" Male to Female hose threads.

74800 High Flow Shut-Off
MSDR74800

Much like the original Dramm OneTouch Valve, the NEW OneTouch HF will offer twice the flow rate with less than an ounce additional weight.



235 Plastic Dual Shut-Off
MSDR235
 Cylolac plastic dual shut-off. Female/Male hose threads.

74C Polypropylene Shut-Off Valve
MSDR74C

Made with polypropylene to be very durable and corrosion resistant. More durable than other plastic valves. Lightweight and offers a full flow.



65C Lever Activated Shut-Off
MSDR65C
 Designed for quick and easy watering. Higher water flow than comparable triggers. Great with Dramm 170 Water Breaker Nozzle.

Brass Swivel 3/4" Hose Thread
MSDR72700



Dramm QVA Plastic Shut-Off Valve
MSDR45
 QVA Shut-Off Valve The QVA Valve is designed as a high-quality, lower-cost valve. Made in the USA, the QVA uses a unique, patent-pending design to improve strength and quality while reducing assembly labor.

Dramm ColorStorm Hoses & Accessories

Dramm ColorStorm Professional Rubber Hose is made from EPDM rubber for a "crackless" hose that is resistant to abrasion and weathering. Want to make your own custom length hose, or need to mend an existing hose? Take a look at Dramm's hose mending tools.

| Prod. Code | Description |
|-------------|--|
| MSDR17989 | 3/4" x 330' Bulk hose (spool) |
| MSDR17999 | 5/8" x 330' Bulk hose (spool) |
| MSDRDPFRAME | Crimper Frame only |
| MSDRDPJ* | 3/4" or 5/8" Jaws |
| MSDR178* | Fitting & Ferrule Sets, 5/8" Male, 5/8" Female, 3/4" Male, 3/4" Female |
| MSDR17003 | 5/8" x 50' Colorstorm hose |
| MSDR17203 | 5/8" x 75' Colorstorm hose |
| MSDR17303 | 5/8" x 100' Colorstorm hose |
| MSDR17013 | 3/4" x 50' Colorstorm hose |
| MSDR17213 | 3/4" x 75' Colorstorm hose |
| MSDR17313 | 3/4" x 100' Colorstorm hose |



proptek *FOR* EARTHPOTS®



008SLED



072N10I



032510ID



015SLEM



098S20I

| Item No. | Item Description |
|---------------|--|
| PPEPT008SLED | PROPTEK 008SLED SLEEVE FOR 100mm ELLEPOT (8/BNDL)(1152 PER PALLET) |
| PPEPT008SLETF | PROPTEK 008SLET-F 8 CELL TRAY W/ FEET 10"x 20" (144 PER PALLET) |
| PPEPT015SLEM | PROPTEK 015SLEM SLEEVE FOR 80mm ELLEPOT (2400 PER PALLET) |
| PPEPT015SLETF | PROPTEK 015SLET-F 15 CELL TRAY W/ FEET 12"X20" (160 PER PALLET) |
| PPEPT032 | PROPTEK 032510IDF 32 CELL TRAY W/ FEET (160 PER PALLET) |
| PPEPT072N10I | PROPTEK 072N10I 72 COUNT TRAY FOR 35 X 40MM |
| PPEPT098S20I | PROPTEK 098S20I 98 COUNT TRAY FOR 30 X 100 MM |





| Prod. Code | Dimensions | Cu. in. / Plug | Tray Count |
|------------|--------------|----------------|--------------------|
| PPER1535 | 15mm x 32mm | 0.64 | 288 |
| PPER2035 | 20mm x 35mm | 1.17 | 209 |
| PPER2040 | 20mm x 40mm | 1.34 | 162 |
| PPER2035 | 20mm x 35mm | 1.17 | 162 punchable |
| PPER2047 | 20mm x 47mm | 1.53 | 162 deep |
| PPER2040 | 20mm x 40mm | 1.34 | 144 |
| PPER2340 | 23mm x 40mm | 1.77 | 128 |
| PPER2347 | 23mm x 47mm | 2.2 | 128 deep |
| PPER2340 | 23mm x 40mm | 1.77 | 105 |
| PPER2340 | 23mm x 40mm | 1.77 | 102 |
| PPER2340 | 23mm x 40mm | 1.77 | 102 strip |
| PPER2340 | 23mm x 40mm | 1.77 | 2 x 51 |
| PPER2340 | 23mm x 40mm | 1.77 | 84 |
| PPER3040 | 30mm x 40mm | 3.02 | 78 strip |
| PPER3040 | 30mm x 40mm | 3.02 | 3 x 26 |
| PPER3040 | 30mm x 40mm | 3.02 | 72 & 72 Proptek |
| PPER3070 | 30mm x 70mm | 4.4 | 72 |
| PPER30100 | 30mm x 100mm | 6.5 | 98 Proptek |
| PPER3540 | 35mm x 40mm | 4.1 | 72 & 72 Proptek |
| PPER3560 | 35mm x 60mm | 6.16 | 72 deep |
| PPER3545 | 35mm x 45mm | 4.62 | 50 |
| PPER4040 | 40mm x 40mm | 5.4 | 50 |
| PPER4047 | 40mm x 47mm | 6.2 | 50 star deep |
| PPER4090 | 40mm x 90mm | 10 | 50 |
| PPER4545 | 45mm x 45mm | 7.64 | 32 |
| PPER4560 | 45mm x 60mm | 10.2 | 50 deep |
| PPER45110 | 45mm x 110mm | 16 | 36 deep |
| PPER5070 | 50mm x 70mm | 14 | 32 deep |
| PPER50100 | 50mm x 100mm | 19.2 | 32X Deep & Proptek |
| PPER6070 | 60mm x 70mm | 21 | 21 |
| PPER60140 | 60mm x 140mm | 36 | 21 |
| PPER7070 | 70mm x 70mm | 28.7 | 18 |
| PPER8070 | 80mm x 70mm | 38 | 10 |
| PPER80200 | 80mm x 200mm | 98 | 15 Proptek |
| PPER9090 | 90mm x 90mm | 61 | 15 |
| PPER90216 | 90mm x 216mm | 125 | 8 Proptek |



EARTHPOTS®

Made to order.


EARTHPOTS® brand Ellepot are unique propagation plugs that retain vital air space for successful rooting. The cellulose sleeve that surrounds the EARTHPOT® is 100% degradable. Roots grow easily through the cellulose sleeve and air prune. EARTHPOTS® allow propagated plants to be easily extracted from the tray for fast transplanting and reduced transplant shock.

Custom lengths and certified organic soils available.

Soil Amendments




Soil Mix – Medium
(APPROX. 2-3 mm)



Propagation Mix – Coarse
(APPROX. 2-10 mm)



Horticultural Mix – Super Coarse
(APPROX. 5-12 mm)



Perlite

A lightweight amendment for propagation and potting use. Improves aeration and drainage. Neutral pH, sterile. Choose from three grades:

- **Soil mix** – Medium
- **Propagation mix** – Coarse. Used in general propagation.
- **xlp grade** – Super coarse. Good for plugs.

| Prod. Code | Description | Bag | Weight | Qty/Pallet |
|------------|-------------------------|---------|---------|------------|
| PMP5M | 4 cu. ft. soil mix | plastic | 35 Lbs. | 36 |
| PMP5G | 4 cu. ft. propagation | plastic | 35 Lbs. | 36 |
| PMP5LP | 4 cu. ft. horticultural | plastic | 21 Lbs. | 33 |



Vermiculite

Made up of granules of a unique lightweight mineral with countless cells or pockets that hold and release air and water as plants need them. Breaks up heaviest clay soil and enables sandy soil to hold moisture. Plants emerge from soil more readily and develop stronger roots.

| Prod. Code | Description | Bag | Bag Wt. Lbs. | Qty/Pallet |
|------------|-----------------|---------------------|--------------|------------|
| PMV35 | 3.5 cu. ft. bag | woven polypropylene | 40 | 30 |



Peat Moss

| Prod. Code | Description/Grade | Bag Wt. Lbs. | Qty/Pallet |
|------------|--------------------------|--------------|------------|
| PMPMGG38 | 3.8 cu. ft. Grower Grade | 55 | 30 |

Coco Fiber

Loose fill

| Prod. Code | Description/Grade | Bag Wt. Lbs. | Qty/Pallet |
|------------|-------------------|--------------|------------|
| PMOBCCF | 1.5 cu. ft. bags | 22 | 60 |

OBC Northwest Soil Mixes



All OBC Northwest soil mixes come in small bags, bulk totes and bulk yards. Please note the bulk totes will require a forklift for unloading. All mixes are available in conventional and organic formulations.

Visit our website or call 503-266-2021 for additional info including bag sizes, pallet counts, and current prices.

Nursery Mix

Mix is to be used in 1 gallon or larger containers.

Contains: 70% fine bark, 20% mulch and 10% pumice. Wetting agent added.

Seedling Mix

Contains: 66% fine peat, 34% Soil grade perlite and granular wetting agent.

Organic & Natural Potting Mix

Contains: 20% coir, 20% growers grade peat moss, 20% propagation grade perlite, 20% screened pumice, 20% aged Douglas Fir Bark, and Yucca wetting agent.



Bedding Plant Mix

Contains: 35% grower-grade peat moss, 32% mulch, 25% perlite and 8% vermiculite. Wetting agent added.

Hanging Basket Mix

Increased water-holding ability for baskets. **Contains:** 50% fine bark, 20% peat moss, 20% coir and 10% perlite. Wetting agent and diatomaceous earth added.

Greenhouse Mix

Contains: 45% mulch, 25% peat moss, 20% pumice, 5% vermiculite and 5% perlite. Wetting agent added. Free of weeds, disease and insects.





- Harrell's Polyon Fertilizers: Polyon homogenous technology releases nutrients evenly by osmosis. Polyon is not affected by media type, moisture level, pH, or microbial activity.
- 50lb bags
- 40 bags/pallet
- Sold by the bag

Harrell's 14-14-14 NPK

- 4-5 months @ 70°F
- Item # FZA141414

Harrell's 21-5-6 Super Iron Topdress

with Micronutrients

- 4-5 months @ 70°F
- Item # FZA2156

Harrell's 15-6-12

with Micronutrients

- 10-11 months @ 70°F
- Item # FZA15-6-12

JACK'S PROFESSIONAL®

Water Soluble Fertilizers

- 25lb bags
- 84 bags/pallet

General Purpose 20-20-20

- Item # FZP202020
- One of the most Versatile products in the Peters line. May be employed as a foliar spray.
- Maximum solubility: 3lbs 8 oz/gal

Plant starter 9-45-15

- Item # FZP94515
- Ideal for all transplants. High phosphorus level stimulates rapid root growth.
- Maximum solubility: 2lbs 8oz/gal

Tainio Biologicals, Inc – Natural Growing Through Biology

Spokane, WA

- BioDigester (50 grams) (1 acre)*
- BioGenesis I + Polymers (454 grams) (1 acre)
- BioGenesis I Non-Polymer (454 grams) (1 acre)
- BioGenesis III – Seed Treatment (56 grams)*
- Carbo II (454 grams) (2 acre)
- Micro 5000 (151 grams) (2 acre)*
- Micro 5000 Organic (151 grams) (2 acre)*
- MicroClear II (255 grams) (1 acre)
- MicroThatch (50 grams) (1 acre)
- MycoGenesis (454 grams) (1 acre)
- MycoGenesis Seed Treatment (160 grams)*
- NutraNeed (64oz) (5 acre)
- Pepzyme C (64oz) (5 acre)
- Pepzyme G (64oz) (5 acre)
- Pepzyme M (64oz) (5 acre)
- PZ 1000 (151 grams) (2 acre)*
- RhizoGenesis Root Dip (454 grams) (1 acre)
- Spectrum (50 grams) (1 acre)*
- Spectrum DS (50 grams) (1 acre)*
- Spectrum + Myco (155 grams) (1 acre)*
- Spectrum PSB (75 grams) (1 acre)*

(*Minimum orders may apply)
Available in larger acreage applications



by Marion Ag Service, Inc.

St. Paul, OR

Certified Organic OMRI, CDFA, WSDA

- Alfalfa Meal 2.5-0-2.5
- Blood Meal 13-0-0
- Bone Meal 3-15-0
- Crustacean Meal 4-0-0
- Feather Meal 12-0-0
- Fishbone Meal 4-17-0
- Fish Meal 9-4.5-0
- Greensand
- Kelp Meal 2-0-4
- Pelletized Lime
- Pelletized Dolomite
- Pelletized Gypsum

Certified Organic WSDA

- Bone Meal 6-12-0
- All Purpose 8-2-5
- Micronized Crustacean Meal 4-0-0
- Micronized Fishbone Meal 4-17-0
- Micronized Kelp Meal 2-0-4
- Mag Kick
- Intrepid Trio 0-0-22

Call or go online for large quantity orders, additional info and current prices.

Hormex #1 Rooting Compound

Use Hormex #1 for easy-to-propagate plants such as common shrubs and greenhouse plants.

| Prod. Code | Wt. Per Box | Boxes/Case |
|------------|-------------|------------|
| CHHX1 | 1 lb. | 12 |



Hormex #3 Rooting Compound

Use Hormex #3 for rooting woody and semi-woody plants and easy-to-propagate evergreens.

| Prod. Code | Wt. Per Box | Boxes/Case |
|------------|-------------|------------|
| CHHX3 | 1 lb. | 12 |



Hormex #8 Rooting Compound

For rooting difficult to propagate plants such as evergreens and dormant leafless cuttings.

| Prod. Code | Wt. Per Box | Boxes/Case |
|------------|-------------|------------|
| CHHX8 | 1 lb. | 12 |



Hormex #16 Rooting Compound

For difficult varieties.

| Prod. Code | Wt. Per Box | Boxes/Case |
|------------|-------------|------------|
| CHHX16 | 1 lb. | 12 |



Dip' N Grow

| Prod. Code | Size | Wt. |
|------------|----------|----------|
| CHDG2OZ | 2 oz. | 2 oz. |
| CHDGP | 16 oz. | 16 oz. |
| CHDGG | 1 gallon | 1 gallon |



Woods Rooting Compound

A special concentrated liquid formulation that offers the commercial grower a safe, effective and economical way to take advantage of rooting stimulants.

| Prod. Code | Size | Wt. | Case Amount |
|------------|--------|--------|-------------|
| CHW4OZ | 4 oz. | 4 oz. | 24 |
| CHWP | PINT | 16 oz. | 12 |
| CHWG | Gallon | 8 lb. | 2 |

Sticky — Yellow Insect Traps

Sticky Strips are bright yellow plastic sheets, coated on two sides with a specially formulated sticky goo. Hang them or fasten them in place, peel off the protective coverings and they'll catch insects until they are covered with insects or debris. Many insects are attracted to the color yellow: aphids, fungus gnats, whiteflies, leafminers, carrot rust flies, Thrips and many others. They are inexpensive and disposable, 3" by 5".



| Prod. Code | Wt. Per Box | Boxes/Case |
|------------|--------------|------------|
| CHSSYE | 1 lb. 12 oz. | 10 |

Sticky Strip Rolls

| Prod. Code | Size | Color |
|------------|-----------|--------|
| CHSSR5306 | 530' x 6" | Yellow |



Bright yellow plastic sheets, coated on two sides with a specially formulated sticky goo. Color attracts many insects including: aphids, fungus gnats, whiteflies, leafminers, carrot rust flies, thrips and many others.

Warren's T-7II Spreader

Warren's T-7II weighs less than 6 pounds when empty and holds up to 20 pounds of seed, herbicide or fertilizer. Tough, high-impact polyethylene and stainless steel construction provides trouble-free operation with minimum care.

Precision flow rate control is fully adjustable during operation so you can tailor application to fit the toughest jobs.



| Prod. Code | Wt. Lbs. |
|------------|----------|
| HMSPW | 6.0 |

Perfect-A-Feed

5-quart dispenser. Fast, easy measured operation. Unit includes 1 teaspoon and 1 tablespoon drum.



| Prod. Code | Description | Weight |
|------------|----------------|--------|
| MSMPFCH | 5 qt. capacity | 3 Lbs. |

MSMPFCH



Acme Gravity-Flow Type Spreader

Spread granular herbicides, fungicides, insecticides, and fertilizers.

- Adjustable swath width from 2 inches to 3 feet
- Flow rate is easily varied by changing walking speed; by adjusting swath width; by changing the disk size
- Three sizes of disks are supplied
- No metal parts to corrode or rust

| Prod. Code | DESCRIPTION | Empty Weight | Full Weight |
|-------------|----------------------------------|--------------|-------------|
| HMSPC | Casaron Spreader | 6 oz. | 2 lbs. |
| HMSPCPKIT | Parts kit (fan tip, cap & discs) | | |
| HMSPCPTUBES | Spreader tubes | | |



Dramm Syphonject

The Dramm Syphonject is a convenient device capable of diluting concentrated, water soluble plant food or chemicals through your garden hose. Syphonject draws up concentrated solution through a small suction tube and dilutes it at the rate of 16:1 into the passing water stream inside the housing. 3/4" male & female hose threads.



| Product Code | Qty/Case | Weight |
|--------------|----------|--------|
| MSMS | 12 | 8 oz. |



Fertil Dispenser

The Fertil Dispenser Granular Top Dresser is ideal for top dressing containerized plants and in-ground trees and shrubs. Fast, accurate and efficient; will fertilize up to 1500 plants an hour and apply 2 to 25 grams per dose. Holds up to 20 quarts. Includes strap pads, spreading paddle for larger target areas and a dispenser head cover for wet conditions.

| Product Code | Weight |
|--------------|----------|
| HMSFT | 6.8 Lbs. |

Non-Electric Proportional Fertilizer Injectors. The results: an accurate and uniform feeding of fertilizers, fungicides, acids and more in your irrigation water. Dosatron fertilizer injectors are of use to greenhouse growers, nurserymen, landscapers, vegetable growers. Compatible with irrigation systems; sprinklers, drip trickle, microjet, mist or fog, tape, etc.

Li'l Bud-D DosaCart

Prod. Code MSDLBD (for 11 and 14 GPM)

- Polyethylene construction
- 5-gallon bucket
- 10" no flat tires for maximum mobility
- Dimensions: 44.5" high, 19" wide (wheel to wheel), and 22" deep
- Dosatron injector and cart hook up, kit sold separately



Dos-A-Cart

Prod. Code MSDDC (for 11, 14, 20 and 40 GPM)

15 gallon, transparent polyethylene tank. Crash bar to protect unit from damage. 10" specialty tires. Drain valve at bottom for easy clean-up. Weight: 42 lbs. Dosatron injector and cart hook up, kit sold separately. No hook up kit available for 40 GPM.



Plumbing Kit

Includes everything you need for a quick and easy installation onto the Dosatron Dos-A-Cart. Includes filter, check valve, elbows, clamps, hose, straps and teflon tape. Weight: 5 lbs. Dosatron unit and cart sold separately.

- MSDPHSPK58 For 11 & 14 GPM
To be used with the Dos-A-Cart
- MSDPHSPKD45 For 20 GPM
To be used with the Dos-A-Cart
- MSDPHSPK58LB For 11 & 14 GPM
To be used with the For Li'l Bud



No hook up kit available for 40 GPM unit. Recommend using a 200 mesh prefilter in the coming year.

Dosatron Filters*

200 mesh (80 micron) filters are recommended by Dosatron. Kits available. Sold separately.

- MSDF14 14 gallon
- MSDF20 20 gallon
- MSDF40 40 gallon
- MSDF100 100 gallon

* Units used without a filter, voids warranty



Dosatron Check Valves

Protection from backflow or water hammer.

- MSDCV34 3/4" for 14 gpm
- MSDCV100 1" for 20 gpm
- MSDCV112 1-1/2" for 40 gpm
- MSDCV2 2" for 100 gpm



11 GPM – D25F1VFII

Prod. Code MSD11F

11GPM Fixed rate of 1:100. Designed for poor water quality due to sugar, sand, iron or hard water. Easy to install and maintain. Bypass, mounting bracket, suction tube, strainer and weight is included. Weight: 5 lbs.



14 GPM — D14MZ2VFII

Prod. Code MSD14

Higher flow rate (14 GPM vs. 11 GPM). Simplified motor piston has only 17 parts (vs. 52 parts in the previous unit). Chemical-resistant housing, easy-to-read ratio selector and accurate fertilizer injection. No tools required for easy, stress-free maintenance. Weight 6 lbs. Flow is .05-14 GPM, Ratio range 1:500-1:50



20 GPM — D45RE15VFII

Prod. Code MSD20

Non-electric proportional dispenser. Flow rates of 0.5 to 20 gallons per minute; injection ranges from 0.2% to 1.5%. Ration range 1:500-1:66 External injection available for aggressive liquids. Weight: 8 lbs.

- Built-in Bypass
- Technologically advanced motor design
- Externally adj. injection stem



40 GPM — D40MZ2VFII

Prod. Code MSD408R

The NEW D8R - 40 GPM fertilizer injector was designed using new technology and innovation, making it the *must have* fertilizer injector. Has a polypropylene housing and can easily inject fertilizers, pesticides, and caustic chemicals accurately with a flow rate of 2.2 to 40 GPM, an injection ratio of 1:500 – 1:50, and a pressure range of 2 to 110 psi.

- Improved chemical resistant housing
- Enhanced UV resistance
- Allows injection of corrosive chemicals
- Easy-to-adjust injection rates
- Built-in filter and anti-siphon valve

Includes: mounting bracket, suction hose, weighted strainer, and operating manual. Optional bypass available.



100 GPM — DS20SVFII

Prod. Code MSD100

The largest of the Dosatron Injectors. Its hardness is equaled only by its precision. It can be manifolded for larger flow rates or be used on a by-pass system. It can also be mounted in a series. Externally adjustable ratios from 1:500 to 1:50. Side injection and built-in mixing chamber. Operates at low-flow and low-pressure. Weight 47 lbs.

- By-pass
- Portable
- Anti-siphon valve
- Pressure range 2 to 120 psi





Solo Back Pack Sprayer 475

Prod. Code: HMSS475

Diaphragm Pump. Minimum maintenance, large spraying capacity, even liquid distribution with low energy expenditure and low weight due to top quality UV plastics. 4 gallon capacity.

Weight: 11lbs.

Safety Goggles/Glasses

Prod. Code: MSMGOGGLES



Goggles Feature:

- Wrap-around lens - offers wide angle of vision.
- Vertical vent system - promotes air circulation over lens surface. Helps prevent fogging.
- Wide back opening - allows goggles to fit easily over large safety glasses.
- The wide nasal flare angle - allows the goggles to be worn with most half-mask respirators.



Safety Glasses:

Prod. Code: MSMGS

Polycarbonate lenses, large, protective side shields and brow guard. Handsome, aviator styling that almost guarantees your employees will want to wear them. Eye protection when working with wood, machinery, etc.



Kleen Guard GP Coveralls

The fabric breathes like cloth. Use in general applications. Offers effective protection against many particles and water-based liquids. White with elastic wrists and ankles. Attached hood.

Sizes: Medium, Large, X-Large, XXL, XXXL

| Prod. Code | Description | No. Per Case |
|------------|-------------|--------------|
| MSMCO_ _ | coveralls | 24 |
| MSMCOXXXL | coveralls | 20 |

Gopher & Mole Traps

| Prod. Code | Description |
|------------|-------------|
| MSTC601 | Gopher Trap |
| MSTC603 | Mole Trap |



Water Shed Nitrile Rain Wear

Top-of-the-line rain wear, considered by many to be the most comfortable, lightweight and durable rain wear available. Material: Nitrile coating, laminated to 200 denier nylon. Construction: Raglan sleeve jacket with fleece collar and storm flap. Bib overalls with heavy-duty suspenders. Nylon hardware is non-conductive, rust proof and spark proof. Sealed, double stitched lap seams for extra strength.

Colors: Yellow (Y), Blue (B), Forest Green (G)
 Sizes: Small through XXX-Large



| Prod. Code/Size/Color | Description |
|-----------------------|--------------|
| MSRGWJ_ _ | 30" jacket |
| MSRGWP_ _ | bib overalls |
| MSRGWH_ | snap-on hood |
| MSRGW_XXL_ | XXL |
| MRSRGW_XXXL_ | XXXL |

Rip Stop Rain Gear

3-Piece Set

Jacket, Hood & Bib-Overall Pants

Small (S), Medium (M), Large (L), X-Large (XL), Green



| Prod. Code | Description |
|------------|-------------|
| MSRGRS | 3-piece set |

Neoprene Gloves

| Prod. Code | Description |
|------------|----------------|
| MSMGLN_ | Sizes S-M-L-XL |



Nitrile Disposable

| Prod. Code | Description |
|------------|----------------|
| MSMGLND_ | Sizes S-M-L-XL |



Gold Gripper Gloves

| Prod. Code | Description |
|------------|----------------|
| MSMGLGG_ | Sizes S-M-L-XL |



Protective Gloves

Atlas 370 Nitrile Glove

- Tough nitrile coating, with breathable, nylon liner
- Machine washable
- Small & Medium: in colored
- Small, Medium & Large: Black
- Sold n pairs or 12 per pack

| Prod. Code | Description |
|------------|------------------------------------|
| MSMGLAN_ | Atlas 370 Nitrile (black) |
| MSMGLANG_ | Garden Atlas 370 Nitrile (colored) |



Atlas Rubber Gloves

Breathable knit back, rubber palm and fingers provide excellent fit and comfort. Good for transplanting. Available in blue (unlined) or gray (lined). Sizes S - M - L - XL.

| Prod. Code | Description |
|------------|-------------------------------------|
| MSMGLBR_ _ | Blue, Rubber Unlined Glove |
| MSMGLBRL_ | Gray, ThermoFit Rubber Lined Gloves |



Cowhide Drivers Glove

Full grain cowhide. With or without strap. Sizes M - L.

| Prod. Code | Description |
|------------|-------------|
| MSMGLD_ | No strap |



Jersey Gloves

| Prod. Code | Description |
|------------|---------------------|
| MSMGLBJ | Brown Jersey Gloves |
| MSMGLBJ | Sizes S-M-L-XL |





KPC48 Push Cart

The Push Cart from King.

- Dimensions: 24" x 48" x 17"
- Expanded metal deck
- Powder coated finish
- Rear wheels turn and swivel in all directions
- Tube tires
- Weight capacity: 1,000 lbs.

| Prod. Code | Description | Weight |
|------------|-------------|--------|
| HKCKPC48 | Push Cart | 83 |
| HKCKPC48D | Top Deck | N/A |



KRW Nursery Wagon

The KRW nursery wagon is available in three sizes.

- Weight capacity: 500 lbs.
- 4.10 x 4, 2-ply tubeless tires (KRW36 / KRW48)
- 4.8 x 8-16 tires (KRW72)
- 36" handle

| Prod. Code | Description | Weight |
|------------|----------------------|--------|
| HKCKRW36 | KRW 21" x 36" wagon | 70 |
| HKCKRW48 | KRW 22" x 48" wagon | 94 |
| HKCKRW72 | KRW 36" x 72" wagon | 140 |
| HKCKDT10 | KDT 10' Dump Trailer | 450 |



KC-60 Nursery Cart

Versatile cart with expanded metal deck.

- Size: 25" x 60" I.D.
- Weight capacity: 500 lbs.
- 4.8 x 8-16 tires
- Available with or without foot
- Support foot-handle operated

| Prod. Code | Description | Weight |
|------------|--------------------|--------|
| HKCKC60F | KC-60 with foot | 95 |
| HKCKC60 | KC-60 without foot | 95 |



KT-H10 Tracking Trailer

Heavy-duty tracking trailer with automotive type 4-wheel steering. This trailer offers greater stability than 5th-wheel type axles.

- Size: 4' x 10'
- Rated at 2000 pounds
- 18 x 8.5 x 8 turf tires
- Hubs and roller bearings
- Comes with 3/4" plywood deck;
- Special order expanded metal deck
- Upper deck available, 2" angle iron with plywood or expanded metal deck. 21" or 24" from bottom deck.

| Prod. Code | Description | Weight |
|------------|---------------------------|--------|
| HKCKTH10 | Trailer w/ wood deck | 450 |
| HKCKTH10EX | Trailer w/ exp. mtl. deck | 450 |
| HKCWDECK | Upper deck w/wood | 110 |
| HKCSDECK | Upper deck w/ exp. mtl. | 110 |

OBC Northwest Inc. Your Greenhouse Specialist!



- Call OBC Northwest today to talk about your greenhouse needs.
- We evaluate your requirements and work with you to find the best possible solutions.
- OBC manufactures Semi Gable, Quonset, Semi Quonset frames and swing & slide greenhouse doors. OBC Northwest partners with Conley for gutter connected ranges with hard or soft coverings, retractable roof, retractable heat/shade systems and cold frames.

- ▶ **Semi-Gable**
24', 30', 35' wide
- ▶ **Semi-Quonset**
20', 24', 30', 35' wide
- ▶ **Quonset Overwintering Cold Frames**

Customized To Your Needs!

OBC uses the highest quality galvanized steel pipe in the construction of all our greenhouses. High quality mechanical steel provides extra resistance to rust and corrosion – inside and out! Easy to follow installation instructions. Hardware parts are included. Lumber for end framing and side boards are supplied by customer.



30' Semi-Gable Greenhouse Frame

The Semi-Gable Greenhouse is designed as a multi-use greenhouse for hanging baskets, flowers and nursery stock.


- Mechanical galvanized carbon steel pipe
- Two-piece bows are secured with 1-5/8" internal sleeve
- Built-in 4.5 ft. sidewall
- 3 rows of 1-3/8" x 16 gauge purlins
- Legs are 2-3/8" x 16 or heavier gauge pipe
- 4 corner braces 1-3/8" x 16 gauge
- Optional trusses available for additional bow support (various strengths available)



30' wide Semi-Gable available in 2-3/8" diameter bows with 2-7/8" legs.

To Cover a 30' wide Semi-Gable Greenhouse

- 48' wide poly covers ground to ground
- 44' wide shade cloth covers ground to ground
- 40' wide shade cloth or poly covers this house if attached at the 4' side boards.



Greenhouses manufactured by OBC Northwest are non-coded structures and OBC does not express or imply that they meet any Uniform Building Codes



Customized To Your Needs!

Low Profile 20' wide Semi-Quonset Greenhouse Frame



Commonly used as a propagation house.

- Bow options include 1-3/8", 1-5/8" or 1-7/8" steel pipe
- Legs options include 1-5/8", 1-7/8" or 2-3/8" steel pipe
- 1 run of 1-3/8" purlin
- mechanical galvanized carbon steel pipe




To cover a 20' wide Low Profile Semi-Quonset Greenhouse

- 32' wide poly covers house ground to ground
- 30' wide shade cloth covers ground to ground
- 24' wide shade cloth or poly covers this type house when attached at the 4' side boards

15' QUONSET

- 1-3-8" 16 Ga. and 1-5/8" 14 Ga. bows spaced 4', 5' or 6'o/c
- 1-5/8" 14 Ga. or 1-7/8" 15 Ga. legs
- One run 1-3/8" purlin and four corner wind braces.
- 28' wide poly covers this house ground to ground allowing for inflation.
- 24' wide shade cloth taped and grommetted covers ground to ground over single layer poly.
- 26' wide shade cloth covers inflated poly mounted ground to around.



Wintering Over Greenhouse 15' Quonset House Frame



NEW!

Hose Trolley System

- Fully customizable to your greenhouse
- Attaches to existing trusses or bows
- Curved-end option available to save on space

Greenhouses manufactured by OBC Northwest are non-coded structures and OBC does not express or imply that they meet any Uniform Building Codes



Conley has devoted over 50 years of service to the nursery industry with the development and implementation of quality greenhouse products. Over the years, the Conley name has become synonymous with reliability and value. Long considered a leader in technological innovations, Conley incorporates only state-of-the-art designs, materials and manufacturing techniques in its production of greenhouse structures and related products.


Here are some of the innovations incorporated into the Conley line:

- Superior strength rollformed technology
- Patented condensate removal system
- Cantilevered gutters

Styles available to fit every installation!


Ranger Series 2000

Equally at home as a growing area or sophisticated retail center. The Series 2000 is designed for poly, shade or rigid coverings. Engineering available to customer's requirements.



Super Star Series 3600


The best value for the dollar, Conley's Series 3600 is designed for poly roof coverings and poly, shade or rigid side and end wall coverings. Available with a 10 pound to 30 pound live load and up to 110 MPH wind loads.



OBC Northwest offers a full range of Greenhouse Construction Services

Arch Series 6500


An industry tradition, the Series 6500 Gothic Arch design is functional at both shedding snow and combatting overhead drip. This structure can be glazed in poly or rigid coverings. Available in 10 pound, 20 pound or 30 pound snow load.



Oregon Contractors
No. 127055
Washington Contractors
No. OBCNO1*022CR

Gable Series 7500

The versatility of the Series 7500 makes it ideal for applications ranging from growing to retail or even metal covered houses. This structure is designed to be glazed in poly or rigid coverings. Available in 10 pound, 20 pound or 30 pound snow load.



Over-Easy Rolling Bench

- Will not tip even if cantilever is fully loaded.
- All parts are pre-punched and pre-formed galvanized steel.
- Conley's Anti-Tip brackets are anchored on both sides of cross bar assemblies.
- Bench top frame is one-piece and has no upper lip to catch pots or plants.
- Stiffener channels in Conley's Anti-Tip bracket minimizes drag on roll bar.
- Conley's peaked roll bar is designed to roll easier and avoids potting soil build-up.

Choose from a variety of widths: 5', 5'6", 6', and 6'6". Length ordered in 2' increments.



Stand-Firm Bench

Conley's Stand-Firm Bench is made from the same fine quality materials as the Over-Easy Rolling Bench. It is made to anchor to a cement floor or set in a concrete filled footing. Choose from a variety of widths: 3', 4', 5', 5'6", 6', and 6'6". Length ordered in 2' increments.

Both the Over-Easy bench and the Stand-Firm bench are made for three types of bench top materials: **Expanded Metal**, **Easy-Grow Bench Top** or **Shepherd Bench Wire**

Portable Benches

Choose from a variety of sizes. Widths of 3', 4', 5' or 6' Lengths of 8' or 12' and height of 32"

Features:

- Sturdy design – 20 lbs. ft² weight capacity
- Light – easy to move
- Easy to assemble
- Versatile- lends itself to both retail & educational applications as well as temporary potting or work stations.
- Durable plastic or expanded bench top material available
- Wide leg designs increase stability
- Corner protectors virtually eliminate snagging



Conley Sliding and Swing Doors

All doors come complete with tracks, frame jambs, flashing and hardware. Covering options: fiberglass, metal or polycarbonate.

A Variety of Doors Are Available:

- Swing Doors
- Single Sliding Doors
- Double Sliding Doors
- Roll-up Doors



Environmental Controllers

Link4 has an advanced line of greenhouse controllers that provide complete monitoring and adjustment of all equipment - heaters, vents, fans, irrigation - regardless of greenhouse size or type. Customized solutions can be created based on each customer's individual needs.

iGrow Series

Get real-time energy use and track run time on greenhouse heating and cooling equipment.

- Link multiple greenhouses
- Discover which equipment uses the most energy; adjust to save money
- Easily transfer data to you PC for analysis.
- Easy to operate and modify controls.

Remote Access

Text alerts direct to your phone

Get instant remote access to your monitoring system via computer or cell phone. If conditions change when you're away, immediate corrections and adjustment can be made from any distance.



Stat Series™

Our Stat series is a reliable and affordable option for localized individual control.

GrowLink Touch™

Stay in touch using the web, your local network, or your Smart Phone. The Growlink remote access and Data Logging program allows remote programming changes, running graphs, and creating Excel files for all of your data.



Procom™

One of the most reliable, cost effective, and feature packed control systems available. The top choice for professional greenhouse and indoor growers. Easy to use and install. 24 VAC operations and Manual override switches on each output.

BioTherm Elements...Enhanced.



Heating Systems

MicroClimate Tubing



BioTherm MicroClimate systems use flexible EPDM rubber tubing, which allows for tight spacing and uniform conductive heat. Easy to install and economical.



Hydro Sciences

Dissolved Oxygen



Boost your Dissolved Oxygen (DO) levels with our molecular oxygen infusion system. Designed to integrate with fertigation and other irrigation systems to promote faster plant growth by increasing the molecular oxygen available at the root zone.



Optimized Air

DehuKing Dehumidifiers



BioTherm's exclusive DehuKing dehumidification systems control humidity while filtering the air, eliminating 99.9% of microorganisms with ultraviolet light.



Therma Grow Greenhouse Heaters



The design combines efficiency, advanced performance, and long component life to reduce energy and maintenance costs, and help grow profits. Therma Grow™ heaters come in two output sizes, 120,000 Btuh and 220,000 Btuh and meet all OSHA emissions requirements for greenhouses. Therma Grow™ Plus models provide even greater heat management features including 2-stage temperature control and heating and air circulation modes.



Sterling Nexus High Efficiency Heaters



Sterling's Nexus brings gas-fired unit heaters to unprecedented levels of efficiency. Its industry leading 99%* thermal efficiency combines the latest innovations, including a tri-metal stainless steel heat exchanger and a state-of-the-art proprietary combustion control system.

*Up to 99% maximum efficiency at full turndown, 95+% certified efficiency at high fire.



Tubular Gas Fired Unit Heaters

The Sterling tubular heat exchanger has been designed to provide maximum and uniform heat transfer. Units utilize a direct spark pilotless ignition of the burner, providing fast heat delivery. The low pressure drop associated with the design enables heated air to be evenly distributed to the conditioned space.

XF Unit

These propeller type units combine the latest tubular heat exchanger and in-shot burner technology with the quality and reliability you have come to know from Sterling.

GG Unit

These propeller units combine the latest tubular heat exchanger technology with a unique single orifice burner system. Low profile design make the model GG unit ideal for residential, commercial and industrial installations.

All Sterling tubular heat exchangers are constructed of heavy duty 20-gauge aluminized steel. Optional 409 stainless steel is available.




Sterling XF unit

Use outside air for combustion, enabling operation in areas having slight negative pressures (near exhaust fans, etc.) with no adverse effect upon combustion or venting. Special environments can be effectively heated since these burners isolate the burner from dust, humidity and non-hazardous chemicals. Uses a 24V thermostat, not included. For application in altitudes above 2,000 ft., the burner orifices need to be derated. Flue not included.

Available in aluminized or stainless steel. Comes with a 10 year heat exchanger warranty. Available in natural gas or propane, in 30,000–400,000 BTU's. Please call for more details.



Sterling GG unit



Power Tube Fan

Prod. Code GSACPTF

Specially designed units developed for compatibility with polyethylene tubes. Use in controlled environments where precise tempering of air is critical to production. Perfectly matched for low-velocity tempering of air. Available in 12" to 30" fans.

Exhaust Fans

Provides high airflow in most types of greenhouse buildings.

Available sizes in increments of 6", from 24" to 60". Combine exhaust fan, aluminum shutter, and housing for a complete ventilation package.



Shutters


Allows airflow in a single direction; prevents air entry when the fan is not in operation. Constructed of an extruded aluminum frame and interlocking blades for maximum weather seal. Can be gravity or motor operated. Various size options available from 12" to 66"; call for sizes.



Shutter Motors

Used to open shutter wider and improve airflow. Kits for small and large shutters available.

| Prod. Code | Description |
|------------------|---------------------------------|
| GSSHUTTERMOTORSM | Motor kit for shutter up to 48" |
| GSSHUTTERMOTORLG | Motor kit for shutter over 48" |



Housing

Slope or Slant wall housing prevents warm air from being lost to outside cool air in cold climate conditions. Flush mount from inside the building, and shed water and snow once installed.



Thermostats

| Prod. Code | Description |
|------------|---|
| GSACT109 | T-109 2-Stage thermostat |
| GSST335 | T335 115/230 volt thermostat |
| GSST518 | TH518 1 Speed industrial thermostat (ul listed) |
| GSSTP520 | TP520 2-Stage Thermostat |



T335



TP520

Cooling Pads

Specially formulated cellulose pads made with insoluble rot-salts, stiffening saturants, and wetting agents to prevent sagging, rotting and provide maximum cooling when warm air passes through. For maximum airflow, maximum evaporation, structural strength, and long life, thin pads (4") offer maximum airflow while thick pads (6") provide greater evaporation and cooling. Available with edge coating to increase strength, reduce build-up and algae, and extend life of pads in certain applications.

Available in 4" and 6" thickness, 12" width. Height increments every 12", from 24" to 72".



Poly Tube Hangers


Made of a durable UV resistant polypropylene webbing. Brass grommet eyelets with hooks. Custom sizes available.



| Prod. Code | Tube Size | Hanger Length |
|------------|-----------|---------------|
| GSCH06 | 18" | 6' |
| GSCH07 | 24" | 7' |
| GSCH08 | 30" | 8' |


Aluminum Extrusions

24' Universal Vent Seal



GSEXA9970015

24' Gable End Bar



GSEXA9970250

Twinwall Glazing Bar Cap



GSEXA0070355

Twinwall Glazing Bar



GSEXA9970350



GSEXA0070361

Conley Roll Form

GHCG0000312




Aluminum Lathe

GSSEXALL



Polyethylene Convection Tube


Used in conjunction with Coolair Power Tube Fans



This 4 mil polyethylene tube is protected by a strong, untinted ultra-violet inhibitor. The plastic also has an additive to increase its strength and light penetration. Equivalent strength

of a 5-1/2 mil tube. Manufactured using a formulation specified for greenhouse environments and fully guaranteed for one year. Each tube is custom punched with proper diameter holes and spacing.

Punch Positions available:




Heater Hanger

In Line Heater Hanger


GHCH003000

Not to be used in 15' or 20' wide frames.



Film & Cover Lock

Very useful for holding poly and shade cloth materials. You can put one spring in to hold poly, then apply shade cloth with an additional spring. Sold in 6' lengths. Spring is sold separately. Sold by the each. Packaged 20 per bundle.



Aluminum Base
Stainless Steel Spring

| Prod. Code | Product | Wt. Lbs. |
|------------|-----------------|----------|
| GSSLB06 | Locking channel | 1.08 |
| GSSLS06 | Locking spring | .15 |

Cross Connectors

GH138CC, GH 158CC, GH2CC

Endwall Tabs

GHCT0030880, GHCT00380890

Pipe Straps

GH1PS, GH114PS, GH112PS, GH2PS

Brace Bands

GH138BB, GH158BB, GH178BB

Spacer Washers

GHCW9970300

Neoprene Washers

Lap Fasteners

OBC Swing Doors

OBC Sliding Doors

Pop Rivets

GHBRW

#14 Wood Screws

GH14WS

#12 Tek Screws w/ neo washers

GH12TSW

Horizontal Air-Flow Fans Greenhouse Air Circulator

- Fan holes are larger than traditional basket fans & provide double the circulation of traditional models
- Heavy-duty bearing motors are maintenance-free & highly energy efficient
- Noise levels are low – well below OSHA noise level requirements for plant environments
- The fan mounts closer to the ceiling trusses for more head room clearance


| Prod Code | Size | Wt. Lb | CFM | HP | Volts | Amps |
|-----------|------|--------|------|-------|---------|---------|
| GSSVS08VK | 8" | 8 | 466 | 1/100 | 115 | .6 |
| GSSVS12 | 12" | 18 | 1554 | 1/10 | 115/230 | .9/1.45 |
| GSSVS20 | 20" | 38 | 5516 | 1/3 | 115/230 | 3.8/1.9 |
| GSSVS24 | 24" | 46 | 7784 | 1/2 | 115/230 | 5/2.5 |



Mist Kits

This mist kit can cool temperatures up to 20°F using 1/2 gallon of water per hour at 40 PSI. Adjustable nozzles have a stainless steel orifice and pin and includes an O-ring for leak proof assembly. For use on circulation fans.

- GSSMK1200** Mist Kits - 12" horizontal air flow fans
- GSSMK100** Mist Kits - 20" and 24" fans



Premium Greenhouse Shading Compound

A gallon of concentrate, mixed with water should cover approx. 2,000 sq. ft. of area.

Developed by greenhouse growers with one goal in mind: to produce the finest shading compound on the market and offer it at a fair price. It effectively reflects the rays of the sun. It will enable the grower to control light intensity and reduce heat build-up in the greenhouse environment. It is usually used at a rate of 1 part shading compound to 8 parts water.

Available in two formulations:

Light stick (Prod. Code: GSSHADELTSTICK5)

- Perfect for seasonal or temporary shading
- Formulated with very little binding agent
- Majority removed with moderate rain
- Easy 100% removal with light brushing

Regular stick (Prod. Code: GSSHADEREGSTICK5)

- Perfect for year-round shading
- Formulated with medium binding agent
- Some shading removed with heavy rain
- Most shading removable with moderate brushing
- Holds up to coastal fog and drizzle

| Size | Wt. Lb. |
|-----------|---------|
| 5 gallons | 65 |



Antidrip Compound

Sun Clear® is supplied as a concentrated liquid. It works well on polyethylene, vinyl film plastics and rigid materials such as fiberglass and polycarbonate to stop condensation and increase light transmission. Sun Clear® coated plastic will transmit up to 50% more light than dripping, uncoated plastic.

| Prod. Code | Case Quantity | Wt. Lb. |
|------------|---------------|---------|
| GSSCG | Gallon 4 | 9.5 |



Dura-Bench Bench Top


GSBEZG

Overlapping style recommended for permanent, continuous benches. Used in wood frame bench construction or metal benches such as Conley's Over-Easy and Stand-Firm benches.

Features:

- Slats interlock on the 4' sides for easy assembly and strength.
- Slats can be cut to fit any dimension.
- In addition to end supports, slats must be supported.
- Panel sizes available: 2' wide x 4' long, 1" square mesh.


Wt/Lb 6



Expanded Metal Bench Top

GSBXM*

- 3/4", 13 gauge panels. Hot-dipped galvanized after cut.
- A heavy-duty uni-shear recommended to cut panels to size; they can be obtained from rental yard.
- Panel sizes available: 6' wide x 8' long
- Custom sizes, special order.



Poly Repair Tape

UV stabilized, 7.5 mil polyethylene tape lasts up to two years.

| Prod. Code | Wt. Lbs. | Size | Color |
|------------|----------|------------|-------|
| PFPRT02B | 1 | 2" x 108' | Black |
| PFPRT02 | .625 | 2" x 108' | Clear |
| PFPRT04 | 1.5 | 4" x 108' | Clear |
| PFPRT06 | 2 | 6" x 108' | Clear |
| PFPRT10 | 3.5 | 10" x 108' | Clear |



Binding Tape Tie Down

UV stabilized, polypropylene webbing. Tie down can be used over the top of your greenhouse poly, in between the greenhouse bow frames. Extra protection against heavy winds. Will not rub or wear poly film.

| Prod. Code | Wt. Lbs. | Roll Size |
|------------|----------|---------------|
| SCBT234300 | 2.5 | 2-3/4" x 300' |



Batten Tape

White vinyl strip, 3/4" wide x 1/32" thick, formulated to resist UV radiation and extreme cold. Put batten tape over your greenhouse to secure polyfilm down. Soft sides help prevent material from cutting into your polyfilm during high winds.



| Prod. Code | Wt. Lbs. | Roll Size | Color |
|------------|----------|-------------|-------|
| GSBT | 7.5 | 3/4" x 500' | White |

Macrolux Tape



| Prod. Code | Description | Roll Size |
|------------|-------------|---------------|
| GSMATA112 | Aluminum | 1-1/2" x 150' |
| GSMAT112 | Vent Foil | 1-1/2" x 150' |

Mounting Bracket

Dutch Fork has designed an effective bracket to stabilize and hold greenhouse inflation blowers.



| Prod. Code | Product | Wt. Lbs. |
|------------------------------------|--------------------------------|----------|
| GSBLB (use w/ GSG2C647) | inflation fan mounting bracket | 1 |
| GSBLSBK (use w/ GSSB148) | square blower bracket kit | 1 |

Outside Air Inflation Kit

GSOAIK – Contains a new blower that uses a permanent split capacitor motor requiring less energy to keep a greenhouse inflated.

Kit contains:

- Inflation Blower
- Mounting Bracket with Air Deflector
- Outside Air Regulator
- 18" Jumper Hose

Jumper Hose

24" black corrugated hose with simple twist-on fittings.



| Prod. Code | Length |
|---------------|--------|
| GSJK24 | 24" |
| GSJK36 | 36" |
| GSJK48 | 48" |
| GSJK72 | 72" |

Inflation Blower

Rated for continuous duty with adjustable air inlet dampener. Maximum ambient temperature 104° F. 60 CFM



| Prod. Code | Wt. Lbs. | Volts | Amps | HP |
|---------------|----------|-------|--------|-------|
| GSIB60 | 3.75 | 115 | .49/42 | 1/125 |

Outside Air Inlet Retro Fit Kit

GSBLRFK – This kit brings cooler outside air into the center layers of the inflated plastic. Retro kit for existing blowers. Kit includes: 18" air intake hose, intake assembly and air regulator.

| Prod. Code | Wt. lbs. |
|----------------|----------|
| GSBLRFK | 1.35 |

Heavy Duty Inflation Blower

Requires a special bracket.



| Prod. Code | Wt. Lbs. |
|--------------------------------------|----------|
| GSSB148 (use with GSBLSBK) | 5 |


Zip Up™ Peel & Stick Greenhouse Zipper

The original "peel & stick" access to greenhouse coverings. Cut with a razor knife to create access. Two units spaced apart will create an opening that can be rolled up. Color: Blue



| Prod. Code | Wt. Oz. | Size |
|----------------|---------|-------|
| GSZ73WH | 3 | 7'x3" |






Polycarbonate Plus Greca

Corrugated panels come with a warranted anti-condensate control and UV protection on one side. Offers the same sparkling clarity as glass, but transmits as much as 7% more light. These panels are exceptionally resistant to weathering. Co-extruded UV protection ensures against loss of light transmission due to yellowing. Lightweight and flexible yet it is virtually unbreakable.

OBC stocks lengths up to 24'.
Shorter lengths can be cut from full lengths at OBC.
Custom lengths up to 32' can be special ordered.



Prod. Code GSDG4133_

Structure Type: Greca

| | | | |
|---------------------|-----------|--------------------------------------|--------|
| Pitch | 2.99" | Transmission (Gray) | 35% |
| Overall Width | 49.6" | Depth | 0.703" |
| Overall Length..... | up to 32' | ASTM-D1003 (Opal) | 50% |
| Net Coverage..... | 47.8" | Thickness..... | 0.03" |
| | | Light (Clear)..... | 89% |
| | | Coefficient of UV Transmission | <1% |

Polycarbonate 8mm Twin-Wall



Twin-Wall polycarbonate provides clarity, durability and strength. Because the panels have an insulating air-filled space between the inner and outer wall, energy efficiency is increased. While 4mm, 6mm, 8mm, 10mm and 16mm thicknesses are available, 8mm is the industry-standard thickness for most double layer polycarbonate products in the commercial greenhouse market. This is because it offers the best combination of strength, rigidity, good insulation value and cost, as well as a wide variety of attractively priced glazing systems.

OBC stocks lengths up to 24'.
Shorter lengths can be cut from full lengths at OBC.
Custom lengths up to 32' can be special ordered.

Prod. Code GSTG7125_

Structure Type: 8mm Double Wall

| | |
|--|----------------|
| Overall Width | 71.25" |
| Overall Length..... | up to 36' |
| Thickness..... | 8mm |
| Light (Clear)..... | 79% |
| Transmission (Bronze) | 42% |
| ASTM-D1003 (Opal) | 32% |
| Coefficient of Linear Thermal Expansion..... | 0.177" / 3.28' |
| UV Transmission | 0.1% |
| Minimum Bending Radius | 55" |
| U-Value BTU/hr.- ft. 2 F | 0.60 |
| R-Factor..... | 1.667 |



GSCXCSRR



GSCXCSV

Closure Strips for Polycarbonate Sheeting

Made of foam rubber. 100 per box. Sold per each.

| Prod. Code | Description |
|------------|-------------------------|
| GSCXCSRR | Corrugated, 1" x 3' |
| GSCXCSV | Vertical, 1" x 3' |
| GSCXCSDW | DBL Wall 1" x 3/4" x 3' |

TUFFLITE™

Tufflite™ IV Film 6 mil with UV stabilizers. 4-year warranty if double layered and inflated with inflation blower. Light Transmission 91.6%. PAR Rating 88.1%

| Prod. Code | Roll Size | Net Wt. | Prod. Code | Roll Size | Net Wt. | Prod. Code | Roll Size | Net Wt. |
|---------------|------------|---------|---------------|------------|---------|-------------|------------|---------|
| PFT4101006 | 10' x 100' | 39 | PFT4281506 | 28' x 150' | 148 | PFT44402506 | 40' x 250' | 300 |
| PFT4141006 | 14' x 100' | 52 | ***PFT4321006 | 32' x 100' | 96 | PFT4403006 | 40' x 300' | 360 |
| PFT4161006 | 16' x 100' | 59 | PFT4321106 | 32' x 110' | 105.6 | PFT4421006 | 42' x 100' | 126 |
| PFT4201006 | 20' x 100' | 60 | PFT4321256 | 32' x 125' | 120 | PFT4421506 | 42' x 150' | 189 |
| PFT4201106 | 20' x 110' | 66 | ***PFT4321506 | 32' x 150' | 144 | PFT4481006 | 48' x 100' | 144 |
| PFT4201506 | 20' x 150' | 90 | PFT4361106 | 36' x 110' | 118.8 | PFT4481506 | 48' x 150' | 216 |
| ***PFT4241006 | 24' x 100' | 72 | PFT4361506 | 36' x 150' | 162 | PFT4501006 | 50' x 100' | 150 |
| PFT4241106 | 24' x 110' | 79.2 | ***PFT4401006 | 40' x 100' | 120 | PFT4501506 | 50' x 150' | 252 |
| PFT4241256 | 24' x 125' | 90 | PFT4401106 | 40' x 110' | 132 | PFT4561006 | 56' x 100' | 168 |
| ***PFT4241506 | 24' x 150' | 108 | PFT4401256 | 40' x 125' | 150 | PFT4561506 | 56' x 150' | 252 |
| PFT4281006 | 28' x 100' | 102 | ***PFT4401506 | 40' x 150' | 180 | | | |
| PFT4281106 | 28' x 110' | 92.4 | PFT4402006 | 40' x 200' | 240 | | | |

56' is widest T4 that can be ordered
***Also available in white

Nursery Clear 4 4 mil with some UV stabilizers. 1-year warranty. Light Transmission 92.5%. PAR Rating 89.9%

| Prod. Code | Roll Size | Net Wt. | Prod. Code | Roll Size | Net Wt. | Prod. Code | Roll Size | Net Wt. |
|------------|------------|---------|------------|------------|---------|--------------|------------|---------|
| PFNC82204 | 8' x 220' | 35.2 | PFNC162204 | 16' x 220' | 70.4 | PFNC282204 | 28' x 220' | 123.2 |
| PFNC101004 | 10' x 100' | 20 | PFNC182204 | 18' x 220' | 79.2 | PFNC321004 | 32' x 100' | 64 |
| PFNC102204 | 10' x 220' | 44 | PFNC201004 | 20' x 100' | 40 | PFNC321504 | 32' x 150' | 96 |
| PFNC121004 | 12' x 100' | 24 | PFNC201504 | 20' x 150' | 60 | PFNC401004 | 40' x 100' | 80 |
| PFNC122204 | 12' x 220' | 52.8 | PFNC241004 | 24' x 100' | 48 | PFNC401504 | 40' x 150' | 120 |
| PFNC124404 | 12' x 440' | 105.6 | PFNC241504 | 24' x 150' | 72 | **PFNC421004 | 42' x 100' | 84 |
| PFNC142204 | 14' x 220' | 61.6 | PFNC281004 | 28' x 100' | 56 | PFNC481004 | 48' x 100' | 96 |
| PFNC144404 | 14' x 440' | 123.2 | PFNC281504 | 28' x 150' | 84 | | | |

**NON STOCK ITEM, ALLOW FOR LEAD TIME

Nursery Clear 6 6 mil with some UV stabilizers. 1-year warranty. Light Transmission 92.5%. PAR Rating 89.9%

| Prod. Code | Roll Size | Net Wt. | Prod. Code | Roll Size | Net Wt. | Prod. Code | Roll Size | Net Wt. |
|------------|------------|---------|------------|------------|---------|--------------|------------|---------|
| PFNC101006 | 10' x 100' | 30 | PFNC281006 | 28' x 100' | 84 | PFNC421006 | 42' x 100' | 126 |
| PFNC121006 | 12' x 100' | 36 | PFNC281506 | 28' x 150' | 126 | **PFNC481006 | 48' x 100' | 144 |
| PFNC201006 | 20' x 100' | 60 | PFNC321006 | 32' x 100' | 96 | PFNC481506 | 48' x 150' | 216 |
| PFNC201506 | 20' x 150' | 90 | PFNC321506 | 32' x 150' | 144 | PFNC501006 | 50' x 100' | 150 |
| PFNC241006 | 24' x 100' | 72 | PFNC401006 | 40' x 100' | 120 | | | |
| PFNC241506 | 24' x 150' | 108 | PFNC401506 | 40' x 150' | 180 | | | |

**NON STOCK ITEM, ALLOW FOR LEAD TIME

Blackout Poly

White/Black Poly 5 mil (one season)

| Prod. Code | Roll Size | Net Wt. |
|------------|------------|---------|
| PFWB201005 | 20' x 100' | 52 |
| PFWB241005 | 24' x 100' | 65 |
| PFWB321005 | 32' x 100' | 115 |
| PFWB501005 | 50' x 100' | 130 |

Reinforced White/Black Poly 8 mil with reinforcement

| Prod. Code | Roll Size |
|-------------|------------|
| PFRBW241008 | 24' x 100' |
| PFRBW361008 | 36' x 100' |
| PFRBW541008 | 54' x 100' |



Shade Cloth

Nico-Shade Fabric

Features:


- Woven polypropylene fabric
- Reinforced selvages for stronger edges
- Resists mildew and abrasion
- Resistant to most acids, alkalis and solvents
- Shade range: 47%, 55%, 63%, 73%, 80%
- Stock Widths: 6', 10', 12'. Can be converted up to 50'



Nico-Knit Fabric

Features:

- Knitted polyethylene fabric
- Good for use on truck tarps or heavy stress areas
- Resists tearing and puncturing
- Will not unravel
- Shade range: 40%, 50%, 60%, 70%



* Now also available in 50% White.

All shade fabric can be converted to your specifications at our factory. For more information call: 1-800-477-4744.

Custom Fabric Conversions at OBC's Factory

Guaranteed quality and service • Sizing • Taping • Grommets • Slitting • Special handling

Sizing: We can seam Nico-Shade fabric together to make 16', 18', 20', 22', 24', 26', 28', 30', 32', 36', 38', and 40' wide without any upcharges. Pieces wider than 40' will be at an additional \$.01 per square ft.


Taping: Used on edges for reinforcement, also used when grommets are installed.

Grommets: #2 grommet with a 3/8" opening.

Slitting: It is done when the width of the material needs to be cut down from our standard width.

Special Handling: We can customize special shapes per your drawing. We can upgrade or re-tape worn edges. We can also replace missing grommets on your shade cloth. With these services, you might be able to get a few more years out of the life of your material!

Pre-cut Pieces
 10'x12' with tape and grommets
 Available in 47% 55% 63% 73% and 80% woven shade
 Grommets 2' on center
 Code# SC*1012



Truck Tarps


Truck tarps fabricated to your size specifications with two rows of grommets. Second row of grommets added two feet from edge of tarp for flexibility. OBC Northwest recommends that truck tarps be made from 80% Green Lathe for extra durability and prolonged life of tarp.

We can custom make one for your needs, or we have standard sizes available.

| Product | Size | Shade | Grommets |
|---------------|-----------|-------|--|
| SC801850JRT | 18' x 50' | 80% | 2' on center around edges |
| SC802054TTS | 20' x 54' | 80% | around edges and an extra row 2' in on lengths |
| SC80GL1854TTS | 18' x 54' | 80%GL | around edges and an extra row 2' in on lengths |

Insect Screen Fabric

Bee Cage Fabric & Insect Screening



Please call 1-800-477-4744 for more information

| Item | Product | Composition | Intended Use | Shade % | Weight | Application |
|---------|-----------------|-------------|---------------|---------|----------------------|-----------------|
| SCISEB | Xsect Beefriend | Polyolefin | Insect screen | | 121 g/m ² | Inside |
| SCISEM | Xsect Balance | Polyolefin | Insect screen | 16% | 73 g/m ² | Exterior/Inside |
| SCISES | Xsect Xtreme | Polyolefin | Insect screen | 25% | 130 g/m ² | Exterior/Inside |
| SCISSET | Xsect Xtra | Polyolefin | Insect screen | 23% | 110 g/m ² | Exterior/Inside |

Jute Erosion Netting

Uses/features:

- Erosion control problems
- Landfill slopes
- Highway construction
- Landscape projects
- Sod stabilization
- Reclaiming wetland areas
- All natural bio-degradable material
- Best results when anchored with staples



| Prod. Code | Size: Width/Length | Wt. Lbs. |
|------------|------------------------|----------|
| MSNE | 1/2" mesh 4'x 75 yards | 102 |

Erosion Net Staples



| Prod. Code | Size: Width/Length | Shape | Wt. Lbs./100 | Qty. Per Bag | Qty. Per Case |
|------------|--------------------|------------|--------------|--------------|---------------|
| MSNS | 1" x 6" | Square Top | 3 | 100 | 1000 |
| MSNS8 | 1" x 8" | Square Top | 8 | 100 | 500 |

Ground Cover Cloth



A tough versatile fabric designed to last years. Woven to keep weeds out and allow water to slowly disperse. Beware of light imitation film fabrics on the market. Look for Baycor ground cover cloth and you will be happy you switched from film to woven ground cover. 3.2 oz per square yard and 24 x 12 construction.

| Prod. Code | Standard Roll Sizes: Width/Length | Wt. Lbs. |
|------------|-----------------------------------|----------|
| SCGC03300 | 3' x 300' | 26 |
| SCGC04300 | 4' x 300' | 34 |
| SCGC06300 | 6' x 300' | 51 |
| SCGC10300 | 10' x 300' | 85 |
| SCGC12300 | 12' x 300' | 102 |
| SCGC15300* | 15' x 300' / 15.5' x 300' | 114 |

Other sizes available, please call for details

White Ground Cover Cloth



3.1 oz per square yard.
Water flow 10 GPM.
UV Resistance @2400 hours 80%. Puncture strength 60lbs.

| Prod. Code | Standard Roll Sizes: Width/Length | Wt. Lbs. |
|----------------|-----------------------------------|----------|
| SCGC12300WHITE | 12.5' x 300' | 100 |
| SCGC15300WHITE | 15.5' x 300' | 125 |

Black Plastic Mulch

SRM Black plastic mulch for use with or without row covers. Black plastic has been used to suppress weed growth, reduce soil water loss, increase soil temperatures and improve vegetable yields.

Specifications: 1.0 mil, high density polyethylene.

| Prod. Code | Size: Width/Length | Wt. Lbs. |
|------------|--------------------|----------|
| MSCCM4600 | 4' x 500' | 10 |
| MSCCM44000 | 4' x 4000' | 85 |



Call or go online for large quantity orders, additional info and current prices.

Tex-R Geodisc™

A revolutionary product designed to help control weeds in your containers. Cuts labor costs allowed for weeding your containers with herbicides and/or by hand. Economical and environmentally friendly.



| Product Code | Description | Quantity/Box | Weight/Pallet | Box/Pallet |
|---------------|---------------|--------------|---------------|------------|
| MSTEXGEO040II | Geodisc 4" | 8,000 | 320 | 12 |
| MSTEXGEO050II | Geodisc 5" | 4,500 | 290 | 12 |
| MSTEXGEO065II | Geodisc 6.5" | 4,500 | 460 | 12 |
| MSTEXGEO070II | Geodisc 7" | 4,500 | 515 | 12 |
| MSTEXGEO080II | Geodisc 8" | 4,500 | 640 | 12 |
| MSTEXGEO090II | Geodisc 9" | 4,500 | 555 | 8 |
| MSTEXGEO100II | Geodisc 10" | 2,000 | 480 | 12 |
| MSTEXGEO110II | Geodisc 11" | 2,000 | 555 | 12 |
| MSTEXGEO120II | Geodisc 12" | 2,000 | 640 | 12 |
| MSTEXGEO130II | Geodisc 13" | 2,000 | 525 | 8 |
| MSTEXGEO140II | Geodisc 14" | 2,000 | 590 | 8 |
| MSTEXGEO150II | Geodisc 15" | 500 | 290 | 12 |
| MSTEXGEO160II | Geodisc 16" | 500 | 320 | 12 |
| MSTEXGEO180II | Geodisc 18" | 500 | 380 | 12 |
| MSTEXGEO195II | Geodisc 19.5" | 500 | 460 | 12 |
| MSTEXGEO210II | Geodisc 21" | 500 | 515 | 12 |
| MSTEXGEO240II | Geodisc 24" | 500 | 640 | 12 |

Natural Tree Moss

These blankets of decorative moss are suitable where large pieces or quantities of moss are needed. Moss is removed from the tree, compressed and packed without removal of forest residue. Moss comes packaged in compressed 25 pound bales.



| Prod. Code | Wt. Lbs. |
|------------|----------|
| MSMTM | 25 |



The AgroFabric® System provides essential frost and freeze protection for vegetables, foliage, nursery stock, citrus, strawberries, containerized ornamentals and turf. There's an AgroFabric cover for just about any crop or weather condition – they're ideal tools for overwintering, wind break and overall yield enhancement.

Lightweight

+2° TO 4°F

- PRO17
- PRO19
- PRO25

Medium Weight

+4° TO 6°F

- PRO34
- PRO42

Heavy Weight

+6° TO 8°F

- PRO70

Winter Blanket

8°+ F

- PRO80
- PRO90
- PRO100
- PRO140
- PRO200



Specifications:

| | |
|-----------------------------|--------|
| Elongation MD | 50 |
| Basis Weight | 17 GSM |
| Elongation CD | 60 |
| Tensile Strength MD | 42 |
| Air Permeability (cfm)..... | 650 |
| Tensile Strength CD..... | 22 |
| Impact Resistance..... | 50 |

PRO17

Our most popular weight fabric offers excellent flexibility as an emergency frost protector as well as an integral management tool for growers looking to encourage earliness and extend harvest windows. Pro 17 is a 17g/sm or .5 oz/sq yd material that allows for approximately 95% light transmission. Pro 17 will raise minimum temperatures by as much as a 4°F. Other sizes available.

| Prod. Code | Description | Wt. Lbs. |
|----------------|-----------------------|----------|
| MSCCPRO1710250 | 10' x 250' Crop Cover | 10 |
| MSCCPRO1715300 | 15' x 300' Crop Cover | 16 |

PRO19

Lightweight – excellent for wind break and insect control. .55oz/sq yd. 95% light transmission. Raise temperature 2-4°F

Product comes in 5' width increments and custom lengths. Stock sizes listed, call for availability. Non stock sizes estimated at 1-2 weeks lead time to receive.

PRO25

Excellent for insect control or wind break, .75 oz/sq yd, 85% light transmission, + 2-4 degrees above minimum temperature.

| Prod. Code | Description | Wt. Lbs. |
|----------------|-----------------------|----------|
| MSCCPRO2510250 | 10' x 250' Crop Cover | 15 |
| MSCCPRO2520100 | 20' x 100' Crop Cover | 12 |

PRO34

Medium weight fabric – excellent for spring use on nursery stock, foliage and vegetables. 1oz/sq yd. 70% light transmission.

| Prod. Code | Description | Wt. Lbs. |
|----------------|-----------------------|----------|
| MSCCPRO3410100 | 10' x 100' Crop Cover | 8 |

PRO42

Medium weight fabric - excellent for spring use on nursery stock, foliage and vegetables. 1.25 oz/sq yd. 60% light transmission.

| Prod. Code | Description | Wt. Lbs. |
|----------------|-----------------------|----------|
| MSCCPRO4210300 | 10' x 300' Crop Cover | 63 |

PRO50

Heavy weight material – ideal for over-wintering containerized ornamentals. Provides emergency freeze protection. 1.5oz/sq yd. 50% light transmission. 6-8 degrees above minimum temperature.

| Prod. Code | Description | Wt. Lbs. |
|----------------|-----------------------|----------|
| MSCCPRO5015500 | 15' x 500' Crop Cover | 78 |

PRO70

Extra heavy weight fabric – good for harsh climates. 2oz/sq yd. 35% light transmission. Raises temperature 8+ degrees..

| Prod. Code | Description | Wt. Lbs. |
|----------------|-----------------------|----------|
| MSCCPRO7015300 | 15' x 300' Crop Cover | 63 |

Also available in Pro 80, 90, 100, 140, and 200.



| Product Code | Description | Max. Liq. Volume | Count | Weight/Lbs. |
|--------------|-------------------------------|---------------------|-------|-------------|
| PPW100112 | 6" RND x 6" Dp | 2.48 qt / 2.351 L | 44 | 13 |
| PPW100512 | 7" RND x 9" Dp | 1.28 gal / 4.87 L | 40 | 17 |
| PPW100912 | 8" RND x 6" Dp | 1.04 gal / 3.94 L | 68 | 26 |
| PPW101114 | 8" RND x 8" Dp | 1.62 gal / 6.14 L | 40 | 18 |
| PPW101312 | 9" SQ x 9" Dp | 1.99 gal / 7.55 L | 50 | 37 |
| PPW101412 | 10" RND x 7" Dp | 1.80 gal / 6.84 L | 40 | 26 |
| PPW101612 | 10" RND x 10" Dp | 2.55 gal / 9.68 L | 36 | 31 |
| PPW101912 | 11" SQ x 11" Dp | 3.77 gal / 14.30 L | 36 | 40 |
| PPW102312 | 12" RND x 11" Dp | 3.40 gal / 12.90 L | 32 | 35 |
| PPW102512 | 12" RND x 16" Dp | 5.73 gal / 21.70 L | 26 | 40 |
| PPW102712 | 13" RND x 9" Dp | 4.12 gal / 15.60 L | 36 | 39 |
| PPW103312 | 15" RND x 13" Dp | 6.55 gal / 24.80 L | 16 | 31 |
| PPW103412 | 14" Garden Planter | 5.20 gal / 19.70 L | 16 | 36 |
| PPW103512 | 15" RND x 16" Dp | 7.97 gal / 30.20 L | 14 | 28 |
| PPW103712 | 18" RND x 12" Dp | 9.90 gal / 37.50 L | 12 | 39 |
| PPW103812 | 18" Garden Basket | 5.99 gal / 22.70 L | 20 | 39 |
| PPW103912 | 18" RND x 16" Dp | 12.15 gal / 46.00 L | 10 | 33 |
| PPW104012 | 21" RND x 12" Dp | 12.15 gal / 46.00 L | 10 | 40 |
| PPW104112 | 21" RND x 16" Dp | 16.11 gal / 61.00 L | 8 | 38 |
| PPW104309 | 24" RND x 18" Dp | 23.38 gal / 88.50 L | 1 | 8 |
| PPW104522 | 10" SQ HB | 1.84 gal / 6.98 L | 22 | 25 |
| PPW105112 | 10" RND HB | 1.34 gal / 5.10 L | 22 | 18 |
| PPW105512 | 12" RND HB | 2.09 gal / 7.93 L | 22 | 25 |
| PPW105612 | 15" DEC-A-POT 8" Dp | 3.93 gal / 14.90 L | 22 | 24 |
| PPW105912 | 12"SQ HB | 2.80 gal / 10.60 L | 22 | 37 |
| PPW106612 | 12" Cascade Basket | 2.34 gal / 8.87 L | 22 | 22 |
| PPW106912 | 16" x 8" Gar. Bskt. | 4.43 gal / 16.80 L | 20 | 31 |
| PPW107112 | 14" XL RND HB | 3.96 gal / 15.00 L | 20 | 27 |
| PPW107312 | 10" Garden Planter | 2.13 gal / 8.07 L | 16 | 20 |
| PPW107712 | 10" XL II RND HB | 1.59 gal / 6.054 L | 22 | 23 |
| PPW107812 | 12" XL II RND HB | 2.69 gal / 10.20 L | 22 | 31 |
| PPW109612 | 10" Bell Series | 1.90 gal / 7.21 L | 16 | 19 |
| PPW109712 | 12" Bell Series | 3.35 gal / 12.71 L | 16 | 28 |
| PPW109812 | 14" Bell Series | 5.28 gal / 20.01 L | 16 | 37 |
| PPW109912 | 16" Bell Series | 7.91 gal / 29.9 L | 10 | 32 |
| PPW888111 | 16" Gar. Bskt. Hg. Assm. | | 20 | 23 |
| PPW888211 | 18" Gar. Bskt. Hg. Assm. | | 20 | 23 |
| PPW888514 | 4 St. Nylon Hanger, 10" & 12" | | 22 | 2 |
| PPW888899 | 4 Wire 26" Heavy Duty Hanger | | 1 | .05 |





Poly Cans

Poly cans are sold by the stack. Available in black.

| Prod. Code | Size | No. In Stack | Wt. Can Lbs. |
|------------|---|--------------|--------------|
| PPA01DB | 6-3/8" Round x 7" deep (No. 1 Deep) | 50 | 0.180 |
| PPA02DPB | 9" Round x 7.87" deep (No. 2 Deep) | 25 | 0.688 |
| PPA03SQB | 10-1/4" Round x 8" deep (No. 3 Squat) | 25 | 0.800 |
| PPA03DPB | 10-1/2" Round x 9" deep (No. 3 Deep) | 25 | 1.300 |
| PPA05SQB | 12" Round x 10" deep (No. 5 Squat) | 61 | 1.240 |
| PPA05DPB | 11" Round x 12" deep (No. 5 Deep) | 20 | 1.300 |
| PPA05TB | 13-3/8" Round x 9" deep (No. 6 Tub) | 25 | 1.240 |
| PPA07DPB | 14" Round x 11-3/8" deep (No. 7 Deep) | 15 | 1.730 |
| PPA10SB | 17-5/8" Round x 12" deep (No. 10 Squat) | 20 | 1.200 |
| PPA15SBL | 19" Round x 15" deep (No. 16 Short) | 10 | 2.595 |
| PPA20SB | 22" Round x 16-3/4" deep (No. 20 Short) | 5 | 3.600 |

Round Standard Pots



ROUND POTS – RECESSED DRAIN

| Prod. Code | Size | No. In Case | Wt. Case |
|------------|----------------------------------|-------------|----------|
| PPAR6412S | 6"x 4-1/2" deep (recessed drain) | 200 | 23 |
| PPAR66S | 6"x 6" deep (recessed drain) | 184 | 23 |
| PPAR4313S | 4"x 3-1/3" deep (recessed drain) | 360 | 23 |
| PPAR44S | 4"x 4" deep (recessed drain) | 360 | 23 |




Saucers

Saucers are available for round pots. Sizes range from 6"-25" base diameter. All sizes available in black, sizes 6"-16" are also available in green.

SAUCERS - BLACK

| Prod. Code | Size | No. In Case | Anderson # |
|------------|---------------------------------------|-------------|------------|
| PPAS06B | Number 6 Saucer (6" diameter) | 128 | 2209 |
| PPAS08B | Number 8 Saucer (8" diameter) | 96 | 2221 |
| PPAS10B | Number 10 Saucer (10" diameter) | 42 | 2227 |
| PPAS12B | Number 12 Saucer (12" diameter) | 48 | 2233 |
| PPAS14B | Number 14 Saucer (14" diameter) | 40 | 2239 |
| PPAS16B | Number 16 Saucer (16" diameter) | 40 | 2248 |
| PPAS18B | Number 18 Big Saucer (18" diameter) | 10 | x0018 |
| PPAS20B | Number 20 Big Saucer (20" diameter) | 5 | x0020 |
| PPAS25 | Number 25 Super Saucer (25" diameter) | 5 | x0025 |

Poly Flats



| Prod. Code | Size | Depth Of Flat | Sold By Ctn: No. In Ctn. | Wt. Ctn. Lbs. |
|------------|------------------|---------------|--------------------------|---------------|
| PPAFDB | 15-3/4"x 15-3/4" | 5"extra deep | 25 | 39.0 |
| PPAFHD | 18-1/2"x 14-1/4" | 2-1/2" | 25 | 31.25 |
| PPAFS | 17"x 17" | 1-3/4" | 50 | 26.0 |
| PPAF1020 | 10"x 20" | 2-3/8" | 25 | 12.5 |

Square Pots Side Drainage

Available in black.

***Number of pots fit In a flat

| Prod. Code | Size /Desc | Heavy Duty *** | 17x17*** | 10x20*** |
|--------------|-------------------------|----------------|----------|----------|
| PPASQSD214B | 2-1/4"x 2-1/2" | 48 Perf | 49 Perf | 36 Gap |
| PPASQSD2B | 2"x 2-1/8" | 63 Perf | 64 Perf | 50 Perf |
| PPASQSD214RB | 2-1/4"x 3-1/4" rose pot | 48 Perf | 49 Perf | 36 Gap |



Square Band Pots

Available in black. Bottoms with drainage.

***Number of pots fit In a flat

| Prod. Code | Size /Desc. | Heavy Duty*** | 17x17*** | 10x20*** |
|------------|-------------|---------------|----------|----------|
| PPABP3916 | 3-9/16"x 4" | 20 | 15 Gap | 18 |



Square Cross Bottom Band Pots

Cross bottom pots. Sold by the case. Available in black.

***Number of pots fit In a flat

| Prod. Code | Size /Desc. | Heavy Duty*** | 17x17*** | 10x20*** |
|-------------|-----------------|---------------|------------------------|----------|
| PPAUB3916 | 3-9/16"x 4-1/4" | 20 Gap | 15 Gap | 18 Perf |
| PPAUB358 | 3-5/8"x 6" | 20 Perf | 16 Gap | 10 |
| PPAUB278 | 2-7/8"x 5-1/2" | 30 | 36 Perf | 21 Gap |
| PPAUB238 | 2-3/8"x 5" | 48 Perf | 49 Perf | 36 |
| PPAUB238334 | 2-3/8" X 3 3/4" | 48 Perf | 49 Perf | 36 |
| PPAUB234 | 2-3/4"x 2-1/2" | 30 Perf | 36 Perf | 21 Gap |
| PPAUB2789 | 2-7/8"x 9" | 25 ea. | 15-3/4" x 15-3/4" x 5" | |



If purchasing a pallet, customers must have forklift for unloading



The HC Companies™
Leader in Horticultural Containers



The HC Companies

| Item No. | Item Description | Case Amt | Size | Max Liquid Vol | Case Wt. |
|---------------------|---|----------|------------------|----------------|----------|
| Round pots | | | (OD x Ht) | | |
| PPIDILSTG03500GR | STG03500 03.50 TW TL GREEN | 1225 | 3.5" x 3.25" | .57 pt | 28 lbs |
| PPIDILSTG04000GR | STG04000 04.00 STG TW GREEN | 1550 | 4" x 3.5" | 1.01 pt | 54 lbs |
| PPISTG04500GR | STG04500 04.50 GERANIUM TW GREEN | 850 | 4.25" x 3.81" | 1.26 pt | 35 lbs |
| PPIDILSTG06000GR | STG06000 06.00 RND STD TW GREEN | 440 | 6" x 5.71" | 1.87 qt | 48 lbs |
| PPIPA.1001CL | PA.09000 10" TRUE PANTERRA POT CL | 100 | 10" x 7.75" | 1.56 gal | 26 lbs |
| PPIPA.1200CL | PA.12000 12" PANTERRA POT CLAY | 58 | 13.25" x 9.5" | 3.35 gal | 35 lbs |
| PPIPAP1600CL | PAP16000 16" PANTERRA OVAL CL(50) | 50 | 16.75" x 6" | 1.97 gal | 25 lbs |
| PPIDILCDA12000* | CDA12000 12" CORDOVA POT | 25 | 13" x 8.5" | 3.14 gal | 17 lbs |
| PPIDILCDA14000* | CDA14000 14" CORDOVA POT | 22 | 15" x 10" | 5.20 gal | 21. lbs |
| PPIDILCPA06003CL | CPA06003 6.00 COLOR POT CLAY | 98 | 6.81" x 5.5" | 2.12 qt | 14 lbs |
| PPIDILCPA08002CL | CPA08002 8.00 COLOR POT TL CLAY | 58 | 8.93" x 6.06 | 1.01 gal | 15 lbs |
| PPIDILCPA10002CL | CPA10002 10.00 COLOR POT 3 TL CLAY | 50 | 11" x 7.75" | 1.67 gal | 18 lbs |
| PPIDILCPA12001CL | CPA12001 12.00 COLOR POT 2 TL CLAY | 40 | 11.81" x 9.5" | 2.87 gal | 25 lbs |
| PPIDILCPA14000CL | CPA14000 14.00 COLOR POT CLAY | 20 | 15.53" x 5.62" | 2.57 gal | 25 lbs |
| PPIAZM0600GR | AZM06000 5.5" TRAD. AZALEA GREEN | 544 | 5.4" x 4.56" | 1.39 qt | 42 lbs |
| PPIAZA06500GR | AZA06500 6.5" AZALEA TW TS GREEN | 438 | 6" x 4.25" | 1.81 qt | 38 lbs |
| PPIAZE07000GR | AZE07000 7" ELITE/ULTRA AZALEA GREEN | 250 | 7" x 5" | 2.2 qt | 26 lbs |
| PPIAZE07500GR | AZE07500 7.5" ELITE/ULTRA AZALEA GREEN | 200 | 7.5" x 5.5" | 2.73 qt | 26 lbs |
| Square Pots | | | | | |
| PPIDILSVP03001 | SVP03001 2/63" SQ VAC POT PRESSFIT BLACK | 800 | 2.62" x 3.5" | 9.47 fl oz | 22 lbs |
| PPIDILSVP04001BL | DSQVP4PF/D 3.50" SQ DEEP VAC POT PRESS FIT BLACK | 450 | 3.5" x 3.5" | 1.08 pt | 12 lbs |
| PPIDILSVP04501 | SVP04501 4.13" SQ VAC POT PRESS FIT BLACK | 375 | 4.13" x 3.62" | 1.65 pt | 15 lbs |
| PPIDILSVP0450D(375) | SVP0450D 4.13" SQ. DEEP VAC. POT PRESS FIT, BLACK | 375 | 4.12 x 5" | 1.2 qt | 20 lbs |
| PPIDILSQL04501 | SQL04501 04.50 SQ DP PER TL TW BLACK | 441 | 4.21" x 4.93" | 1.03 qt | 35 lbs |
| PPIDILSQL05501 | SQLO5501 05.50 SQ DP PER TL BLACK | 256 | 5.25" x 5.93" | 2.04 qt | 33 lbs |
| PPIDILXSQ05500BL | XSQ05500 2 QUART POT BLACK | 200 | 5.25" x 6" | 2 qt | 26 lbs |



PPIDILSTG04000



PPIDILSQL04501



PPIPA1001CL



PPIDILCDA12000



PPIDILSQL05501



PPIPAP1600CL



PPIAZE07500GR



PPIDILXSQ05500

Some items may be available in other colors. Call for availability and pricing. Other sizes may be available.

Note: A variety of decorative planters and hanging baskets, such as YWP13000 & YVH12000 may be available, call for pricing and lead time.

Call or go online for large quantity orders, additional info and current prices.



PPIHTS1000GR &
PPIHZP3LSNO



PPIDILHZS14HA0



PPIDILHSI12000GR



PPIDILCDA12000

| Item No. | Item Description | Case Amt | Size | Max Liquid Vol | Case Wt. |
|--|--|----------|----------------------|----------------|----------|
| Hanging Baskets | | | (OD x Ht) | | |
| (hangers sold separately) | | | | | |
| PPIDILHSI06000GR | HSI06000 6" EURO SL HB GREEN | 100 | 6.5" x 4.25" | 1.59 qt | 13 lbs |
| PPIDILHSI08001GR | HSI08001 8.00 EURO SL HB GREEN | 50 | 8" x 5.56" | 3.23 qt | 20 lbs |
| PPIHSI10001GR | HSI10001 10" EURO SL 2 HB W/DIV GREEN | 50 | 10" x 6.12" | 1.39 gal | 30 lbs |
| PPIDILHSI12000GR | HSI12000 12.00 EURO SL HB GREEN | 50 | 11.75" x 7.25" | 2.39 gal | 30 lbs |
| PPIHTS1000GR | HTS10000 10.75" TRAD HP W/ DIV GREEN | 50 | 10.75" x 5.87" | 1.47 gal | 25 lbs |
| PPIHTS1200GR | HTS12000 12"TRAD. HP W/DIV GR | 50 | 13" x 7.5" | 2.77 gal | 30 lbs |
| PPIHNI1200GR | HNI12000 12"KORD SL HP W/WD GREEN | 50 | 12.75" x 7.5" | 2.74 gal | 30 lbs |
| Hangers | | | (Length) | | |
| 3-Strand (for baskets 10" or smaller) | | | | | |
| PPIHZS.L170 | HZS.L170...D050 17.00 3 STRAND WIRE HANGER | 50 | 17" | | 2 lbs |
| PPIDILHZS.L210 | HZS.L210 21.00 3 STRAND WIRE HANGER | 50 | 21" | | 2 lbs |
| PPIDILHWP3E100GR | HWP3E100 3 STRAND HANGER GREEN 16" | 50 | 16" | | 1.75 lbs |
| PPIHZP3LSNOGR25 | HWP3LSNO 3-STRAND SNAP POLY HANGER GREEN | 25 | 18" | | .75 lbs |
| PPIHZP3E103GR | HWP3E103 3 STRAND HANGER GREEN | 50 | 19.5" | | 2 lbs |
| 4-Strand (for baskets 12" +) | | | | | |
| PPIHZS.L240 | HZS.L240...D050 24" 4 WIRE HANGER | 50 | 24" | | 9 lbs |
| PPIHZP4E120GR25 | HWP4E120 E-12 4 STRAND HANGER GREEN | 25 | 22" | | 2 lbs |
| PPIDILHZS14HA0 | HZS14HA0 14" METAL HOOP HANGER | 22 | 25.5" | | 13 lbs |
| Trays/Flats | | | (L x W x H) | | |
| PPITND1020T | TND10200 DAISY WEB TRAY BLACK | 50 | 10.75" x 21" x 2.38" | | 15 lbs |
| PPITVA11210 | TVA11210 DVF1020 FLAT BLACK W/HOLES | 100 | 10.5" x 21" x 2.37" | | 27 lbs |
| PPITVA11210J | TVA11210J DVF1020 FLAT BLACK NO HOLES | 100 | 10.5" x 21" x 2.37" | | 27 lbs |
| PPITVF1020 | TRUE TVT10201 BLACK W/HOLES (smaller) | 100 | 10" x 20" x 2.62" | | 27 lbs |



PPITVT1020



PPITND1020T

Other sizes/styles may be available. Call for quote.

| Item No. | Item Description | qty bundle/ qty pallet | dimensions | volume (gal/qt) |
|-------------------------|--|---------------------------|-------------------|--------------------|
| Blow Molded | | | | |
| PPIPCBMS03000 | PROCAL BMS03000 ELITE 300 SQ NURSERY POT BLOW MOLD | (60/10080) | 6-1/2" x 6-3/8" | 2.49 Qt. |
| PPIPCBM.03000 | PROCAL BM.03000 ELITE 300 NURSERY POT BLOW MOLD | (60/10440) | 6-1/2" x 7" | 3.00 Qt. |
| PPIPCAMK0600 | PROCAL AMK06000 ELITE NURSERY POT BLOWMOLD | (60/5400) | 8-1/2" x 8-1/2" | 1.6 G |
| PPIAMK10000 | PROCAL AMK10000 ELITE NURSERY POT BLOWMOLD | (50/4400) | 10" x 9" | 2.33 G |
| PPIPCAMK12000 | PROCAL AMK12000 ELITE NURSERY POT BLOWMOLD | (50/3000) | 11" x 9-5/8" | 3 G |
| PPIPCBWS00055 | PROCAL BWS00055 WHITERIDGE BM 5 SQUAT W/ HANDLES | (28/1008) | 13-3/4" x 9" | 20 Qt. |
| PPIPCBWS0007 | PROCAL BWS00070 WHITERIDGE BM 7 SQUAT | (25/800) | 16" x 11-5/8" | 7.5 G |
| PPIPCBW.0007 | PROCAL BW.00070G18D028 WHITERIDGE BLOWMOLD | (28/1008) | 13-3/4" x 12" | 6.52 G |
| PPIPCBW.0010 | PROCAL BW.0010 WHITERIDGE BM 10 TALL | (25/800) | 16" x 15-3/8" | 10 G |
| PPIPCBW.0015 | PROCAL BW.0015 WHITERIDGE BM 15 | (15/450) | 18" x 15-3/4" | 15 G |
| PPIPCBWS0020 | PROCAL BWS0020 WHITERIDGE BM 20 | (5/340) | 23-3/4" X 14" | 87 Qt |
| PPIPCBW.0025 | PROCAL BW.00250G18D005 WHITERIDGE BM 25 | (5/240) | 23" x 17" | 26.5 G |
| PPIPCBW.0045 | PROCAL BW.00450G18E001 WHITERIDGE BM 45 | (1/106) | 30-3/4" x 20" | 45.15 G |
| PPIPCBW.0065 | PROCAL BW.0065 WHITERIDGE BM 65 | (1/96) | 32" x 24" | 61.01 G |
| Thermoformed | | | | |
| PPIPCTFT001G0G18B052 | PROCAL TFT001G0G18B TRUE 1GAL THERMO | (50/5070) | 7-7/8" x 7-1/4" | 1 G |
| PPIPCTFT002G0G18B035 | PROCAL TFT002G0G18B035 TRUE 2GAL THERMO | (50/3500) | 9-1/2" x 9-1/4" | 2 G |
| PPIPCTFT003G0G18B26 | PROCAL TFT003G0G18B26 TRUE TALL 3GAL THERMO | (25/2500) | 10-1/2" x 11-3/4" | 3 G |
| Injection Molded | | | | |
| PPIPCNBB005G0 | PROCAL #5 NBB005G0G18D025 5 GAL BTM DRAIN POT | (10/1440) | 11" x 12-1/8" | 3.67 G |
| PPIPCNSR007G0 | PROCAL NSR007G0G18E600 07.00 GAL NURSERY POT | (1/600) | 12-3/4" x 14-1/2" | 6.20 G |
| PPIPCNSR010G0 | PROCAL NSR010G0G18E486 10.00 G SD DRAIN NSY POT | (1/486) | 16-1/2" x 15" | 9.50 G |
| PPIPCNSS007G1G18E675 | NSS007G1G18E (IMPRINT: 7SQSPC) 7 GAL SQUAT POT | (1/675) | 14-1/4" x 11-1/2" | 5.90 G |
| PPIPCNSS010G0G18E396 | PROCAL NSS010G0G18E 10.00 G SQUAT NURSERY POT | (1/396) | 18" x 12" | 9.64 G |
| PPIPCNSS015G0G18E360 | PROCAL NSS015G0G18E360 15.00 G SQUAT NSY POT #15 TUB | (1/360) | 18" x 15" | 12.7 G |
| PPIPCNSS020G0G18E216 | PROCAL NSS020G0G18E 20.00 G SQUAT INJ #20 CAN | (1/216) | 22" x 17" | 19.70 G |



PPIPCTFT002G0



PPIPCNSS015G0



PPIPCBW.0045



PPIPCBWS0007



PPIPCBM.03000

Call or go online for large quantity orders, additional info and current prices.



| Item No. | Item Description | Case Qty | Width x Length |
|-------------------------------|---|-----------|-------------------|
| Inserts | | | |
| PPEJA1201 | EAST JORDAN A12-01 A SERIES INSERTS | (200/CS) | 10-7/8" x 21-1/4" |
| PPEJA1801 | EAST JORDAN A18-01 A SERIES INSERTS | (200/CS) | 10-7/8" x 21-1/4" |
| PPEJPA1204 | EAST JORDAN A12-04 A SERIES INSERTS | (200/CS) | 10-7/8" x 21-1/4" |
| PPEJPA1206 | EAST JORDAN A12-06 A SERIES INSERTS | (200/CS) | 10-7/8" x 21-1/4" |
| PPEJPA2401 | EAST JORDAN A24-01 A SERIES INSERTS | (200/CS) | 10-7/8" x 21-1/4" |
| PPEJPA606 | EAST JORDAN A6-06 A SERIES INSERTS | (200/CS) | 10-7/8" x 21-1/4" |
| PPEJPA801 | EAST JORDAN A8-01 A SERIES INSERTS | (200/CS) | 10-7/8" x 21-1/4" |
| PPEJPA806 | EAST JORDAN A8-06 A SERIES INSERTS | (200/CS) | 10-7/8" x 21-1/4" |
| Shuttle Pots and Trays | | | |
| | | | Diameter x Height |
| PPEJPSP650GR | EAST JORDAN SP 650 6-12" SHUTTLE POT, GREEN | (300/CS) | 6.7" x 5.875" |
| PPEJPSP750BK | EAST JORDAN SP 750 SHUTTLE POT, BLACK | (240/CS) | 7.5" x 5.625" |
| PPEJPSP800AGR | EAST JORDAN SP 800A SHUTTLE POT, GREEN | (210/CS) | 8" x 6" |
| PPEJPSS265BK | EAST JORDAN SS 265 SQUARE SHUTTLE POT | (2430/CS) | 2.6" x 3.25" |
| | | | Width x Length |
| PPEJPST43315BK | EAST JORDAN ST 433-15 SHUTTLE TRAY 15 PACK, BLACK | (50/CS) | 12-3/8" x 21-3/4" |
| PPEJPST6006RBK | EAST JORDAN ST 600-6 (R) SHUTTLE TRAY, BLACK | (100/CS) | 12" x 18" |
| PPEJPST6506BK | EAST JORDAN ST 650-6 SHUTTLE TRAY 6 PK, BLACK | (50/CS) | 13-1/8" x 19-3/4" |
| PPEJPAF312PCSTD | EAST JORDAN AF 3 1/2" PC STD POT CARRIER TRAY | (100/CS) | 10-7/8" x 21-1/4" |
| PPEJPPCSS26532 | EAST JORDAN PC SS 265-32 SHUTTLE TRAY | (100/CS) | 10-7/8" x 21-1/4" |
| Flats | | | |
| PPEJPWA1121HD | EAST JORDAN WA 1121 HD A-SERIES OPEN HD WEB FLAT | (50/CS) | 10-7/8" x 21-1/4" |
| PPEJPWT1020 | EAST JORDAN WT 1020 HD T-SERIES OPEN WEB FLAT | (25/BN) | 9-7/8" x 19-7/8" |
| PPEJPAFGERMF | EAST JORDAN AF GERMINATING FLAT (1-1/4" DEEP), NO HOLES | (100/CS) | 10-7/8" x 21-1/4" |
| PPEJPAFHF | EAST JORDAN AF HALF FLAT STD | (200/CS) | 10-7/8" x 10-7/8" |





Blackmore Trays

| Item No. | Blackmore # | Item Description | Bundle Qty/Pallet Qty | Cell Count | Compatible pot |
|--------------------|-------------|----------------------|-----------------------|------------|-----------------|
| Carry Trays | | | | | |
| PPBMR18EA | 80160 | TRAY DR STANDARD=R18 | (220/1760) | 18 ct | 3.5" square pot |

| Item No. | Blackmore # | Item Description | Bundle Qty/Pallet Qty | Depth | Approx. cubic inches per cell |
|-------------------|-------------|----------------------------------|-----------------------|--------|-------------------------------|
| Cell Trays | | | | | |
| PPE10CT80 | 81370 | 10 COUNT FOR 80MM | (1980) | 3.15" | 39 |
| PPE10ACT80 | 81940 | 10 COUNT AIRTRAY FOR 80 MM | (1100) | 6.3" | 10 |
| PPE1801JT | 81260 | 18-01 JUMBO TRAY-STACKABLE | (150/1200) | 2.75" | 29 |
| PPE2165 | 81580 | 21 COUNT TRAY 65mm | (1440) | 2.75" | 18 |
| PPE21AIR | 82010 | 21 COUNT AIR TRAY FOR 60 X 140MM | | 5.5" | 36 |
| PPE32SJT | 88370 | 32 STACKABLE TRAY | (200/1600) | 1.625" | 7.4 |
| PPE32DEEP | 88810 | 32 DEEP TRAY FOR 50MM | (200/1600) | 2" | 14 |
| PPE32EXDEEP | 89050 | 32 EXTRA DEEP | (140/1280) | 4" | 19 |
| PPE36 | 89220 | 36 CT 45MM-114MM DEEP - AIR TRAY | (1120) | 4.5" | 18 |
| PPE5035MMT | 88460 | 50 BLACKMORE FOR 35mm | (200/1600) | 1.625" | 4.5 |
| PPE50OCTVT | 87960 | 50 OCTAGON VENTED TRAY 40MM | (200/1600) | 1.625" | 5.2 |
| PPE50D45 | 88890 | 50 DEEP TRAY 45MM | (180/1440) | 1.75" | 9.8 |
| PPE50STARD | 88830 | 50 STAR DEEP TRAY 40MM | (140/1120) | 2" | 6.15 |
| PPE72ST | 88210 | 72 30MM TRAY | (220/1760) | 1.625" | 2.9 |
| PPE7235T | 88350 | 72 35MM TRAY | (200/1600) | 1.625" | 4 |
| PPE7230DT | 89100 | 72 30MM 70MM DEEP AIRTRAY | (180/1280) | 2.75" | 4.2 |
| PPE7235DT | 88750 | 72 35MM DEEP TRAY | (180/1440) | 2.5" | 6 |
| PPE84OCTT | 88640 | 84 OCTAGON TRAY | (200/1600) | 1.625" | 1.75 |
| PPE102BUT | 88720 | 102B UNCUT TRAY | (200/1600) | 1.625" | 1.75 |
| PPE251MST | 89070 | 2-51 STRIP TRAY (102 CELL COUNT) | (1980) | 1.625" | 1.75 |
| PPE105OCTT | 87940 | 105 OCTAGON TRAY | (220/1760) | 1.625" | 1.75 |
| PPE128ST | 87040 | 128 NEW STYLE TRAY | (180/1440) | 1.625" | 1.75 |
| PPE128D | 88850 | 128 DEEP TRAY | (180/1280) | 2" | 1.9 |
| PPE144OCTVT | 87910 | 144 OCTAGON VENTED TRAY | (220/1760) | 1.625" | 1.3 |
| PPBM8845 | 88450 | 162 OCTAGON VENT TRAY | (200/1600) | 1.625" | 1.3 |
| PPE209ST | 88620 | 209 STANDARD TRAY | (200/1600) | 1.5" | 1.2 |
| PPBM8726 | 87260 | 288 OCTAGON TRAY | (220/1760) | 1" | 0.375 |
| PPBM8729 | 87290 | #288 XCE DEEP PLUG TRAY | (220/1760) | 1.5" | 0.585 |
| PPBM87400 | 87400 | 512 XCE PLUG TRAYS | (200/1760) | 7/8" | 0.18 |





Trays & Inserts

Vacuum-formed plastic products including a full line of containers from flats to inserts, plug trays to propagation trays, and pots to specialty items.

Other T.O. products available upon request.

| Item No. | Item Description | qty/cs | Case Weight | Size | Volume (dry cu in) |
|--------------------------|--|-----------|-------------|-------------------------|-------------------------|
| SQUARE POTS | | | | | |
| PPTO700003C | #700003C SVD-250-BLACK SQUARE POT | 800 | 11Lb | 2.6" sq x 3.44" deep | 14.46 |
| PPTO700062C | #700062C SVD-450-BLACK SQUARE POT | 500 | 26Lb | 4.2" sq x 4.91" deep | 65.42 |
| CARRY TRAY | | | | | |
| PPTO705165C | #705165C SPT-450-15-PF SQ POT CARRY TRAY | 50 | 22Lb | 12.88" x 21.19" x 2.13" | hold 15 of the 450 pots |
| DOMES | | | | | |
| PPTO760549C* | #760549C ST-F-1020 CLEAR DOME | 50 & each | 17Lb | 11" x 21.5" x 2.1" | CLEAR DOME (LID) |
| OPEN TRAY | | | | | |
| PPTO710245C | #710245C ST-F-1020-open w/holes | 100 | 17Lb | 10.94" x 21.44" x 2.44" | open flat |
| PLUG TRAYS | | | | | |
| PPTO720562C | #720562C PL-038-STAR-DEEP 5" PLUG TRAY | 25 | 15Lb | 10.94" x 21.44" x 5" | 13.43 |
| PPTO720695C | #720695C S-PL-SR-50-3-VH SURE ROOT TRAY | 25 | 22Lb | 10.94" x 21.44" x 3" | 7.03 |
| PPTO720697C | #720697C S-PL-SR-50-3-HW-VH SURE ROOT TRAY | 25 | 22Lb | 10.94" x 21.44" x 3" | 6.71 |
| PPTOPT720568C | #720568C PL-050 STAR DEEP 4.5" PLUG TRAY | 50 | 34Lb | 10.94" x 21.44" x 4.5" | 8.66 |
| PPTOPT12865 | #720580C PL-072-STAR DEEP 3" PLUG TRAY | 50 | 19Lb | 10.94" x 21.44" x 3" | 4.27 |
| PPTOPT720487C | #720487C PL-128-PLUG TRAY | 100 | 39Lb | 11" x 21.22" x 2.12" | 1.16 |
| PPTO720544C | #720544C S-PL-512CE-SQ-NET-VH 512 TRAY | 50 | 19Lb | 11" x 21.22" x 1" | 0.24 |
| PROPAGATION TRAYS | | | | | |
| PPTOPT12550 | #725602C PROP-50 TRAY | 100 | 22Lb | 10.56" x 21.06" x 2.31" | 4.88 |
| PPTOPT12572 | #725607C PROP-72 TRAY | 100 | 22Lb | 10.56" x 21.06" x 2.31" | 2.5 |



Vented Dome

These domes fit into the standard 10"x20" trays to create a humid and warm environment ideal for cuttings and seed germination. Tall 7.5" dome gives extra height for your taller cuttings. Adjustable vents allow for perfect humidity and temperature control.

PPPVDDOME7 PARSOURCE 7.5" VENTED DOME 25 per case but also sold individually



Sabert Dura Pots

Economical Dura-Pots are made from durable polyethylene and come in 4 standard sizes. All sizes available in black. They are flexible for easy de-potting with rounded edges to prevent cuts. Pots are sold by the case. Call 1-800-477-4744 for information. (Formerly "Gage" Dura Pots)

| Prod. Code | Width | Depth | Volume (ml) | No. In Case | Case Wt. Lbs. | No. Cases Per Pallet |
|------------|----------|--------|-------------|-------------|---------------|----------------------|
| PPG350 | 3-7/16" | 3-1/4" | 480 | 1500 | 25 | 24 |
| PPG311 | 3-11/16" | 3-3/8" | 550 | 1500 | 27 | 24 |
| PPG4 | 4" | 3-3/8" | 760 | 1500 | 29 | 28 |
| PPG550 | 5-1/2" | 5-1/2" | 1650 | 400 | 27 | 32 |



Fabric planting containers made from plastic recycled water bottles allow roots to cool in the summer and provides insulation in the winter. Breathability of fabric makes better use of water and better drainage for stronger, healthier starts and decreases risk of transplant shock.

Product code: PPRP*

| Prod. Code | Description |
|------------|--|
| PPRP01BLK | ROOT POUCH 1 GAL. THIN BLACK (50/3500) |
| PPRP02BLK | ROOT POUCH 2 GAL. THIN BLACK (50/2200) |
| PPRP03BLK | ROOT POUCH 3 GAL. THIN BLACK (50/1800) |

Thin Black

Natural fiber blend
90 g/m2
Propagation
12-18 months
Use in propagation and ebb & flow applications



Heavyweight fabric designed for all around use & above ground growing



Brown

100% recycled water bottles
4-5 seasons
Great for above ground or pot-in-pot systems



Black

Natural fiber blend
260 g/m2
4-5 seasons
Semi-degradable fabric, great for multiple uses!

Natural fibers allow for both in-ground and above ground growing



Grey

Natural fiber blend
250 g/m2
3-4 seasons
Ideal for nursery growers

| SIZE | Liter size | Dimensions in Inches | Units per pack | Units per Bale |
|-------------------|------------|----------------------|----------------|----------------|
| 1 gal | 3.8 | 6w x 7 1/2h | 25 | 1800 |
| 1 gal w/handle | | | 10 | 1800 |
| 2 gal | 8 | 8 1/2w x 8 1/2h | 25 | 1200 |
| 2 gal w/handle | | | 10 | 1200 |
| 3 gal | 12 | 10w x 8 1/2h | 25 | 900 |
| 3 gal w/handle | | | 10 | 900 |
| 5 gal | 16 | 11w x 10 1/4h | 10 | 750 |
| 5 gal w/handle | | | 10 | 550 |
| 7 gal | 30 | 14w x 11 3/4h | 10 | 540 |
| 7 gal w/handle | | | 10 | 420 |
| 10 gal | 39 | 16w x 12h | 10 | 400 |
| 10 gal w/handle | | | 10 | 320 |
| 15 gal | 56 | 17w x 15h | 10 | 350 |
| 15 gal w/handle | | | 10 | 300 |
| 20 gal | 78 | 19 7/8w x 15 7/8h | 10 | 280 |
| 20 gal w/handle | | | 10 | 240 |
| 25 gal | 95 | 21w x 16.5h | 10 | 240 |
| 25 gal w/handle | | | 10 | 240 |
| 30 gal | 113 | 24w x 16.5h | 10 | 200 |
| 30 gal w/handles | | | 10 | 200 |
| 35 gal | 127 | 23 1/2w x 17 7/8h | 10 | 200 |
| 35 gal w/handle | | | 10 | 200 |
| 45 gal | 170 | 27w x 18h | 10 | 180 |
| 45 gal w handles | | | 10 | 180 |
| 65 gal | 246 | 32w x 18h | 10 | 140 |
| 65 gal w handles | | | 10 | 140 |
| 100 gal | 378 | 38w x 20h | 5 | 110 |
| 100 gal w handles | | | 5 | 110 |
| 150 gal | 567 | 45w x 22h | 5 | 80 |
| 150 gal w handles | | | 5 | 80 |
| 200 gal | 757 | 50w x 24h | 5 | 70 |
| 200 gal w handles | | | 5 | 70 |
| 250 gal | 946 | 55w x 24h | 5 | 60 |
| 250 gal w handles | | | 5 | 60 |
| 300 gal | 1135 | 60w x 24h | 5 | 55 |
| 300 gal w handles | | | 5 | 55 |
| 400 gal | 1514 | 70w x 24h | 5 | 45 |
| 400 gal w handles | | | 5 | 45 |
| 500 gal | 1892 | 80w x 24h | 5 | 35 |
| 500 gal w handles | | | 5 | 35 |
| 600 gal | 2271 | 90w x 24h | 5 | 30 |
| 600 gal w handles | | | 5 | 30 |

Available with or without handles. Call for availability and lead-time.

Call or go online for large quantity orders, additional info and current prices.



Al's Flower Pouch

Designed to maximize space, it can be hung on walls, decks, lamp posts, around swimming pools, on balconies or under gutters. Precut slits for planting rootballs. Made of green recyclable plastic.

| Prod. Code | Description | Unit of Meas. | Wt/Lb |
|------------|-------------------------|---------------|-------|
| PPFPE | 6L 8.5"x 20", 10 slits | 25/BNDL | 1 |
| PPFPC | 6L 8.5"x 20", 10 slits | 250/cs | 10 |
| PPFPME | 4L 8.5"x 13.5", 6 slits | 25/BNDL | 0.5 |
| PPFPMC | 4L 8.5"x 13.5", 6 slits | 250/CS | 5 |



PPOSMO5010



PPOSMO5213



PPOSMO5625 / PPOSMO5615

Oasis Grower Products



| Prod. Code | Description | Size | Cells |
|------------|---------------------------|-----------------------------|----------------------------------|
| PPOSMO5010 | #5010 Rootcubes | 1¼" Medium | 104 cells/sheet (20 sheets/case) |
| PPOSMO5231 | #5231 Hortcubes | 1" Thin Cut Medium | 76 cells/sheet (20 sheets/case) |
| PPOSMO5625 | #5625 Wedge | 34 Ct. Dbl strip | 72 strips/case |
| PPOSMO5615 | #5615 Wedge (Medium Only) | Refill for 5625, 5641, 5643 | 120 strips/case |

Brown Kraft Paper Pot Sleeves

All natural brown kraft paper pot sleeves. Other sizes available by request. Sold by the case.

| Prod. Code | Pot Size | Sleeve Ht. | Bottom Opening | Top Width | Wt./Cs./Lbs. | Qty. Case* |
|------------|------------|------------|----------------|-----------|--------------|------------|
| MSPS618 | 6" | 18" | 7-¼" | 16" | 25 | 500 |
| MSPS6520 | 6 – 6-1/2" | 20" | 8" | 16" | 27 | 500 |
| MSPS8530 | 8 – 8-1/2" | 24" | 11" | 30" | 51 | 500 |



Vibro Motor Hand Seeder

A seeding tool designed for small and medium-sized growers as well as home gardeners.

| Prod. Code | Description | Wt. Lbs. |
|------------|---|----------|
| MSMHS | Hand Seeder | 1 |
| MSMHPSA2 | Power Supply Adapter to replace battery | N/A |
| MSMHSTM3 | Tip Magnifier | N/A |




Evergreen Vacuum Seeder

This seeder is light weight and very simple to use. This seeder self centers itself over top of the plug tray, for accurate seed location. Change seed plates and locator frames for different plug tray formats in seconds. Seed plates are made specific for seed sown. Plants most vegetable, flower and tree seed.

| Prod. Code | Description |
|------------|--|
| MSEVS | Evergreen Vacuum Seeder (includes one plate) |
| MSEVSEP | Evergreen Vacuum Seeder Extra Plate (no seeder) |
| MSEVSLF | Evergreen Vacuum Seeder Locating Frame (no seeder) |

Dibble Pro and Mate



Dibble Pro

- Aluminum Uni-Body Construction
- Plastic (1/2" – 1" diameter)
- Aluminum Pins (1/8" – 1/4" diameter)
- Automatic Stripper Plate
- Durable Anodized Finish
- Makes A Perfect Dibble Every Time
- Use For Plugs or Cuttings
- Adjustable Depth Control
- Dibble Mate Stand Available



Dibble Mate Stand

The dibble mate stand is sold separately. This is a great option for ergonomic use with the dibble pro.

Antal/Cayson Plug Popper

The Plug Popper dislodges your plugs from their tray in a matter of seconds. No more broken stems or damaged roots. This indispensable horticultural tool works with a simple foot-pedal operation.

No cords, hoses or motors to maintain. The Plug Popper is easy to use and handles any tray with the swap of an insert. Try it for yourself! You will find that this heavy-duty workhorse pays for itself in a single season.

Each unit is custom made for your growing needs!



Plug Popper

- A -

Acme Gravity Flow Spreader 40
 AgroFabric 62
 All-Weather Paper 26
 Al's Flower Pouch 73
 Ames Tools 19-21
 Anderson Die Plastic Pots 64-65
 Anti-drip Compound 54
 ARS Tools 15

- B -

B & B Supplies 4-8
 Back Pack Sprayers 42
 Baler Twine 6
 Bamboo Cane Stakes & Trellis 14
 Basket Liners 6
 Bastard File 7
 Batten Tape 55
 Bedding Pot Labels 23, 25-26
 Benches, Conley 49
 Bench Top Materials 55
 Binding Tape Tie Down 55
 Biotherm 50
 Bird Netting 27
 Bird Scare Tape 11
 Black Plastic Mulch 60
 Blades, Max 11
 Bonsai & Craft Scissors 15
 Brushking Shearing Knives 27
 Budding Strips 13
 Burlap Squares & Liners 6
 Blackmore Trays 70

- C -

Calipers 8
 Carts 7, 44
 Chainlock 9
 Check Valves 41
 Chemical Accessories 42-43
 Chemical Sprayers 30, 42
 Chip Budding Tape 10
 Christmas Tree Supplies 27
 Circulation Fans 54
 Closure Strips 57
 Coco Fibre 36
 Cold Frame Greenhouses 45-47
 Conley Benches 49
 Conley Greenhouses 48-49
 Containers 63-73
 Container Cart 7
 Controllers & Instruments, Greenhouse 50-52
 Convection Tube, Fan 52
 Convection Tube Hangers 53
 Cooling Pads & Systems 52
 Corona Sharpening Tool 13, 27
 Corona Tools 16
 Coveralls, Spray 42
 Cowhide Driver Gloves 43
 Credit Application 77
 Crimper, Wire 7
 Crop Covers 62

- D -

Delivery Schedule 3
 Desktop Printer 24
 Dillen 66-67
 Dip n Grow 39
 Doc Farwell's Tree Seal 12
 Dome (for 10x20 tray) 71
 Doors 49
 Dos-A-Cart 41
 Dosatron Fertilizer Injectors 41
 Dramm Syphonjet 40
 Dramm Hoses 33
 Dramm Watering Supplies 30-33
 Dribble Rings 31
 Driver Gloves, Cowhide 43
 Dura-Bench Bench Top 55
 Dramm Sprayers & Foggers 30

- E -

EARTHPOTS 35
 East Jordan Plastics 69
 Environmental Controls 50
 Erosion Net Staples 60
 Erosion Netting 60
 Exhaust Fans, Shutters 52
 Electronic Leaf 28
 Evergreen Vacuum Seeder 74

- F -

Fans 52, 54
 Farm Tools 19-21
 Felco Pruning Shears & Saws 17-18
 Fertile Dispenser 40
 Fertilizer Applicators 40
 Fertilizer Injectors 41
 Fertilizers 38
 Fiberglass Staker 14
 File, Mill Bastard 7
 Filters, Dosatron 41
 Flagging Tape 11
 Flag Stakes 11
 Flats 65, 67, 69, 71
 Flat Wire Baskets 4
 Flower Pouches, Al's 73
 Fogg-It Water Nozzles 32
 Frost Protection 62

- G -

Gage Dura Pots (see Sabert) 71
 Geodisc 61
 Glove Liner, Cotton 43
 Gloves 43
 Goggles & Glasses 42
 Grafting & Budding Knives 12
 Grafting Seals 12
 Greenhouse Accessories 49-59
 Greenhouse Controllers 50
 Greenhouse Films 58
 Greenhouse Heating Systems 50-51
 Greenhouse, OBC 45-47
 Greenhouse Parts 53

Greenhouses, Conley 48-49
 Greenhouse Zippers 56
 Gripper Gloves 43
 Ground Cover 60
 Gutter-Connect Greenhouses 48-49

- H -

Hand Tools 21, 73
 Hanging Baskets 63, 67
 Harrell's Fertilizer 38
 HC Products 66-68
 Heater Hangers 53
 Heating Systems 50, 51
 Hedge Shears 15-18
 Hoes 19-20
 Hog Ring Stapler 8
 Holsters 18
 Honing Oil 13
 Horizontal Air Flow Fans 54
 Hormex Rooting Compound 39
 Hose & Accessories 31-33

- I -

Inflation Blowers 56
 Inflation Kit, Outside Air 56
 Inflation Kit, Retro Fit 56
 Injectors 41
 Insect Bug Screen 59
 Insect Trap 39
 Inserts 69
 Irrigation Shovels 19
 Irrigation Supplies 29-33
 ITML 66-67

- J -

Jack's Fertilizers 38
 Jersey Gloves 43
 Jumper Hose 56
 Jute Erosion Netting 60

- K -

Kleen Guard Coveralls 42
 Knives 8, 12, 27
 Kraft Pot Sleeves 73

- L -

Label Printing 24
 Labels 22-26
 Landscape Rakes 20
 LB White 51
 Link4 50
 Load Divider Netting 27
 Loppers 16, 18
 Lubricant Spray 18

- M -

Marking Pens 25
 Max Tape Products 10-11
 Microgrow 50
 Moss, Peat 36
 Moss, Tree 61
 Mounting Bracket, Blower 56

- N -

Nails, Pinning 8
 Nitrile Gloves 43
 Neoprene Gloves 43
 Netafim 29
 Netting, Erosion 60
 Netting Staples 60
 Nursery Carts 44
 Nursery Containers 63-73
 Nursery Labels 22-26
 Nursery Squares 6
 Nursery Stakes 14
 Nylon Sling 7

- O -

OBC Greenhouse 45-47
 Oasis Grower Products 73
 Okatsune Shears 15

- P -

Pack-It Tree Tote 7
 Paper Pot Sleeves 73
 Peat Moss 36
 Pens, Nursery 25
 Perfect-A-Feed Applicator 40
 Perlite 36
 Permanent ID Labels 22
 Ph Meters 28
 Pitch Fork 20
 Pinning Nails 8
 Plant Ties 9
 Plastic Mulch, Black 60
 Plug Popper 74
 Pneumatic Stapler 8
 Pole Pruners 15
 Policies, Returns & Terms 3
 Polycarbonate 57
 Poly Film 58
 Poly Film Tie Down 55
 Poly Flats 65, 67, 69, 71
 Poly Repair Tape 55
 Pots 63-72
 Pot Labels 23, 25-26
 Pot Sleeves 73
 Potting Soil 37
 Power Tube Fan 52
 Pressure Sensitive Labels 25
 Printing Software 24
 Printers 24
 Printing, Labels 24
 ProCal Pots 68
 Propagation Mats 28
 Propagation Supplies 28
 Pro-Pell-it 38
 Protek Trays 34
 Pruner Grease/Lube 18
 Pruners, Long Reach 15
 Pruning Saw 15-16, 18
 Pruning Shears 15-18
 Pulp Pots 63
 Push-on Tags 23

- R -

Rain Wear 43
 Rakes 20
 Retro Fit Kit, Inflation 56
 Ring Knives 8
 Rite in the Rain Notebooks 26
 Root Pouch 72
 Rooting Compounds 39
 Rubber Bands 9
 Rubber Gloves 43

- S -

Sabert, Dura pots 71
 Safety Glasses & Goggles 42
 SATO 22-26
 Saws 15-16, 18
 Schaefer Fans 52, 54
 Scissors 15
 Seeders 73-74
 Shade Cloth 59
 Shading Compound 54
 Sharpening Stones 13
 Shearing Knives, Chaps 27
 Shears & Loppers 15-16, 18
 Sheaths 18
 Shipping Rubber Bands 9
 Shovels 19
 Shutters 52
 Sickles 21
 Signs, Sign Holders 22
 Slings, Nylon 7
 Slip-On Labels 26
 Soil Amendments 36
 Soil Mixes, OBC 37
 Soil Test 28
 Soil Thermometers 28
 Solo Sprayer 42
 Spades 19
 Spot Spitters 31
 Spray Suits 42
 Spreaders 40
 Spring Lock 53
 Square Pots 63, 65, 71
 Stapler, Hog Ring 8
 Stapler, Pneumatic 8
 Staples 8, 11, 60
 Stakes, Bamboo 14
 Sterling Heaters 51
 Sticky Strips 39
 Stretch Wrap 7
 Stretch Tie 9
 SunClear 54
 Syphonject 40

- T -

Tanio 38
 T-Stakes 25
 Tally Meter 27
 Tapener Products 10-11
 Tapes 10-11
 Temperature Controls 50, 52

Terms & Payment 3
 Thermal Labels 26
 Thermal Printer 24
 Thermometers 28
 Thermostat 52
 Tie Downs 55
 Tie Tapes 10
 Tools 15-21
 T.O. Trays & Inserts 71
 Tracking Trailers 44
 Traps 39, 42
 Trays 65, 67, 69, 71
 Tree Caliper 8
 Tree Kote 12
 Tree Moss 61
 Tree Trunk Protectors 8
 Tree Wrap 8
 Trellis Netting 27
 Truck Tarps 59
 Tube Fan 52
 Twine Knives 8
 Twines 6
 Tye Tape 10

- V -

Vacuum Seeder 74
 Ventilation Control 50, 52
 Vermiculite 36
 Vibro Seeder 73

- W -

Wagons, Nursery 44
 Warrens T-7 Spreader 40
 Water Heating Systems 50
 Water Shed Rain Wear 43
 Water Soluble Fertilizer 38
 Water Wands & Breakers 31-32
 Watering Supplies 29-33
 Weather-Proof Notebooks 26
 Web Flats 65, 67
 Western Pulp 63
 Wire Baskets 4-5
 Wire Crimpers 7
 Wolverine Shovels & Hoe 19
 Woods Rooting Compound 39

- Y -

Yard Card Signs, Holders 22

- Z -

Zenport Tools 21
 Zippers 56

OBC NORTHWEST, INC.

NURSERY & GREENHOUSE SUPPLIES

PO BOX 759 CANBY, OR 97013
Phone: 503-266-2021
Fax: 503-266-6837

CREDIT APPLICATION

The following information must be completed **IN FULL** and will be held in the strictest confidence. Please keep a copy for your records. STANDARD TERMS ARE NET 30 DAYS. Return fax 503-266-6837 or email credit application to bberreth@obcnw.com. Please allow 7 – 10 business days for application to be processed.

Business Name _____ Credit Requested _____
Address _____ Federal ID# _____
City _____ ST _____ Zip _____ **Tax Exempt: NO () YES () If so, attach certificate**
Mailing Address, if different _____ Tax Exempt/Resale Cert # _____
Telephone _____ Fax _____ Website _____
Invoice Preference: () Mail () Email Email address _____ Are PO's Required? NO () YES ()
Years in Business _____ Annual Sales _____ () Corporation () Partnership () Proprietor () LLC

Principal _____ Phone _____ Cell _____ Email _____
Buyer(s) _____
Accounts Payable: _____ Phone _____ Cell _____ Billing Email _____

Bank Reference: (Name) _____ Acct _____
Street Address _____ City _____ State _____ Zip _____
Phone: _____ Fax _____ Contact Person _____ Email _____
Operating Line of Credit NO () YES ()

Trade References:

| | | |
|-----------------|-----------------|-----------------|
| Company _____ | Company _____ | Company _____ |
| Fax _____ | Fax _____ | Fax _____ |
| Email _____ | Email _____ | Email _____ |
| Account # _____ | Account # _____ | Account # _____ |

Terms and Conditions of Sale and Related Financial Terms: OBC Northwest, Inc.'s (OBC) standard payment terms are net 30 days. These terms may vary with promotions and material being purchased. Cash discounts, if offered, are not allowed past discount "Due Date". **Applicant** hereby certifies that full and timely payment will be made for all purchases. In the event any monies are not paid in full on or before the "Due Date", an interest rate shall accrue on said unpaid balance at the rate of 0.75% per month, or the maximum rate allowed by law, until paid in full. Delinquent accounts past 60 days will be frozen until account is paid in full. The **Applicant** shall be responsible for all expenses including, but not limited to, attorney's fees, court costs and all collection fees. Should it become necessary to file suit to enforce payment, **Applicant** agrees that such suit will be brought in the county of Clackamas, state of Oregon. The Applicant acknowledges that the seller retains the absolute right to limit the amount of credit or refuse further credit to the buyer at any time. OBC gladly accepts credit card payments at time of order. **OBC does NOT accept the use of credit/debit cards for any part of your outstanding account balance.** Returned checks will be charged a \$25 processing fee.

Policies and Procedures: All pricing is subject to change without prior notice. A deposit of up to 50% may be required on special/custom orders. We will ship via: will call, OBC Truck, UPS, LTL, and US mail. All shipping, unless otherwise authorized is FOB Canby, Oregon. Shipping and handling fees will be charged at current market value. We will not assume responsibility for damaged, lost or stolen shipments. Please contact the carrier directly to report any freight claims within 24 hours. OBC will not be responsible or be held accountable for the abuse or misuse of any product in which we carry, market, or sell. Authorization is required before returns will be accepted. All products returned must be accompanied with the invoice and returned in its original condition, unless product has not performed within written warranties. Goods must be returned within **30 days** of shipment in order to receive credit. Goods that have been special ordered or that are not a stock item may NOT be returned. Burlap, and other specified items, CANNOT be returned. All returns will be assessed a handling charge of up to 20%, unless otherwise authorized. We reserve the right to refuse orders or service to anyone at anytime.

The **Applicant** represents that they have read and fully understands all of the terms and conditions of sale as listed on this application and are authorized to accept these terms and conditions of sale and all facts contained herein are truthful to the best of their knowledge. An electronic copy of application will be deemed as original. No oral agreements or modifications to this credit application will be accepted.

I/We agree to notify OBC promptly of any changes in ownership of the business conducted under the account name, and agree to liability for all charges to the business conducted under the account name unless and until you receive written notice of a change in ownership of that business.

Signature _____ Date _____
Print Name _____ Title _____



Your greenhouse specialist! (See pages 47-58)



OBC NORTHWEST, INC.
Nursery & Greenhouse Supplies

1076 SW Berg Parkway,
Canby, Oregon 97013
800-477-4744 • 503-266-6837 (fax)
Email: obc@obcnw.com
www.obcnw.com



Printed in U.S.A.